
CLASSIC RIB®



COMMERCIAL RESIDENTIAL PANEL

EXPOSED FASTENED

36" COVERAGE MINIMUM SLOPE 3:12

OPEN FRAMING OR SOLID SUBSTRATE

PANEL OVERVIEW

- ► Finishes: MS Colorfast45® and Acrylic-Coated Galvalume®
- Corrosion Protection: AZ55 per ASTM A 792 for unpainted Galvalume® AZ50 per ASTM A 792 for painted Galvalume®

G60, G90 or G100 per ASTM A 653 for Galvanized

- ▶ Gauges: 29 ga and 26 ga standard; 24 ga optional
- ► 36" panel coverage, ³/₄" rib height
- ▶ Panel Length: Minimum: 5'; Maximum: 45' recommended
- Exposed fastened, low profile roof and wall system
- ▶ Bell-top trapezoidal rib on 9" centers
- ► Minimum roof slope: 3:12


TESTING AND APPROVALS

- ► UL 2218 Impact Resistance Class 4
- ► UL 790 Fire Resistance Rating Class A, per building code
- ▶ UL 263 Fire Resistance Rating per assembly
- ▶ UL 580 Uplift Resistance Class 90 Constructions: #560, 584
- ► ASTM E 455, Diaphragm Capacity
- ► Texas Windstorm Evaluations RC-161 and RC-391
- ► 2014 FBC Approvals FL9482.2, FL9482.3, 10999.3, FL 10999.4, FL14645.8, FL14645.9, FL14645.10, FL 20451.1 and FL20452.1
- ▶ Miami-Dade County, Florida NOA 16-0218.02 expires 8/24/2021
- ► ICC Evaluation Report ESR-2385

Metal Roofing Wholesalers www.MetalRoofingholesalers.com

CLASSIC RIB®





SECTION PROPERTIES								ALLOWABLE UNIFORM LIVE LOADS, psf For various fastener spacings												
Ga	Width in	Yield ksi	Weight psf	Top in Compression		Bottom in Compression		Inward Load					Outward Load							
				lxx	Sxx	lxx	Sxx					1								
				in⁴/ft	in³/ft	in⁴/ft	in³/ft	1.5'	2'	2.5'	3'	3.5'	4'	1.5'	2'	2.5'	3'	3.5'	4'	
29	36	80	0.62	0.0100	0.0151	0.0053	0.0118	142	81	52	36	27	21	179	103	66	46	34	26	
26	36	80	0.79	0.0127	0.0192	0.0070	0.0153	185	105	68	47	35	27	227	131	84	59	44	33	
24	36	50	1.03	0.0163	0.0249	0.0103	0.0208	208	119	77	53	39	30	245	141	91	64	47	36	

- 1. Theoretical section properties have been calculated per AISI 2012 'North American Specification for the Design of Cold-Formed Steel Structural Members'. Ixx and Sxx are effective section properties for deflection and bending.
- Allowable load is calculated in accordance with AISI 2012 specifications considering bending, shear, combined bending and shear and deflection. Allowable load considers the 3 or more equal spans condition. Allowable load does not address web crippling, fasteners, support material or load testing. Panel weight is not considered.
- 3. Deflection consideration is limited by a maximum deflection ratio of L/180 of span.
- 4. Allowable loads do not include a 1/3 stress increase for wind.
- 5. Diaphragm Capacity 246 plf average Ultimate Shear Strength using the above fastening pattern on 2x supports located 2' on center, per ASTM E 445.

@MS1280CR/8-2016