

DEVELOPMENT

Phase	Trade Name/ INCI	W/w %
A	PEG-8 BEESWAX	2,0%
A	CETYL ALCOHOL (and) GLYCERYL STEARATE (and) PEG-75 STEARATE (and) CETETH-20 (and) STEARETH-20	1,0%
A	ETHYLHEXYL COCOATE	7,0%
A	BUTYLENE GLYCOL	3,0%
A	DIMETHICONE	3,0%
B	AQUA	QSP100
B	GLYCERIN	3,0%
B	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	0,1%
B	SODIUM POLYACRYLATE	0,5%
C	PHENOXYETHANOL	0,3%
C	ETHYLHEXYL GLYCERIN	0,5%
C	CHLORPHENESIN	0,3%
C	SILK CRYSTAL® HA COMPLEX	3,0%
C	TWAINMOIST®	2,0%
C	PERFUME	0,06%

PRESENTATION

A PEG-8 BEESWAX gives a melting touch and contributes to the moisturizing.

ETHYLHEXYL COCOATE gives a soft touch.

B ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER gives a light texture to the product.

PROCESS

1 In a beaker, disperse the ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER into water and glycerine. Pre-neutralized with soda.

2 Add the SODIUM POLYACRYLATE. Heat at 80°C.

3 In an other beaker, weigh and heat the phase B at 80°C. Emulsify during 10 minutes.

4 Leave to cool the emulsion. Add the phase C.

5 Adjust the pH.

CHARACTERISTICS

Aspect	Opalescent milky cream
pH	± 5,5
Viscosity	21 400 cP RVT Spindle 4 speed 5

SOLLICE BIOTECH ACTIVES

SILK CRYSTAL® HA COMPLEX

Silk Crystal bio-conjugated with Hyaluronic Acid.

Effects

Anti-aging, powerful moisturizer

Activity

Lifting like effect
Tightening effect

TWAINMOIST®

Composed of high molecular weight and low molecular weight Poly Glutamic Acid (GPA).

Effects

Powerful moisturizer

Activity

Increases skin elasticity
Enhances skin natural moisturizing factors
Reduces the Trans-Epidermal Water Loss (TEWL)

Distributed by:

Global Ingredient Solutions

Customerservice@ingsolutions.com
202 Fashion Ln. #202, Tustin, CA 92780
Phone: (714) 884-3872

info@sollicebiotech.com