

ph: 866-753-1113 email: customerservice@porterpreston.com

May 15, 2022

Retail Price List & Product Information Guide *10% tariff not included and must be applied to all products and pricing

EFFECTIVE 05/15/22

3

Contents

General Information »

Production Time, Pricing & Terms, Returns, Changes & Cancellations, Shipping, Installation, Dimension Key, Materials, Finishes, PTH Perfect Match™

Portfolio Collection »	
1 1⁄8" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe, Bohemian Chic, Rustic Retreat	5
1 ¾" Finial Collections Modern, Today's Traditional, Heritage Classics	2۲
2 ¼" Finial Collections Today's Traditional, Heritage Classics	22
Traverse Systems »	
1 ¾" Motorized Metal Traverse R-TEC Automation® Motorized System	32
Motorized Heavy Duty Traverse R-TEC Automation® or Somfy®	42
Metal Manual Baton Draw Traverse 1 ¼1" - 1 ¾1" Diameters, Baton Draw	63
Heavy Duty Manual Traverse 1¾" - 2¼" Diameters, Corded or Baton	74
Quick Ship Collection »	
1 1⁄18" Diameter Finial Collections Modern, Clean Deco, Transitional Luxe	87
1 ¾" Finial Collections Modern, Today's Traditional, Heritage Classics	93

- 2¹/₄" Finial Collections 102 Today's Traditional, Heritage Classics
- Sales Tools »

i je statisticki statisticki statisticki statisticki statisticki statisticki statisticki statisticki statistick

PARIS TEXAS

HARDWARE[™]

Celebrating

years

Designed to Inspire

106



For over 30 years, Paris Texas Hardware has been dedicated to evolving our legacy of providing exceptional design and superior service. Our in-house design team places you at the center of the design process while staying true to our heritage of curating designs that are uniquely our own.



We respect the important relationship between style and function in design and are excited to introduce many customized solutions that are perfectly balanced to inspire your vision into a reality.

Whether it's a Modern finial silhouette that has never been seen before, a Heritage Classic with a new twist or a customized traverse solution integrated with the latest smart home technology, we promise to provide you with something different - a collective style designed to inspire that you cannot find anywhere else in the world.



Trusted Heritage

In celebration of our 30 year anniversary, we promise to deliver on our rich legacy of providing high quality products, unique & elegant designs, a wide selection of finishes and superior service combined with designer expertise to elevate your design vision.



High Quality Products

Our products are tailored specifically to your needs and designed to be unrivaled in their ability to stand alone as the perfect combination of smart, decorative, durable and functional.



Wide Selection of Finishes

With a choice between our 35 Hand Painted Portfolio Finishes, 6 Quick Ship Metal Finishes, 5 Quick Ship Wood & Resin Finishes and PTH Perfect Match™, the possibilities are endless. Our talented artisans enjoy the challenge of creating any finish that you can envision.



When you need products to complete a project in a hurry, our Quick Ship Collection offers products that are in stock and ship within 24 hours. Available in 6 new plated metal finish options, 5 wood & resin finish options, 25 new finial designs and over 20 new bracket and accessory styles.



Superior Service

2

Paris Texas Hardware promises to offer an enjoyable customer experience that includes honest dialogue and responsive feedback.





Designer Expertise



Our talented team, with years of experience, are ready to help design the perfect window treatment solution for your project. Look for the icon throughout the catalog for tips, techniques and inspiration provided by our design experts, and download the full booklet using the QR code above, or by visiting: bit.ly/PTH-DE

Dimension Key





Materials

Some finials, brackets, holdbacks and rings are made of resin composite materials. Resin may be damaged by cutting, drilling or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of metal or steel.

Poles & Rods

Wood poles may be spliced together using a dowel splicing screw, which is included with each pole. Metal poles may be spliced together using our pole splice, sold separately, or a dowel splicing screw where plastic inserts are included. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

Finials

All finials are sold as pairs. Most resin finial bases have a ¹/₈" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial. 1 ¹/₈" metal finials are supplied with plastic inserts to attach the finials. 1 ³/₈" metal finials are fitted with a set screw, which can be tightened using an allen wrench provided.

Brackets

Brackets are sold individually. Depending on the style of the bracket, there are three wall mounting styles; key lock, round mounting plate or front drill. Some heavier treatments may require stronger fasteners (mollies and screws) than those included with the brackets. Brackets should be installed securely into wall studs.

Rings

Rings are sold individually. Eyelets are not detachable from rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

General Information

Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

Heavy Duty Corded or Baton & Motorized Traverse Systems

Heavy duty traverse systems are available with or without decorative wood fascia, available in 1 ⅔" or 2 ⅔" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 ⅔" slim round smooth profile, 2 ⅔" flat smooth profile with flush ends or mitered returns, in Portfolio, PTH Perfect Match™ and Quick Ship Wood & Resin. Production time for traverse system orders is 10-15 business days. Please refer to pages 49 & 77 for available fascia styles, sizes and finishes.

Metal Baton Draw & Motorized Traverse Systems Metal traverse systems are available in 1 ⅓" and 1 ¾" Portfolio (except Antique Gold Leaf), PTH Perfect Match[™], Quick Ship Metal and Quick Ship Wood & Resin. All 1 ⅓" and Wood & Resin 1 ¾" require Transitional Cuff / Finial Adapters to attach finials, sold separately. Production time for traverse system orders is 10-15 business days. Please refer to pages 32 - 41 and 63 - 73 for available metal track sizes and finishes.

Pricing & Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Due to the U.S. government's current policy on China tariffs, all products are subject to a tariff surcharge as of September 1, 2019. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

Returns, Changes & Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be Returned. Orders may not be changed or canceled once production has begun.

Quick Ship items may be Returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All Returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA# must be noted on all Return packages. Return Credit is issued on Returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package Return goods. Return Credit will not be issued for unauthorized Returns or damaged Returns.

Shipping (NET Fees)

All hardware orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 96" MUST be shipped by common carrier. For current common carrier freight rates and orders subject to actual freight costs, visit <u>www.paristexashardware.com/freight-rate</u>. Shipments exceeding these limits will require a special freight quote. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the published net fees.

Packaging Fees (NET Fees)

A net packaging fee of \$10.00 per order will apply to any order that has a pole. A net packaging fee of \$10.00 will apply to any order with a traverse rod less than 16 feet. The net packaging fee increases to \$25.00 for all orders with rods with returns; motorized traverse track; or poles, rods and corded traversing track 16 feet or longer.

Damaged Goods & Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. Damage and freight claims must be made within 15 days of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, a complete list of damaged items and a picture of the box/packaging. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order. Please note on the Bill of Lading if there is any possibility of damage. If shipping through a 3rd party, distributor is responsible for claiming damages and the remakes will be at charge.

Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and mollies) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

Portfolio Finishes				
AM	Amulet			
AND	Andiron			
AG	Antique Gold			
AGL	Antique Gold Leaf			
AB	Art Bronze			
BW	Barnwood			
BL	Black			
BLU	Blush			
BP	Bronzed Pewter			
CO	Concrete			
COU	Couture			
DC	Dark Chocolate			
FL	Firelight			
GOS	Gossamer			
GRE	Greige			
HA	Halo			
JA	Java			
LIN	Linen			
LU	Luminous			
MA	Manor			
МК	Mink			
ML	Moonlight			
MYS	Mystic			
NAB	New Age Bronze			
PAT	Patina			
SH	Shimmer			
SM	Silver Maple			
SPW	Spicewood			
SPG	Spun Gold			
STA	Stardust			
ST	Starlet			
TTM	Titanium			
TRU	Truffle			
URB	Urban Bronze			
WН	White			
Quick Ship Wood	& Resin 1 3⁄8" and 2 1⁄4" Finishes			
AB	Antique Brass			
ORB	Oil Rubbed Bronze			
PL	Platinum			
RG	Rose Gold			
WAL	Walnut			
Quick Ship Me	etal 1 ¼" and 1 ¾" Finishes			
BZ	Brushed Bronze			
BN	Brushed Nickel			
CZ	Charcoal Zinc			
МК	Matte Black			
1211X	Rose Gold			
RGD				
RGD				
SG	Satin Gold			
SG PTH Per	Satin Gold fect Match™ Finishes			
SG PTH Per PPMEF	Satin Gold fect Match™ Finishes Eggshell Sheen Level			
SG PTH Per PPMEF PPMHGF	Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level			
SG PTH Per PPMEF PPMHGF PPMGLITTER	Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights			
SG PTH Per PPMEF PPMHGF PPMGLITTER PPMGOLD	Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights Gold Highlights			
SG PTH Per PPMEF PPMHGF PPMGLITTER	Satin Gold fect Match™ Finishes Eggshell Sheen Level High-Gloss Sheen Level Glitter Highlights			

Finishes

Finishes with antiquing, dusting or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2022 Paris Texas Hardware Finish Chips. These chips have smooth, fluted and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

Portfolio

Portfolio Strike-offs: For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

Portfolio Touch up paint: For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

PTH Perfect Match™

On your purchase order, specify the following:

- Benjamin Moore® color name and number
- Sheen level: high-gloss or eggshell
- Highlight color, if desired (silver, gold, rose gold or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

Single Color - No Highlight:

10% upcharge or \$100 minimum (net)

Strike-off available: For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

Single Color - With Highlight: 15% upcharge or \$150 minimum (net)

Strike-off available: For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore[®] paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.

Portfolio Collection

Featuring the complete range of Paris Texas Hardware finials and accessories, with 7 style categories and over 200 finials available in 35 hand painted finish options.

ships in 10 - 15 business days

TH PARIS TEXAS HARDWAR

6

1 1/8" Modern Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

))		
PO118COFI		P0118ELAFI		PO118EMFI		PO118EMFIGL		PO118EMEC	
Cole		Ella		Elm		Elm - Smoke G	lass	Emery End Cap	
3 ¼" L x 1 ½" W Metal		1 5⁄8" L x 1 5⁄8" W Metal		1 ½8" L x 2" W Metal		1 ¼ "Lx2" W Metal / Glass		³ ⁄4" L x 1 ½" W Metal	
\$92.00 pair*		\$81.00 pair	*	\$81.00 pa	air*	\$92.00 pa	ir*	\$34.00 pai	r*
PO118EVEC		PO118KNFI		PO118LXFI		PO118LOFI		PO118REFI	
Evan End Cap	0899	Knox - Crystal	10169630	Lex	mentan.	London - Cryst		Reese - Crystal	1218.6791
³ ⁄4" L x 1 ³ ⁄4" W Metal		1 ¼" L x 2 %" W Crystal, Metal Pole		1 %8" L x 2" W Metal		1 %" L x 3" W Metal / Crystal		2 ¾" L x 2 ½" W Crystal, Metal Pole	è
\$34.00 pair*		\$144.00 pair	r*	\$81.00 pa	air*	\$167.00 pa	air*	\$144.00 pa	ir*
PO118RYFI Style Meets Function Pyder - Crystal 1 ½" Finials require a cuff / finial adapter to work with 1 ½" Metal Traverse.									

1 1/8" Clean Deco Finial Collection fits 1 1/8" poles. Finial adapters are required to adapt to 1 1/8" metal traverse, sold separately on page 10.

		nea		
PO118ANFI	PO118DAFI	PO118DEEC	PO118NVFI	PO118PEFI
Andes	Dakota - Crystal	Deco End Cap	Neve - Crystal	Penelope
2 ½" L x 2 5/8" W Metal	2 ¾" L x 2 ½" W Metal / Crystal	¾" L x 1 ⅔" W Metal	2 ½" L x 2" W Metal / Crystal	1 ¼8" L x 2 ¾" W Metal
\$104.00 pair*	\$167.00 pair*	\$34.00 pair*	\$167.00 pair*	\$92.00 pair*
new	Rew			
PO118VIFI	PO118WRFI	PO118WIFI	PO118ZAEC	
Viktor	Wren	Wright - Crystal	Zane End Cap	
1 ½" L x 2 ¾" W Metal / Acrylic	2" L x 1 7%" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5⁄8" L x 2 3⁄8" W Metal	
\$92.00 pair*	\$92.00 pair*	\$167.00 pair*	\$46.00 pair*	

1 ¾" L x 1 ¾" W Metal / Crystal

\$144.00 pair*

1 1/8" Transitional Luxe Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on page 10.

	Top view showing Marble Finish			
PO118BEEC	PO118CAFI	PO118FBFI	PO118HUEC	PO118JUFI
Beale End Cap	Callie	Fairbanks	Hudson End Cap	Jules
½" L x 2" W Resin	1 ½" L x 2 5⁄8" W Resin	3 ¼" L x 2" W Resin	%" L x 1 %" W Resin	2
\$40.00 pair*	\$104.00 pair*	\$104.00 pair*	\$46.00 pair*	\$104.00 pair*
new	new			new
PO118KEFI	PO118NLFI	PO118NOFI	PO118NOFIGL	PO118PIFI
PO118KEFI Kensington - Crystal	PO118NLFI Nola	PO118NOFI	PO118NOFIGL	PO118PIFI
首场的			首都の	



See page 10 for our 1 1/8" Finial Accessories!

- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1 $\frac{1}{8}$ " Finial to work with Baton Draw Metal Traverse on pages 63 67
- Transitional Style » Transitional Cuff / Finial Adapter PO118CUFF
- Need Some Glamour? » Crystal Band PO118CRMEBAND
 - · Clean Deco Style » Deco Cuff / Finial Adapter PO118DECUFF

1 1/8" Bohemian Chic Finial Collection fits 1/8" poles. Finial adapters are required to adapt to 1/8" metal traverse, sold separately on page 10.

	3			63
PO118ACFI	PO118ASFI	PO118MOFI	PO118NEFI	PO118PAFI
Achilles	Astor	Monet	Nerissa	Patience
4 1⁄8" L x 1 7⁄8" W Resin	1 ¾" L x 2 ¼" W Resin	2 ¼" L x 2 %" W Resin	4 ½" L x 3 ¾" W Resin	5 ¼8" L x 5 ½" W Metal
\$104.00 pair*	\$81.00 pair*	\$92.00 pair*	\$104.00 pair*	\$104.00 pair*
PO118PHFI	PO118TBFI			
Phoebe	Tybalt			
2 ¼" L x 3" W Resin / Glass	2" L x 1 5⁄8" W Resin			


\$144.00 pair*

\$81.00 pair*

1 1/8" Rustic Retreat Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on page 10.

			new	
PO118AAFI	PO118AHFI	PO118CHFI	PO118FIFI	PO118KAFI
Annabel	Ash	Cheyenne - Crystal	Finley	Kane
2" L x 2 ½" W Resin	3 ¼" L x 2 ¼" W Resin	2 ½" L x 2 ½" W Metal / Crystal	3" L x 2 ¼" W Resin	2 ½" L x 2 ¼" W Resin
\$92.00 pair*	\$92.00 pair*	\$167.00 pair*	\$92.00 pair*	\$92.00 pair*
PO118LEEC	PO118RHFI	POII8STFI		
Lena End Cap	Rhea	Stowe		
³ /4" L x 1 ¹ /2" W Resin	2" L x 2 1/8" W Resin	2 ¼" L x 3 ¾" W Resin		
\$46.00 pair*	\$92.00 pair*	\$92.00 pair*		

1 % " French Returns fit the 1 ¼" pole. Look for coordinating brackets on pages 11 - 12 marked with the 🖪 icon.




Overall Length = Elbow Length + 1/2 backplate DIA/width



Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.




PH PARIS TEXAS HARDWARE

10


1 1/8" Modern Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole. Look for coordinating brackets for French Returns marked with the 🖪 icon.



1 1/8" Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole. Look for coordinating brackets for French Returns marked with the 🕫 icon.



1 1/8" Metal Pole 📟

1 1/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

P0118ME02	P0118ME04	P0118ME06	P0118ME08	P0118ME10	PO118ME12
2'	4'	6'	8'	10'	12'
\$29.00 each	\$58.00 each	\$87.00 each	\$116.00 each	\$145.00 each	\$174.00 each

1¹/8" Metal Rings fit the 1¹/8" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**



1¹/₈" Metal Accessories

The Mictal Accessories		
Metal Baton	Clear Acrylic Baton	PO118MEL Hinged Elbow
³∕8" DIA, Metal	½" DIA, Acrylic	1 1/18" DIA, 2 7/8" overall length,
POME36WAND - 36" - \$57.00 each	AC36WAND - 36" - \$45.00 each	1 ¾" L each side when bent
POME48WAND - 48" - \$62.00 each	AC48WAND - 48" - \$50.00 each	Metal
POME60WAND - 60" - \$67.00 each	AC60WAND - 60" - \$55.00 each	\$46.00 each
		PSME118403 Pole Splice
Handicap Metal Baton	Handicap Clear Acrylic Baton	4 5/4" L. must be
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic	ordered separately
POME48HWAND - 48" - \$62.00 each	AC48HWAND - 48" - \$50.00 each	\$6.00 each
роме60нwand - 60" - \$67.00 each	асбонwand - 60" - \$55.00 each	
	AC72HWAND - 72" - \$60.00 each	

1%8 MOUEIII FIIIIai	78 MIODEITH FITTIAL COTTECTION fits the 1%" metal pole and metal traverse.					
PO138ADFI	PO138AIEC	PO138ASEC	PO138COFI	PO138EXFI		
Adair	Ainsley End Cap	Asher End Cap	Cohen	Exton		
3 ¾" L x 3" W Metal	¾" L x 1 ½" W Metal	1" L x 2 ¼" W Metal	1 %" L x 3 %" W Metal / Clear Acrylic	2 ¾" L x 2 ¼" W Metal		
\$92.00 pair*	\$40.00 pair*	\$40.00 pair*	\$190.00 pair*	\$92.00 pair*		
PO138LOFI	PO138QUFI	PO138REFI	PO138STFI	PO138ZAFI		
London - Crystal	Quinn	Remi - Crystal	Sterling - Crystal	Zara		
2 5⁄8" L x 3 3⁄8" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic		
\$200.00 pair*	\$92.00 pair*	\$180.00 pair*	\$180.00 pair*	\$200.00 pair*		


1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse

1 3/8" French Returns fit the 1 3/6" pole. Look for coordinating brackets on pages 15 & 19 marked with the 🕫 icon.



13/8" Modern Metal Brackets fit the 13%" pole.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

1 3/8" Metal Pole | 1 3/8" Acrylic Pole 1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'. 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.

P0138ME02	P0138ME04	P0138ME06	P0138ME08	P0138ME10	P0138ME12
2'	4'	6'	8'	10'	12'
\$35.00 each	\$70.00 each	\$105.00 each	\$140.00 each	\$175.00 each	\$210.00 each
P0138AC02	P0138AC04	P0138AC06	P0138AC08	P0138AC10	P0138AC12
2'	4'	6'	8'	10'	12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each

1 3/8" Metal Rings fit the 1 3/6" pole. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Calla C-Ring



1³/₈" Metal Accessories

Metal Baton	Clear Acrylic Baton
¾" DIA, Metal	½" DIA, Acrylic
POME36WAND - 36" - \$57.00 each	AC36WAND - 36" - \$45.00 each

POME48WAND - 48" - \$62.00 each	AC48WAND - 48" - \$50.00 each
POME60WAND - 60" - \$67.00 each	AC60WAND - 60" - \$55.00 each

Handicap Metal Baton	Handicap Clear Acrylic Baton
4" Loop, ADA Compliant, Metal	4" Loop, ADA Compliant, Acrylic
POME48HWAND - 48" - \$62.00 each	AC48HWAND - 48" - \$50.00 each
роме60нwand - 60" - \$67.00 each	ас60нwand - 60" - \$55.00 each
	AC72HWAND - 72" - \$60.00 each





\$6.00 each

1 3/8" Today's Traditional Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.

PO138AUEC	PO138BRFI	PO138ESEC	PO138EVFI	PO138JUFI
Aubrie End Cap	Bradford	Essex End Cap	Everette	June
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	³ ⁄4" L x 2" W Resin	2	2 ¾" L x 2 5⁄8" W Resin
\$46.00 pair*	\$94.00 pair*	\$46.00 pair*	\$94.00 pair*	\$94.00 pair*

PO138LEFI	PO138LIFI	PO138LIFIGL	PO138LYFI	PO138ROFI
Leo	Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
3 ½" L x 2 ¾" W Resin	4" L x 3 ¾" W Resin	4" L x 3 ¾" W Resin / Glass	2 5⁄8" L x 2 3⁄4" W Resin	2 ½" L x 2 ¾" W Resin / Crystal
\$94.00 pair*	\$94.00 pair*	\$150.00 pair*	\$94.00 pair*	\$210.00 pair*

1 3/8" Heritage Classics Finial Collection fits the 1 3/6" wood poles and heavy duty traverse.

PO138AEFI	PO138AMFI	PO138AVFI	PO138BYFI	PO138BLFI
Adele	Amboise	Avon	Blythe	Brielle
3 %" L x 2 %" W Metal / Glass	5 ¼" L x 2 %" W Resin	3 5⁄8" L x 3 3⁄4" W Resin	3 5⁄8" L x 2 7⁄8" W Metal / Glass	4" L x 3" W Resin
\$210.00 pair*	\$94.00 pair*	\$94.00 pair*	\$210.00 pair*	\$94.00 pair*

PO138GSFI	PO138HAFI	PO138LAFI	PO138LOEC	PO138SEFI
Gaston	Harper	Lane	Lowell End Cap	Severn
3 %" L x 3 %" W Resin	3" L x 2 ¾" W Resin	3 5⁄8" L x 3 ½" W Resin	1" L x 2" W Resin	3 ¾" L x 3" W Resin
\$94.00 pair*	\$94.00 pair*	\$94.00 pair*	\$46.00 pair*	\$94.00 pair*




1³/₈" Transitional Cuff / Finial Adapter PO138CUFF

See next page for more details

- ³/4" L x 1 ¹/2" W
- Metal, Available in any of our 35 Portfolio Hand Painted Finishes or PTH Perfect Match™
- Mix & Match finishes and materials for the ultimate customized style, or use to adapt your 1 ³/₈" Today's Traditional or Heritage Classics Finial to work with R-TEC Automation[®] Metal Traverse on pages 32 - 41 and Baton Draw Metal Traverse on pages 68 - 73. Finial Adapters required, sold separately.

\$39.00 pair*

1 3/8" Mix & Match create an even more customized design!



• Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$39.00 pair*

1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter PO138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter PO138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into the Cuff / Finial Adapter. Match for the ultimate customization.

18

1 3/8" Metal Brackets fit the 1 3/8" wood poles.

Note: Return indicates distance from wall to center of pole.



Single

Single


٠÷

1-7

1-7/8

Pind

Top of F




Horizontal Single

Double

1 3/8" Wood & Resin Brackets fit the 1 3/6" wood poles.

Note: Return indicates distance from wall to center of pole.



1³/₈" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

P0138SM02	P0138SM04	P0138SM06	P0138SM08	P0138SM10	P0138SM12	P0138SM14	P0138SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each
	I		I	I			1
P0138GR02	P0138GR04	P0138GR06	P0138GR08	P0138GR10	P0138GR12	P0138GR14	P0138GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each
			·				
P0138RE02	P0138RE04	P0138RE06	P0138RE08	P0138RE10	P0138RE12	P0138RE14	P0138RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$60.00 each	\$120.00 each	\$180.00 each	\$240.00 each	\$300.00 each	\$360.00 each	\$420.00 each	\$480.00 each

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.







Smooth

1 3/8" Wood & Metal Rings fit the 1 3/8" wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ô	Ç	Wood Ring Medium C-Ring Metal Ring
PO138WRI Wood Ring	PO138MRI Metal Ring	PO138MCRI Medium C-Ring	
1 ¾" ID, 2 ⅛" OD, ¾" drop Wood	1 ¾" ID, 2 ¼" OD, %" drop Metal	2" ID, 2 ¾" OD, ¾" drop, use with Gregory brackets Metal	
\$9.00 each	\$8.00 each	\$8.00 each	└─Top of Fabric ┘

1³/₈" Accessories



*Sold in pairs only.



21/4" Today's Traditional Finial Collection fits the 21/4" wood poles and heavy duty traverse.



PO214OPFI	PO214SIFI	PO214STFI
Opal	Sidney	Stella
3 ¼8" L x 3 ¾" W Resin	3 ¼" L x 4 ¼" W [3" square] Resin	2 ½" L x 3 ¼" W Resin
\$116.00 pair*	\$104.00 pair*	\$104.00 pair*

21/4" Heritage Classics Finial Collection fits the 21/4" wood poles and heavy duty traverse.


				new
	JM NO.		ļ	
PO214ADFI	PO214ADFIGL	PO214BOFI	PO214DUEC	PO214FAFI
Adelaide	Adelaide - Mercury Glass	Bordeaux	Durham End Cap	Farrin - Mercury Glass
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 5⁄8" L x 4" W Resin	1" L x 3" W Resin	4 ½" L x 4 %" W Metal / Glass
\$116.00 pair*	\$180.00 pair*	\$138.00 pair*	\$58.00 pair*	\$180.00 pair*

	163			
PO214FIFI	PO214GKFI	PO214LCEC	PO214LYFI	PO214MAEC
Fiona	Greek	Large Carved End Cap	Lyon	Margot End Cap
4" L x 5" W Resin	5" L x 4 ¼" W Resin	1 ⅓" L x 2 ¾" W Resin	4 ½" L x 4 5⁄8" W Resin	¾" L x 3" W Resin
\$138.00 pair*	\$116.00 pair*	\$58.00 pair*	\$138.00 pair*	\$58.00 pair*

PO214MIFI	PO2140LFI	PO214QNFI	PO214RYFI	PO214VVFI
Michael	Oliver	Quentin	Rydal	Vivian
6 ½" L x 4" W Resin	3 5⁄8" L x 3 7⁄8" W Resin	5" L x 3 ½" W Metal / Glass	5 ¾" L x 4 ¼" W Resin	5 ¼" L x 4" W Metal / Glass
\$138.00 pair*	\$116.00 pair*	\$225.00 pair*	\$138.00 pair*	\$225.00 pair*

2¹/₄" Metal Brackets fit the 2¹/₄" wood poles.

Note: Return indicates distance from wall to center of pole.





-

24 PARIS TEXAS HARDWARE

2¹/₄" Wood & Resin Brackets fit the 2¹/₄" wood poles.

Note: Return indicates distance from wall to center of pole.





2¼" Wood Poles

2¹/₄" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 16'.

Note: All orders with poles and/or traverse track will incur a \$10.00 pack	kaging fee per order.
---	-----------------------

			1	0 0 1			
PO214SM02	PO214SM04	PO214SM06	PO214SM08	PO214SM10	PO214SM12	PO214SM14	PO214SM16
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'	Smooth - 14'	Smooth - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each
PO214GR02	PO214GR04	PO214GR06	PO214GR08	PO214GR10	PO214GR12	PO214GR14	PO214GR16
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'	Grooved / Fluted - 14'	Grooved / Fluted - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each
PO214RE02	PO214RE04	PO214RE06	PO214RE08	PO214RE10	PO214RE12	PO214RE14	PO214RE16
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'	Reeded - 14'	Reeded - 16'
\$80.00 each	\$160.00 each	\$240.00 each	\$320.00 each	\$400.00 each	\$480.00 each	\$560.00 each	\$640.00 each







Smooth Wood Pole PO214SM


With the second of the second for the second second



Reeded Wood Pole PO214RE

2 ¼" Rings fit the 2¼" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Q	Ô	Q	
PO214WRI	PO214MRI	PO214FORI	
Wood Ring	Metal Ring	Forrest Ring	
2 5%" ID, 3 5%" OD,	2 ½" ID, 3" OD,	2 ¾" ID, 3 ⅛" OD,	
7%" drop	½" drop	¾" drop	
Wood	Metal	Metal	
\$10.00 each	\$9.00 each	\$9.00 each	



2¹⁄₄" Accessories



PO214REL
Hinged Elbow
2 ¾" DIA, 5 ⅛" OL, 2 ‰" L each side when bent Resin
\$63.00 each





Modern Holdback Medallions fit modern or transitional resin holdback stems.

POACHB	РОВКНВ	РОНАНВ	РОЈЕНВ	POMARHB	РОРАНВ
Achilles	Blake - Mercury Glass	Hadley	Jem	Mara	Parker
2 ½" square, ½" TH Metal	3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	2 ½" DIA, ¾" TH Metal	3" DIA, %" TH Metal	3 ¼" square, 1" TH Metal
\$90.00 pair*	\$135.00 pair*	\$70.00 pair*	\$70.00 pair*	\$100.00 pair*	\$70.00 pair*

Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

new	new	new
—	· · · · ·	
POMHBSTEM2	POMHBSTEM4	POMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal
\$46.00 pair*	\$52.00 pair*	\$56.00 pair*

Holdback Arms May be used with any 1 1/8" metal or resin finial without Cuff. Finials are sold separately.





Holdback Arm 7" W, ½" DIA stem 1 5⁄8" H backplate, 5 ½" D, 4 ½" PROJ

\$60.00 pair*

Metal

Holdback Arm shown with Achilles Finial (sold separately) Metal

Holdback Medallion Bands Attaches any Holdback Medallion to the front of a pole. Holdback Medallions sold separately.

ß	R	
	0	
1	M	27

PO118MEBAND 1 1/8" Band 1 3⁄8" Band

³/4" W, 1 ³/₁₆" ID, 1 ⁵/₁₆" OD Metal

\$34.00 pair*

	1	
	0	6
6	M	9

PO138MEBAND

15⁄8" OD

Metal

2 ¼" Band 3⁄4" W, 1 7/₁₆" ID, 3⁄4" W, 2 5/₁₆" ID, 2 ½" OD Metal \$39.00 pair* \$44.00 pair*

PO214MEBAND

Common uses for Medallion Bands:

- Repeated decorative embellishment along the length 1. of a pole.
- 2. Hold gathered rod pocket drapery panel in place.
- 3. Ring stop.





Transitional Holdback Medallions fit modern or transitional resin holdback stems.

			C		
РОВЕНВ	POBLHB	POBRHB	РОСННВ	POGEHB	POGLHB
Bernadette	Blois	Brooks	Chenonceau	Genette	Gloria
4 ½" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	3 ¾" DIA, ¾" TH Resin	4" DIA, 1 ¼" TH Resin	5" DIA, 1 ¾" TH Resin
\$120.00 pair*	\$70.00 pair*	\$90.00 pair*	\$70.00 pair*	\$100.00 pair*	\$120.00 pair*

POISHB	POLYHB	РОМІНВ	POMRHB	POSWHB	POTRHB
Isabelle	Lyon	Miranda	Mirna	Swindon	Trudy
5 ½" DIA, 1 ¼" TH Resin	4 ¾" DIA, 2 ½" TH Resin	5" DIA, 1 ½" TH Resin	4 ½" DIA, 1 ¼" TH Resin	5 ¼" DIA, 1 ¼" TH Resin	4 ¾" DIA, ¾" TH Resin
\$90.00 pair*	\$120.00 pair*	\$90.00 pair*	\$120.00 pair*	\$90.00 pair*	\$90.00 pair*

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.









Traverse Systems

Motorized and Manual Systems, featuring the new AUTOMATION[®] Collection Traverse Systems available in Portfolio or Quick Ship finishes.

ships in 10 - 15 business days

Featuring the new **REC** AUTOMATION[®] Slim Drapery Motor.

Designed to install seamlessly behind the drapery panel, providing the ultimate integrated functionality without compromising the look of your window treatment.

REC AUTOMATION 1 3/8" Motorized Metal Traverse Systems 🖤

Motorized 1 3/8" Metal traverse systems create smart design solutions for both residential and commercial environments.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Finials may be ordered separately from 1 3/8" Diameter Collections. Modern Finial Collection do not require use of Cuff and attach using set screw. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 40.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 13%" collection finials and additional remote options sold separately



Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/16" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3/8" collection finials and additional remote options sold separately



Double Traverse System, Ceiling Mount


- · Ceiling bracket: 4" drop, 4 1/2" between centers of tracks
- Traverse system includes tracks, motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3%" collection finials and additional remote options sold separately



Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers, Ainsley end caps and a Push5 handheld remote with wall mount
- 1 3⁄8" collection finials and additional remote options sold separately

RTEC AUTOMATION



Motor & Power Options



RTMLDSS50





Battery Charger

RTMLDSSBC



USB Charger Cable RTMLDSSUSB



110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on page 34 lists the varied functions of the motor.

	maximum drapery weight per total length of system (lbs)					
Motor	18' or less	20'	22'	24'		
REG AUTOMATION* Slim Drapery Motor	77	77	77	77		

Note: 77 lbs. is the maximum weight for one-way or center draw panels for each track on single and double traverse systems. Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance.

RTEC) AUTOMATION®

System Features	R-TEC Automation [®] Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	x
White or Bronze Track, Components & Brackets Available	Х
Track Maximum Length	24'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	X
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	X
Adjustable Speed	x
Preferred Open / Close Position	X
Favorite Position	X
Obstruction Detection	X
Manual Override	X
Quiet Operation	x
Soft Start / Stop	x
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	77 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	X
Digital Technology	ARCTM
Solar Power	X
Installation Features	
Programming Buttons on Motor Unit	x
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	Х
Carrier Features	
White or Bronze Pinch Pleat Glides	Х
White or Bronze Ripplefold Glides (Choose 60%, 80%, 100% or 120% Fullness)	Х




Our App enables simple, intuitive control and system configuration from your smartphone or tablet.

App Store bit.ly/R-TEC-Automation-Rowley

Google Play bit.ly/R-TEC-Automation-Rowley-Android

Pair the R-TEC Hub and App with these systems (not sold by Rowley):



Additional R-TECSmart Controls 📟 an be ordered at additional cost

RTMHUB2 R-TEC Hub

- 2-way RF; Wi-Fi built in
- 4 ½" H x 1 ¼" W x 4 ½" D
- Range: 60'

RTMHRIC Handheld Remote with Wall Mount, 1 Channel

- ·5 ¾" H X 1¼" W X½" D
- · Range: 65'

0

0

000

· Available in White

RTMHR5C Push5 Handheld Remote with Wall Mount, 5 Channel

- 4 ¾" H x 2" W x ¾" D
- Range: 65'
- · Available in Off-White

RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

- 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black

RTMHR15C Handheld Remote with Wall Mount, 15 Channel

- · 5 ¾ " H x 1 ¼" W x ½" D
- · Range: 65'
- · Available in White

RTMWSR5C Surface Mount

- Wall Switch, 5 Channel
- · 4 ½" H x 2 ¾" W x %" D
- Range: 65'
- · Available in White

RTMWSR15C Wall Box Mount Switch, 15 Channel

· 4 ½" H x 2 ¾" W x 1" D

- · Range: 65'
- · Available in White

RTMISS Interior Sun Sensor

- ·1¾" H x 1¾" W x ⅛" D
- · Range: 65'
- · Available in White

RTMUSR ARC™ USB Signal Repeater

- 2" L x 2 ½" L with USB x 1 5/6" W
- Extends the wireless range of the R-TEC Hub and remotes up to 60'
- Maximum 2 repeaters per system or network
- · Available in White (color may vary)

RTMLWCW Wall Charger for USB Signal Repeater

- $\cdot\,1\,\%_{16}^{\rm m}\,W\,x\,1\,\%_{16}^{\rm m}\,L$
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- 4 5/8" H x 12 % W x 1 3/8" D
- · Includes I-bracket, cables
- & fastener

34

R-TEC Automation® App - Control your window coverings with a smartphone or tablet

1³/₈" Motorized Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
] 3⁄8"	Amulet	White	12'
] 3⁄8"	Andiron	White	12'
] 3⁄8"	Antique Gold	White	12'
] ³ ⁄8"	Art Bronze	Bronze	12'
] 3⁄8"	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
] 3⁄8"	Blush	White	12'
] 3⁄8"	Bronzed Pewter	Bronze	12'
] 3⁄8"	Concrete new	White	12'
] ³⁄8"	Couture	White	12'
] 3⁄8"	Dark Chocolate	Bronze	12'
] 3⁄8"	Firelight	White	12'
] 3⁄8"	Gossamer	Bronze	12'
] 3⁄8"	Greige	White	12'
] 3⁄8"	Halo	White	12'
] 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
1 3⁄8"	Manor	White	12'
1 3⁄8"	Mink	Bronze	12'
1 3⁄8"	Moonlight	Bronze	12'
1 3⁄8"	Mystic	White	12'
1 3⁄8"	New Age Bronze	Bronze	12'
1 3⁄8"	Patina	White	12'
1 3⁄8"	Shimmer	Bronze	12'
1 3⁄8"	Silver Maple	White	12'
1 3⁄8"	Spicewood	Bronze	12'
1 3⁄8"	Spun Gold	White	12'
1 3⁄8"	Stardust	White	12'
1 3⁄8"			12'
1 78	Starlet Titanium	White	12
1 3/8"	Truffle	Bronze	12
1 3/8"	Urban Bronze	Bronze	12
1 3/8"	White	White	12
] 3⁄8"	PTH Perfect Match™	please specify	12
1 3/8"	Brushed Nickel	White	12
1 3/8"	Brushed Bronze	Bronze	8'
1 3⁄8"	Charcoal Zinc	White	8'
1 3/8"	Matte Black	White	12'
1 %	Rose Gold	White	8'
1 %	Satin Gold	White	8'
1 3/8"	Antique Brass	White	12'
1 3/8"	Oil Rubbed Bronze	Bronze	12'
1 3/8"	Platinum	White	12'
1 3/8"	Rose Gold	White	12'
1 78	Walnut	Bronze	12

*Sold in pairs only.

Color

Price

1³/₈" Motorized Metal Traverse Systems Pricing .

Li-ion Battery	' or 110v	AC/DC	Power, I	Ripplefc	old or Pi	nch Ple	at	Systems a	re sold in 1 ft	increments
Item #	4'	5'	6'	7'	8'	9'	10'	יוו	12'	ea. add'l ft
Single Traverse Sy	vstem, Wal	l Mount, 3	1⁄2" return (includes track,	motor, power o	ption, brackets,	Ainsley end ca	ps, 5 channel re	emote & compo	nents)
CSRPTHM138400	\$1,518.00	\$1,597.00	\$1,676.00	\$1,755.00	\$1,834.00	\$1,913.00	\$1,992.00	\$2,071.00	\$2,150.00	\$79.00
Single Traverse Sy	vstem, Wal	l Mount, 6'	' return (inc	ludes track, mc	otor, power optic	on, brackets, Ai	nsley end caps,	5 channel remo	ote & compone	nts)
CSRPTHM138401	\$1,594.00	\$1,682.00	\$1,770.00	\$1,858.00	\$1,946.00	\$2,034.00	\$2,122.00	\$2,210.00	\$2,298.00	\$88.00
Double Traverse S	System, Wa	all Mount (i	ncludes tracks,	motors, power	options, bracke	ets, Ainsley end	caps, 5 channe	l remote & com	iponents)	
CSRPTHM138402	\$3,036.00	\$3,194.00	\$3,352.00	\$3,510.00	\$3,668.00	\$3,826.00	\$3,984.00	\$4,142.00	\$4,300.00	\$158.00
Single Traverse Sy	vstem, Ceili	ing Mount	(includes track	k, motor, power	option, bracket	s, Ainsley end c	aps, 5 channel	remote & comp	oonents)	
CSRPTHM138403	\$1,518.00	\$1,597.00	\$1,676.00	\$1,755.00	\$1,834.00	\$1,913.00	\$1,992.00	\$2,071.00	\$2,150.00	\$79.00
Double Traverse System, Ceiling Mount (includes tracks, motors, power options, brackets, Ainsley end caps, 5 channel remote & components)										
CSRPTHM138404	\$3,036.00	\$3,194.00	\$3,352.00	\$3,510.00	\$3,668.00	\$3,826.00	\$3,984.00	\$4,142.00	\$4,300.00	\$158.00
Single Traverse System, Low-Profile Ceiling Mount (includes track, motor, power option, brackets, Ainsley end caps, 5 channel remote & components)						mponents)				
CSRPTHM138406	\$1,518.00	\$1,581.00	\$1,644.00	\$1,707.00	\$1,770.00	\$1,833.00	\$1,896.00	\$1,959.00	\$2,022.00	\$63.00

Item #

Name

Item #	Name	Price		
R-TEC Automation [®] Motor Kits				
RTMLDKIT	Slim Drapery Motor with Li-ion Battery, Wall Charger & USB Cable (included)	\$620.00		
RTMLDS2KIT	Slim Drapery Motor with Li-ion Battery & Solar Panel Charger	\$758.00		
RTMLDACKIT	Slim Drapery Motor with 110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$470.00		


ltem #	Name	Price
--------	------	-------

R-TEC Motor & Components

RTMLDSS50	Slim Drapery Motor	\$350.00
RTMLDSSB	Li-ion Battery	\$220.00
RTMLDSSBC	Battery Wall Charger	\$25.00
RTMLDSSUSB	USB Cable	\$25.00
RTMLDSSPT	110v AC/DC Power Transformer 10' with 3 Conductor Male Plug	\$120.00
RTMLDSSPTCS	110v AC/DC Power Transformer 20' (plug RTMP sold separately) specify ft.	\$130.00
RTMP	3 Conductor Male Plug	\$43.00

R-TEC Sm	lheld or Wall N channel includ		
RTMHRIC	Handheld or Wall Mount Remote 1 channel	^{e,} White	\$140.00
RTMHR5C	Push5 Handheld or Wall Mount Remote, 5 channel	Off- White	\$150.00
RTMHRP15C RTMHRP15C/K	Push15 Handheld or Wall Mount Remote, 15 channel	White or Black	\$155.00
RTMHR15C	Handheld or Wall Mount Remote, 15 channel	White	\$155.00
RTMWSR5C	Surface Wall Mount Switch, 5 channel	White	\$145.00
RTMWSR15C	Wall Box Mount Switch, 15 channel	White	\$150.00
RTMHUB2	Wi-Fi to ARC Bridge Hub-2-Way RF-includes USB Power Cord, Power Plug & Ethernet Cable	White	\$458.00
RTMISS	Interior Sun Sensor	White	\$80.00
RTMUSR	ARC USB Signal Repeater	White	\$220.00
RTMLWCW	Wall Charger for USB Signal Repeater	White	\$14.00
RTMSOLAR2	Solar Panel Battery Charger- includes L-Bracket, Cables & Fastener	Black	\$188.00





Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80	84	88	92	96
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8	8	8	8	8

PTH Motorized Traverse Tips

- Specified custom system length is from drapery return to drapery return including pulleys. Ainsley end caps included with the system, and will add ¹/₂" at each end, totaling 1".
- Track will be spliced in the center of overall length.
- R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void R-TEC warranty.

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: R-TEC 20 ft. one-way draw, Ripplefold[®] style 80% fullness 6.75" + (98 x .563") + 3.375" = 65.3" stack, underlap master panel *BEFORE drapery fabric is installed*


Please note: Calculations result in stack back width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

1³/₈" Motorized Metal Traverse Systems Information

 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions.


new	new	new	new	new	new
	(T	5 5	ļ
PTHMT138400	PTHMT138401	PTHMT138402	PTHMT138403	PTHMT138404	PTHMT138405
Wall Mount 3 ½" return	Wall Mount 6" return	Wall Mount Double	Ceiling Mount Single	Ceiling Mount Double	Ceiling Bracket Extender
\$28.00 each	\$38.00 each	\$50.00 each	\$28.00 each	\$78.00 each	\$14.00 each







Wall Mount Bracket Mounting Plate

Wall Mount Double PTHMT138402







Ceiling Mount Double PTHMT138404



Ceiling Bracket Extender PTHMT138405




Low-Profile Single Ceiling PTHMT138406



Carriers for additional carriers.

Pinch Pleat Glides



Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order. See page 53 for measurements & diagrams.

	Master Carrier Body RTPTH138MCB RTPTH138MCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$4.00 NET each
	Overlap Master Carrier Arms for Center Draw RTPTH138CD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$4.75 NET pair*
	Master Carrier Arm for One-Way Draw RTPTH138PPOR RTPTH138PPOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each
<u>æ</u> il <u>æ</u> ,	Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
	Ripplefold Butt Master Carrier Arm for One-Way Draw RTPTH1380BR RTPTH1380BL	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each

Upgrade your End Cap with Finial Styles 🚥

13/8" R-TEC Motorized Metal Traverse Systems include End Caps, but are designed to work with all 13/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff / Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.




Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below



3/4" L x 1 ½" W

40

• Metal, Available in any of our 35 Portfolio Hand Painted Finishes, 5 Quick Ship Wood & Resin Finishes or PTH Perfect Match™ • Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$39.00 pair*

How To Add Your Transitional Cuff / Finial Adapter »



Select your Cuff style and finish - Mix & Match for the ultimate customization.



Place Cuff onto metal traverse and tighten set screw with Allen Wrench.

Install finials by screwing into the Cuff / Finial Adapter.


AS
TEXAS
PARIS
PA

Metal Motorized Traverse Order Form




HARDWARE																	-		
	# Od					Sid	Side Mark					Shi	Ship via				Date		
Company Information	l	I			l				Ship	ping l	Shipping Information	ation			l	l	I	I	_
Company Name				Acct #	t #				Com	Company Name	ame						Acct #		_
Contact Person				-					Cont	Contact Person	noi								
Street Address									Stree	Street Address	ss								
City				State	e		ZIP		City								State	ZIP	
Email									Email	_									
Phone		Fax							Phone	e					Fax				
MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including pulleys.	FEMS - (track leng	Consult Pric th including p	e List i pulleys.	for det		specifications.	ttions.												
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	R-TEC Motor	Power Option **see additional R-TEC options below	wer Opti al R-TEC	ion options b	elow	System Length	Custom Cut Length	h Finish Code		a the second secon	Draw Preference	e _	, man	pinc 0	Glides pinch pleat OR Binnlefold® stute*	đ	Price ner Unit	Subtotal	
	Slim	Li-ion Battery		110v AC/DC Power	Power	62 555									PP RF	Î			
	Slim	Ili-ion Battery		110v AC/DC Power	Power							~	L R		PP RF				
	Slim	Li-ion Battery		110v AC/DC Power	Power							<u>د</u>	L R		PP RF				
	Slim	Li-ion Battery		T10v AC/DC Power	Power							~	L R		PP RF				
MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A order finials, cuffs & collars, additional brackets and accessories here.	RDINATI I brackets	NG ACCES and accesso	SSORI ries hen	ES AN e.		νοιτις	DDITIONAL FEES	S		**Po ADD	wer Opt ITIONAL	ons for : solar	**Power Options for R-TEC Motor (SRP) ADDITIONAL: solar panel \$188; 20' corc	otor (SF 18; 20' c	(P) ord \$130	specify to	**Power Options for R-TEC Motor (SRP) ADDITIONAL: solar panel \$188; 20' cord \$130 - specify total feet; plug \$43		
Item #	Fin	Finish Code							De	Description	Ē					Qty	Price per Unit	Subtotal	
																			1
Glide and Bracket Information		I													*	When order	ng Ripplefold carrier	"When ordering Ripplefold carriers, answer these questions	_
Quantity included per system based on cut track length	cut track	length 4'	'n	6' 7'	80	9' 10'	11' 12'	13'	14' 15'	16'	17' 18'	19' 20'	0 [°] 21 [°]	22' 23'	24'	I. Select F	0		
Glides [4 per foot, includes master carriers & end caps (2)]	l caps (2)]	16	20	24 28	32	36 40	44 48	52	56 60	64	68 72	76 8	80 84	88 92	96	00%	80% 100%	0_120%	
Brackets		2	e	4 4	4	5 5	5 5	9	9	9	7 7	4	8	8	8	 Select Ripplefo Butt Master 	 Select Ripplefold masters: Butt Master 		
Special Instructions											[1
																	TOTAL		


Fascia Profiles for Motorized Heavy Duty Systems



Flat



Slim Round



*Fascia Profile is not available for back track in double systems and does not accept finials.

*Fascia Profile is not

not accept finials.

available for back track in

double systems and does

RTEC AUTOMATION® Motorized Heavy Duty Traverse Systems 🕬

Create a commercial look with the benefits of motorization using our NEW R-TEC Automation® Track.

The slim drapery motor is designed to install seamlessly behind the drapery panel with quiet start / stop operation, the ability to easily charge without having to remove the motor and up to 500 open and close cycles per charge, providing the ultimate integrated functionality without compromising the look of your window treatment.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2¹/₄" flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3/8" and 2 1/4" finials and additional remote options sold separately

Double



also available)

Double Traverse System With Fascia

- Standard double brackets are 5 1/4" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- 1 3⁄8" and 2 1⁄4" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- Standard single brackets are adjustable: 2 7/8" 3 1/4" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



Single or Double Traverse System Without Fascia

- Standard single brackets are adjustable: 2 1/8" 3 1/4" return
- Standard double brackets are adjustable 4 5/8" 5 1/4" front return and adjustable 2" - 2 7/16" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately



Double Traverse System With Mitered Returns

- Standard double brackets are 5 ¼" front return and 2" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, drive belt & clips, pulleys, pendants, brackets, glides, master carriers and a Push5 handheld remote with wall mount
- Coordinates with all fascia profiles
- Additional remote options sold separately



(back track shown with fascia & finials)

Stationary Front Pole With Back Traverse


- Traverse system coordinates with all 2 ¼" round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 ¼" poles for stationary front pole; back track available with or without wood fascia.
- Stationary front pole and TBKT bracket are included
- Finials and additional remote options sold separately
 - Full rings available on stationary



(front fascia shown; front and back fascia also available; mitered returns on front only)

RTEC) AUTOMATION®

Finial, End Cap or Mitered Return



Motor & Power Options

Slim Drapery Motor RTMLDSS50





RTMI DSSBC





110v AC/DC Power Transformer 10' (plug included) RTMDSSPT

Motor Weight Capacity

Use the Motor Weight Capacity chart below to determine if the slim drapery motor accommodates your length of track and your drapery weight. The System Features chart on the next page lists the varied functions of the motor.

			maxi	mum dı	rapery w	eight p	er total l	ength of	fsystem	(lbs)	
	Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'
RTEC AUTOMATION*	Slim Drapery Motor	110	110	110	110	110	110	110	110	110	110

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

Ships in 10 - 15 business days.

System Features	R-TEC Automation [®] Slim Drapery Motor
System Features	
Center Draw or One-Way Draw Available	X
White or Bronze Track, Components & Brackets Available	Х
Track Maximum Length	36'
Maximum Number of Track Splices	2
Motor Features	
Battery Power Option	×
Motor Cord Length as Purchased	10' (custom length up to 20' available)
2-Way RF Communication	×
Adjustable Speed	×
Preferred Open / Close Position	×
Favorite Position	х
Obstruction Detection	×
Manual Override	×
Quiet Operation	×
Soft Start / Stop	×
Average Linear Speed	5.5" (14 cm)/sec
Motorized Track Noise Level	44 dB
Maximum Weight	110 lbs
Motor Unit can be Installed on Either End of Track	X
Control Options	
Sun Control	X
Digital Technology	ARC™
Solar Power	X
Installation Features	
Programming Buttons on Motor Unit	X
Power Supply	Li-Ion Battery or 110v AC/DC Power Transformer
Amperage	1.3 A
Power Consumption	20 W
Power Cable Type	3 Conductor Male Plug
Standard Accessories Included with System	
5 Channel Handheld Remote with Wall Mount (Remote Control; White)	Х
Carrier Features	
White or Bronze Pinch Pleat Glides	X
White or Bronze Ripplefold Clides (Choose 60%, 80%, 100% or 120% Fullness)	X



coverings with a smartphone or tablet Our App enables simple, intuitive control and system configuration from your smartphone or tablet. App Store bit.ly/R-TEC-Automation-Rowley

R-TEC Automation® App - Control your window

Google Play bit.ly/R-TEC-Automation-Rowley-Android

R-TEC

Hub

Pair the R-TEC Hub and App with these systems (not sold by Rowley):



USB Signal Repeater

(maximum of 2 repeaters

per system or network)

Slim Drapery Motor

Additional R-TEC Smart Controls 👜

can be ordered at additional cost

RTMHUB2 R-TEC Hub 2-way RF; Wi-Fi built in • 4 ½" H x 1 ¼" W x 4 ½" D · Range: 60'

RTMHRIC Handheld Remote with Wall Mount,

· 5 ¾6" H X 1¼" W X½" D







0

000



5 Channel

1 Channel

· Range: 65' · Available in White

RTMHRP15C (/K) Push15 Handheld Remote with Wall Mount, 15 Channel

RTMHR5C Push5 Handheld

Remote with Wall Mount,

• 4 ¾" H x 2" W x ¾" D

- · 4 ¾" H x 2" W x ¾" D
- · Range: 65'
- · Available in White or Black

RTMHR15C Handheld Remote with Wall Mount. 15 Channel

- •5¾" H x 1¼" W x½" D
- · Range: 65'
- · Available in White

RTMWSR5C Surface Mount Wall Switch, 5 Channel

- · 4 ½" H x 2 ¾" W x ⁷/₈" D
- · Range: 65'
- · Available in White

RTMWSR15C Wall Box Mount Switch, 15 Channel

• 4 ½" H x 2 ¾" W x 1" D

- · Range: 65'
- · Available in White

RTMISS Interior Sun Sensor

- ·1¾"Hx1¾"Wx5%"D
- · Range: 65'
- · Available in White

RTMUSR ARC™ USB Signal Repeater

- 2" L x 2 ½" L with USB x 1 5%" W • Extends the wireless range of the R-TEC Hub and remotes
- up to 60'
- · Maximum 2 repeaters per system or network
- · Available in White (color may vary)

RTMLWCW Wall Charger for USB Signal Repeater

- 1 %16" W x 1 13/16" L
- · Available in White (color may vary)

RTMSOLAR2 Solar Panel Battery Charger

- 4 %" H x 12 %" W x 1 %" D Includes I-bracket, cables
- & fastener



























ECO

friendlý

Remotes









R-TEC Motorized Heavy Duty Traverse Systems Pricing

Li-ion Battery or 110v AC/DC Power, Ripplefold or Pinch Pleat

ltem #

Motorized Traverse System with Wood Fascia

Name

Single Track System w	ith Wood Fascia for 1 ³/8" round	4'	5'	6'	7'	8'	9'	10'	
CSRPTH138WF	R-TEC Slim Drapery Motor	\$1,627.00	\$1,694.00	\$1,761.00	\$1,828.00	\$1,895.00	\$1,962.00	\$2,029.00	
Double Track System	ns with Wood Fascia Front Only fo	or 1 ³/8" round	b						
CSRPTH138WFFDBL	R-TEC Slim Drapery Motor	\$2,891.00	\$2,998.00	\$3,105.00	\$3,212.00	\$3,319.00	\$3,426.00	\$3,533.00	
Double Track System	with Wood Fascia Front and Bao	ck for 1 ³/8" rc	bund						
CSRPTH138WFDBL	R-TEC Slim Drapery Motor	\$3,254.00	\$3,388.00	\$3,522.00	\$3,656.00	\$3,790.00	\$3,924.00	\$4,058.00	
Single Track System w	ith Wood Fascia for 1 $^7/_8$ " slim, 2 $^1/_4$ "	flat smooth	or 2 1/4" rour	nd					
CSRPTH214WF	R-TEC Slim Drapery Motor	\$1,759.00	\$1,893.00	\$2,027.00	\$2,161.00	\$2,295.00	\$2,429.00	\$2,563.00	
Double Track System	ns with Wood Fascia Front Only fo	or 1 7/8" slim, 2	2 1/4" flat smo	poth or $2^{1/4}$	round				
CSRPTH214WFFDBL	R-TEC Slim Drapery Motor	\$3,023.00	\$3,197.00	\$3,371.00	\$3,545.00	\$3,719.00	\$3,893.00	\$4,067.00	
Double Track System	with Wood Fascia Front and Bao	ck for $2^{1}/_{4}$ " ro	ound						
CSRPTH214WFDBL	R-TEC Slim Drapery Motor	\$3,518.00	\$3,786.00	\$4,054.00	\$4,322.00	\$4,590.00	\$4,858.00	\$5,126.00	
Double Track System	ns with Stationary Front Only 2 $^{1/_{4}}$	' Wood Pole							
CSRPTH214SDBL	R-TEC Slim Drapery Motor	\$1,688.00	\$1,856.00	\$2,024.00	\$2,192.00	\$2,360.00	\$2,528.00	\$2,696.00	
Double Track System	ns with Stationary Front 2 ¼" Woo	d Pole & Wo	ood Fascia E	Back for $2^{1/4}$	round				
CSRPTH214WFBSDBL	R-TEC Slim Drapery Motor	\$2,183.00	\$2,445.00	\$2,707.00	\$2,969.00	\$3,231.00	\$3,493.00	\$3,755.00	

Motorized Traverse System without Wood Fascia

	j								
Single Track System tr	ack available in white and bronze	4'	5'	6'	7'	8'	9'	10'	
CSRPTHTRACK	R-TEC Slim Drapery Motor	\$1,264.00	\$1,304.00	\$1,344.00	\$1,384.00	\$1,424.00	\$1,464.00	\$1,504.00	
Double Track System	n track available in white and brom	nze							
CSRPTHTRACKDBL	R-TEC Slim Drapery Motor	\$2,528.00	\$2,608.00	\$2,688.00	\$2,768.00	\$2,848.00	\$2,928.00	\$3,008.00	
Additional R-TE	C Traverse Fees		ltem #	Name			Pric	ce	
PTHFEEMITER-EACH W	/ood Fascia Mitered Return per return	\$80.00	R-TEC A	utomat	ion® Mo	tor Kits			
PTHFEEMITER-45 Woo (90° corner) per connec	d Fascia Mitered Cut 45° angle tion	\$65.00	RTMLDKIT		apery Motor Wall Charge		ole \$620	00	
	Wood Fascia Mitered Cut non-45°	\$65.00	INTRIEDINIT	(includ	,		,ie (02)	5.00	
angle (non-90° corner) PTHEEEBI END Blende	ed Fascia Splice per blend	\$108.00	RTMLDS2K		apery Motor & Solar Pane		\$758	3.00	
PTHFEEFASCUT Fascia	Fabrication Fee (if ordering fascia d specify fascia fabrication) per Fascia	\$65.00		Slim Di	apery Motor	with 110v AC			
PTHFEERESTRING Rest	tringing Fee per track	\$100.00	RTMLDACK		ctor Male Plu		\$470	0.00	
Standard 45 Fascia Splic	ce	No Charge							

Quantity Per System

	4'	5'	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'	17'	18'	19'
Pinch Pleat Glides	21	27	33	38	44	50	55	61	67	72	78	84	89	95	100	106
Brackets	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11

Motorized Stack Back Calculation (each drapery panel)

R-TEC: master carrier + (# glides on panel x carrier width) + 3.375" = stack per drapery panel

Ex: R-TEC Automation[®] 10ft. center draw, pinch pleat (standard 4 glides per ft.)

4.2" + [(40/2) x .563"] + 3.375" = 18.84" stack, for each panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

RTEC AUTOMATION®

Systems are sold in 1 ft increments

\$188.00

47

Black

Orders with R-TEC motorized traverse systems will incur a \$25 packaging fee.

Available in all profiles for 1 3/8", 1 7/8" and 2 1/4" diameter fascias or without a wood fascia.

Pricing Includ	es R-TEC Auto	omation® Track,	Brackets, Cor	mponents, Motor	, Power Option	& Push5 Chann	el Handheld Re	mote w	ith Wall	Mount
							Spl	liced sy	/stems k	egin at 19'
יוו	12'	13'	14'	15'	16'	17'	18'	19	9'	per add'l ft
\$2,096.00	\$2,163.00	\$2,230.00	\$2,297.00	\$2,364.00	\$2,431.00	\$2,498.00	\$2,565.00	\$2,63	32.00	\$67.00
\$3,640.00	\$3,747.00	\$3,854.00	\$3,961.00	\$4,068.00	\$4,175.00	\$4,282.00	\$4,389.00	\$4,49	96.00	\$107.00
\$4,192.00	\$4,326.00	\$4,460.00	\$4,594.00	\$4,728.00	\$4,862.00	\$4,996.00	\$5,130.00	\$5,26	54.00	\$134.00
\$2,697.00	\$2,831.00	\$2,965.00	\$3,099.00	\$3,233.00	\$3,367.00	\$3,501.00	\$3,635.00	\$3,76	59.00	\$134.00
					1					
\$4,241.00	\$4,415.00	\$4,589.00	\$4,763.00	\$4,937.00	\$5,111.00	\$5,285.00	\$5,459.00	\$5,63	33.00	\$174.00
		1		1	1					
\$5,394.00	\$5,662.00	\$5,930.00	\$6,198.00	\$6,466.00	\$6,734.00	\$7,002.00	\$7,270.00	\$7,53	38.00	\$268.00
1		1		1	1					
\$2,864.00	\$3,032.00	\$3,200.00	\$3,368.00	\$3,536.00	\$3,704.00	\$3,872.00	\$4,040.00	\$4,20	00.80	\$168.00
1					1					
\$4,017.00	\$4,279.00	\$4,541.00	\$4,803.00	\$5,065.00	\$5,327.00	\$5,589.00	\$5,851.00	\$6,11	13.00	\$262.00
							Spl	liced sy	/stems k	begin at 19'
יון	12'	13'	14'	15'	16'	17'	18'	19	9'	per add'l ft
\$1,544.00	\$1,584.00	\$1,624.00	\$1,664.00	\$1,704.00	\$1,744.00	\$1,784.00	\$1,824.00	\$1,86	54.00	\$40.00
· · ·							·			
\$3,088.00	\$3,168.00	\$3,248.00	\$3,328.00	\$3,408.00	\$3,488.00	\$3,568.00	\$3,648.00	\$3,72	28.00	\$80.00
Item #	Name			Price	Item #	Name			Color	Price
R-TEC Mo	tor & Co	mponent	د		R-TEC Sr	nart Cont	rols Duchs	Handhr	old or Mai	Mount
RTMLDSS50	Slim Drape	•	.5	\$350.00	K-ILC JI	nart Controls Push5 Hand Remote - 5 G				
RTMLDSSB	Li-ion Batte			\$220.00	RTMHRIC	Handheld or	Wall Mount Re	mote,	White	\$140.00
RTMLDSSBC	Battery Wa	3		\$25.00			neld or Wall Mo	unt	Off-	
RTMLDSSUSB	USB Cable	J. A. J. J.		\$25.00	RTMHR5C	Remote, 5 ch		unic	White	\$150.00
RTMLDSSPT	110v AC/DC 3 Conducto	Power Transforn Male Plug	ner 10' with	\$120.00	RTMHRP15C RTMHRP15C/K		held or Wall Mo nannel	bunt	White or Black	\$155.00
RTMLDSSPTCS		Power Transforn sold separately		\$130.00	RTMHR15C	Handheld or Remote, 15 ch			White	\$155.00
RTMP	3 Conducto	r Male Plug		\$43.00	RTMWSR5C	Surface Wall 5 channel	Mount Switch,		White	\$145.00
• Specified custon	n cut length in	dicates track leng	th including d		RTMWSR15C	Wall Box Mou 15 channel	unt Switch,		White	\$150.00
fascia will add th Fascia	e following to Depth + to	t each end of trad the traverse syste	m:	nerea	RTMHUB2	RF-includes l	Bridge Hub-2-\ JSB Power Cord & Ethernet Cable	d, Č	White	\$458.00
1 3⁄8" 2 1⁄4"	7/8" 2" 1 3/8" 3"		_		RTMISS	Interior Sun S		-	White	\$80.00
Flat	3/4" 1 3/2 5/8" 1 1/2		-		RTMUSR	ARC USB Sig			White	\$220.00
Slim Round • Track and fascia	will be spliced	in the center of o					for USB Signal			
 Blended fascia is properly connect 		n additional fee p ship your fascia in			RTMLWCW	Repeater			White	\$14.00

properly connect splice(s) and ship your fascia in one continuous length. · Back fascia can accommodate decorative end caps; decorative end

caps sold separately. R-TEC Motorized Traverse Systems carry a 5 year warranty; WARNING Modifications of internal components will void R-TEC warranties.

*Sold in pairs only.



Solar Panel Battery Charger-

includes L-Bracket, Cables &

Fastener

RTMSOLAR2

R-TEC Motorized Heavy Duty Traverse Systems Finishes


Decorative wood fascia available in 1 ¾" or 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 1%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See next page for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	Bronze	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	Bronze	Bronze	16'
	Blush	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete new	White	White	16'
	Couture new	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige new	White	White	16'
1 3/8" or 2 1/4"	Halo	White	White	16'
smooth, reeded or	Java	Bronze	Bronze	16'
grooved / fluted profiles	Linen	White	White	16'
with coordinating	Luminous new	Bronze	Bronze	16'
finials	Manor new	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat	Mystic	White	White	16'
smooth profile	New Age Bronze	Bronze	Bronze	16'
With flush ends	Patina new	White	White	16'
or mitered returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust new	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle new	Bronze	Bronze	16'
	Urban Bronze	Bronze	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	Bronze	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

48 PARIS TEXAS HARDWARE

White brackets may be substituted upon request.

Motorized Heavy Duty Traverse Systems Fascia Profiles



Smooth

- ·13/8" and 2 1/4" diameters available with R-TEC Systems · 2 ¼" diameter available with Somfy Systems
- · See below for coordinating finial options

Reeded

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2¹/₄" diameter available with Somfy Systems
- · See below for coordinating finial options

Grooved / Fluted

- ·13/8" and 2 1/4" diameters available with R-TEC Systems
- · 2¹/₄" diameter available with Somfy Systems
- · See below for coordinating finial options

Slim Round Smooth, No Finials

·1 7/8" diameter, available with flush ends or mitered returns

Flat Smooth, No Finials

 $\cdot 2\frac{1}{4}$ " height, available with flush ends or mitered returns

Mitered Returns

(sold separately) ·1¾", 1 1%" and 2 ¼" diameters available

· All profiles

Upgrade your Motorized HD Traverse with Finial Styles

Finials are sold separately. 1 3/8" or 2 1/4" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1 3/8" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 3/4" Portfolio page 22 | 2 3/4" Quick Ship page 102




1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102




R-TEC Motorized Heavy Duty Traverse Systems Brackets

		R-TEC Single TB035-R	2 11/16" H x 1 1/2" W backplate, adjustable up to 3 1/4" return Available in white or bronze /BR.	\$28.75 each
19	140 F	R-TEC Single or Double TB060-R	$3{}^{5}\!/{}^{_{16}"}$ H x 1 ${}^{1}\!/{}^{_{2}"}$ W backplate, 5 ${}^{1}\!/{}^{_{4}"}$ front return and 2" back return Available in white or bronze /BR.	\$46.00 each
TB035-R	TB060-R TB100-R	R-TEC Single, Double or Triple TB100-R	4 ¼2" H x 1 ¼2" W backplate, adjustable up to 9" return Available in white or bronze /BR.	\$46.00 each
		Ceiling Mount Clip Single RTMDTBCM	¹ ⁄4" H x 2 ¹ ⁄4" D x 1 ¹ ⁄ ₁₆ " W May only be used in systems without fascia. For double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.00 NET each
		Fascia Mount Clip RTMDTFC	1/2" H x 1" W Use to attach fascia to traverse systems; included. Available in zinc.	\$2.50 NET each


R-TEC Single Motorized Bracket TB035-R



R-TEC Single or Double Motorized Bracket TB060-R




R-TEC Single, Double or Triple Motorized Bracket TB100-R



R-TEC Ceiling Mount Bracket RTMDTBCM

Please note: Ceiling Bracket will not accommodate fascia and finials.




	Custom Over- Bracket Single TBKT214-R	3 ½" H x ¾" W backplate, 7 %" front return and 3" back return Use to combine 2 ¼ full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the bottom of the over-bracket. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™	\$80.50 each	
	Custom Ceiling Single CMTB-R	2 ¾" H x ¾" W backplate for double ceiling mount installation, install two brackets into ceiling. Steel *Available in any of our 35 Portfolio hand painted finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™ When ordering, specify: A. Fascia diameter and profile. B. Projection to carrier and/or to front of fascia. C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). D. Width of mounting plate if longer than 2 ¾".	\$69.00 each	

R-TEC Custom Traverse Bracket


TBKT214-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



R-TEC Custom Traverse Ceiling Bracket CMTB-R

Available in any Portfolio or PTH Perfect Match™ painted finish, or our 5 Quick Ship Wood & Resin finishes.



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling)
- fascia (tip: finial must clear ceiling).D. Width of mounting plate if longer than 2 ³/₄".

R-TEC Motorized Heavy Duty Traverse Systems Information

Carriers for additional carriers.

Pinch Pleat Glides



Master carrier body is required for each master carrier arm - sold separately; look for the /BR icon for components available in bronze and add /BR at the end of the item number to order.


Master Carrier Body RTMDTMCB RTMDTMCB/BR	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Available in white or bronze /BR.	\$4.00 NET each
Overlap Master Carrier Arms for Center Draw RTMDTCD	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$4.75 NET pair*
Tandem Master Carrier Arms for Center Draw RTMDTCDTAN	Pair. Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$7.00 NET pair*
Master Carrier Arm for One-Way Draw RTMDTOR RTMDTOL	Right (R) or Left (L). Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each
Ripplefold Butt Master Carrier Arms for Center Draw RTMDTCDB	Pair. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$4.75 NET pair*
Ripplefold Butt Master Carrier Arm for One-Way Draw RTMDTOB	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$2.75 NET each

Tandem Alternative


Tandem alternative ARC[™] motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity, available in center draw only. Use Tandem Center Draw Overlap Arms RTMDTCDTAN (for pinch pleat or ripplefold draperies) or two Butt Master One-Way Draw Arms RTMDTOB (for ripplefold draperies only).

R-TEC Motorized Carrier Diagrams


R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arms, Center Draw RTMDTCD




R-TEC Motorized Heavy Duty Traverse ONLY Universal Tandem Master Carrier Arms, Center Draw RTMDTCDTAN (see page 52 for details)




R-TEC Motorized Heavy Duty Traverse ONLY Universal Master Carrier Arm, One-Way Draw Right - RTMDTOR or Left - RTMDTOL




R-TEC Motorized Heavy Duty Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB






R-TEC Motorized Heavy Duty AND 1 3/8" Metal Traverse Ripplefold Butt Master Carrier Arms, Center Draw RTMDTCDB




1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw RTPTH138CD




*Sold in pairs only.

1 3⁄8" R-TEC Motorized Metal Traverse ONLY Ripplefold Butt Master Carrier Arm, One-Way Draw Right - RTPTH1380BR or Left - RTPTH1380BL



1 3/8" R-TEC Motorized Metal Traverse ONLY Pinch Pleat Master Carrier Arm, One-Way Draw Right - RTPTH138PPOR or Left - RTPTH138PPOL



R-TEC Automation[®] & Somfy Comparison

Control <t< th=""><th></th><th>1</th><th>€⁄</th><th>L</th><th></th><th></th></t<>		1	€⁄	L		
System Features.Silm Drazery MotorOxyder ULT0A.SileOxyder ULT0A.SileInameTrialSystem Flack MelladeXXXS55500555500555500Center Dravo Crone Way Drav AusladeXXXXXWith or Bruner Track AusladeXXXXXWith or Bruner Track AusladeXXXXXWith or Bruner State AusladeXXXXXWith or Bruner State AusladeXXXXXWith or Bruner State AusladeXXXXXXWith or Bruner State AusladeXXXXXXXWith or Bruner State AusladeXX <t< th=""><th>System Features</th><th></th><th></th><th></th><th>_</th><th></th></t<>	System Features				_	
TaxiatTaxiatulo <t< td=""><td>System Features</td><td></td><td></td><td></td><td></td><td></td></t<>	System Features					
White at threve Camponents AuslableXXX <td>8' System Pricing (Single Track With 2¼" Wood</td> <td></td> <td>-</td> <td></td> <td>\$3,550.00</td> <td>\$3,105.00</td>	8' System Pricing (Single Track With 2¼" Wood		-		\$3,550.00	\$3,105.00
White or Bronze Components AnaladeXXXXXXTrack Marum Lingerth39395232323232Marum Munder Drack Spites22222222Miniser Dronze Wall Mount Brackers (§) & DUIXXXXXXXMinise or Bornze Wall Mount Brackers (§) & DUIXX </td <td>Center Draw or One-Way Draw Available</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td>	Center Draw or One-Way Draw Available	X	X	X	X	X
Tack Maximum Longh3636 χ_2 2332Maamum Number of Track Splices22222222White or Bronze Wail Mount Brackets Bol & DolXXXXXXXXWhite or Bronze Wail Mount Brackets Bol & DolXXX	White or Bronze Track Available	X	X	X	X	X
Maximum Number of Track Splices 2 2 2 2 2 2 2 2 2 Minimum Curving Dadius III 8/00 CM X	White or Bronze Components Available			X	X	X
Minimum Curving BadiusInter (S0 CM)Inter (S0 CM)Inter (S0 CM)Inter (S0 CM)White Decine Vall Mourt Brackets (S4 DB)XXXXX15 Fracia AvailableXXXXX15 Fracia AvailableXXXXX15 Fracia AvailableXXXXXX15 Fracia AvailableSim Droovery MotorOkdea* ULTRA-S00Okdea* ULTRA-S00Insm0**45Insm0**45Motor Fracia AvailableSim Droovery MotorOkdea* ULTRA-S00Okdea* ULTRA-S00Insm0**45Insm0**45Motor Fracia AvailableXXXXXXManual DevendeXXXXXXStateXXXXXXXSpeed Control & AfgustmentXXXXXXXStateSin Article Art	Track Maximum Length	36'	36'	32'	33'	32'
Minimum Curving BadiusInter (S0 CM)Inter (S0 CM)Inter (S0 CM)Inter (S0 CM)White Decine Vall Mourt Brackets (S4 DB)XXXXX15 Fracia AvailableXXXXX15 Fracia AvailableXXXXX15 Fracia AvailableXXXXXX15 Fracia AvailableSim Droovery MotorOkdea* ULTRA-S00Okdea* ULTRA-S00Insm0**45Insm0**45Motor Fracia AvailableSim Droovery MotorOkdea* ULTRA-S00Okdea* ULTRA-S00Insm0**45Insm0**45Motor Fracia AvailableXXXXXXManual DevendeXXXXXXStateXXXXXXXSpeed Control & AfgustmentXXXXXXXStateSin Article Art	Maximum Number of Track Splices	2	2	2	2	
white or Bronze Wall Mount Brackets (Sql & Dbl) X						
white Standard Gelling Mount BracketXXXXXXXNotor ForturesSill Droppy MotorGlydear ULTRA 50eGlydear ULTRA 50eGlydear ULTRA 50eInternor 450Internor 450Motor Cord Length as PurchasedIND or second y lengthIzorIzorIzornuc198 4°Touch MotonXXXXXXXMotor Cord Length as PurchasedXXXXXXMotor Cord Length as PurchasedXXXXXXXSoft StopXX <td< td=""><td></td><td>X</td><td></td><td></td><td>X</td><td></td></td<>		X			X	
If Facula Available X Clydea* ULTRA 50e Facula Available Motor Faculus Slim Dinapery Motor Clydea* ULTRA 50e Clydea* ULTRA 35e Inismo** 45 Inismo** 45 Motor Card Length as Purchased 20° or specify length DO' DO' No No Motor Card Length as Purchased X X X X X X Motor Card Length as Purchased X X X X X X Monual Override X X X X X X Start X X X X X X Start Start X X X X X X Average Linear Spin (h) 4° an Ar-786 in (h) 4° an Ar-	White Standard Ceiling Mount Bracket	X			X	
Low or conductor Cand Length as Purchased Low or condity length by to 200° Too Too Na 198.4° Touch Motion X <td< td=""><td>-</td><td></td><td></td><td></td><td></td><td></td></td<>	-					
Mater Cord Length as Purchased L20" or goodly length Top Top Top Top Na 158.4" Fouch Motion X	Motor Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Manual OverrideXXXXXXSoft StartXXXXXXSoft StartXXXXXXSoft StartXXXXXXSpeed Cantrol & AdjurtmentXXXXXXXSpeed Cantrol & AdjurtmentXXX </td <td>Motor Cord Length as Purchased</td> <td>120" or specify length</td> <td>-</td> <td></td> <td>n/a</td> <td>158.4"</td>	Motor Cord Length as Purchased	120" or specify length	-		n/a	158.4"
Soft StartXXXXXXXSoft StopXXXXXXSpeed Control & AdjustmentXXXXXXAverage Linear Speed55 in A: 825 in A $49 in A: 726 in A / 8 in A / 9 in A: 726 in A / 9 in A / 726 in A / 9 / 9 in A / 726 in A / 9 / 9 / 9 / 10 / 10 / 10 / 10 / 10 / $	Touch Motion	X	X	X	Х	X
Soft Stop X X X X X X X Speed Control & Adjustment X X X X X X Average Linear Speed 55 in , /s - 82 sin , /s 49 in , /s - 786 in , /s 49 in , /s - 786 in , /s 49 in , /s - 786 in , /s Motor Automatically Stops When System X X X X X X Adjustable Limits X X X X X X Adjustable Limits X X X X X X Adjustable Limits X X X X X X Intermediate Position Favorite Position My Position My Position My Position My Position Motorized Track Mosineum Weight 110 lbs 152 lbs 17 lbs 99 lbs 177 lbs Tandem Atternative Maximum Weight 200 lbs 266 lbs 154 lbs 198 lbs 154 lbs Motor Unit can be Installed on Either End of rack X X X X X Sun Control X X X X X X Sun Control X X X X X X Sun Power Silm Drapery Motor <	Manual Override	X	X	Х	X	X
Speed Control & AdjustmentXXXXXXXAverage Linear Speed $55 \text{ in}/s \cdot 825 \text{ in}/s$ $49 \text{ in}/s \cdot 726 \text{ in}/s$ (sllent: 255 in/s) $49 \text{ in}/s \cdot 726 \text{ in}/s$ (sllent: 255 in/s) $49 \text{ in}/s \cdot 726 \text{ in}/s$ (sllent: 255 in/s) $49 \text{ in}/s \cdot 726 \text{ in}/s$ 	Soft Start	X	X	X	X	X
Nerror Nerro	Soft Stop	X	X	X	X	X
Number of the state of the	Speed Control & Adjustment	X	X	X	X	X
Reaches Pully Open or Fully Closed PositionAAAAdjustable LimitsXXXXXAdjustable LimitsFavorite PositionMy PositionMy PositionMy PositionMy PositionMotorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode38 dB in silent mode44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsFandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXKotor Unit can be Installed on Either SileXXXXXFactory ResetXXXXXXControl Options***Silim Drapery MotorClydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Son ControlXXXXXXXXSon Control Options**Silim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Son Control OptionsXXXXXXXXSon Control OptionsXXXXXXXSon Control OptionsXXXXXXXSon Control OptionsXXXXXXXSon Control OptionsXXXXXXXSondu	Average Linear Speed	5.5 in./s - 8.25 in. /s			4.9 in./s - 7.86 in./s	4.9 in./s - 7.86 in./s
remediate PositionFavorite PositionMy PositionMy PositionMy PositionMotorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode44 dB44 dBMaximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsFandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of rack.XXXXXVar Unit can be Installed on Either End of rack.XXXXXVar Unit can be Installed on Either End of rack.XXXXXXAtternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsAtternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsAtternative Maximum WeightXXXXXXAtternative Maximum WeightXXXXXXAtternative Maximum WeightXXXXXXAtternative Maximum WeightXXXXXXXAtternative Maximum WeightXXXXXXXAtternative Maximum MeightXXXXXXXXXControl Over ControlXXXXXXXXXXXXXXXXXXXX <td< td=""><td>Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position</td><td>х</td><td>Х</td><td>Х</td><td>Х</td><td>х</td></td<>	Motor Automatically Stops When System Reaches Fully Open or Fully Closed Position	х	Х	Х	Х	х
Motorized Track Noise Level44 db38 dB in silent mode38 dB in silent mode38 dB in silent mode44 dB44 dBMaximum Weight110 lbs1132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs1154 lbs198 lbs1154 lbsMotor Unit can be Installed on Either End of TrackXXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXXAutor See Mounting of MotorXXX<	Adjustable Limits	X	Х	Х	Х	Х
Maximum Weight110 lbs132 lbs77 lbs99 lbs77 lbsTandem Alternative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMotor Unit can be Installed on Either End of TrackXXXXXmerse Mounting of MotorXXXXXFactory ResetXXXXXControl Options**Silm Drapery MotorCilydea" ULTRA 60eCilydea" ULTRA 35eIrismo ^{IM} 45Irismo ^{IM} 35Timer ControlXXXXXXSun ControlXXXXXSun ControlXXXX <td< td=""><td>Intermediate Position</td><td>Favorite Position</td><td>My Position</td><td>My Position</td><td>My Position</td><td>My Position</td></td<>	Intermediate Position	Favorite Position	My Position	My Position	My Position	My Position
Automative Maximum Weight220 lbs266 lbs154 lbs198 lbs154 lbsMater Unit can be Installed on Either End of TrackXXXXXXMater Unit can be Installed on Either End of TrackXXXXXXInverse Mounting of MotorXXXXXXXFactory ResetXXXXXXXXControl Options**Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eInrismo ^{1M} 45Irrismo ^{1M} 35Timer ControlXXXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC TM Radio Technology Somfy (RTS)Irrismo TM 45Irrismo TM 45Solar PowerXXXXXXXXPower SupplySlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrrismo TM 45Irrismo TM 35Programming Buttons on Motor UnitXXXXXXXPower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV Is, CC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrrismo TM 45Irrismo TM 35	Motorized Track Noise Level	44 db	38 dB in silent mode	38 dB in silent mode	44 dB	44 dB
Notor Unit can be Installed on Either End of TrackXXXXXMotor Unit can be Installed on Either End of TrackXXXXXXInverse Mounting of MotorXXXXXXXFactory ResetXXXXXXXControl Options***Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo ^m 45Irismo ^m 35Timer ControlXXXXXXSun ControlXXXXXDigital Communication TechnologyARC TM Radio TechnologySoffIrismo ^m 35Forgaramming Buttons on Motor UnitXXXXXPower Supply10° AC/DC Power Transformer13.A0.8.A0.8.A0.5.A2.4V DC Power SupplyAmperage13.A0.8.A0.8.A0.6.W46.W46.WPower Consumption20.W96.W96.W96.W60.W46.WPower Coble Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEC CTUV $tactro CC, CE$ CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo ^m 45Irismo ^m 45Standard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo ^m 45Irismo ^m 35Schannel Tra	Maximum Weight	110 lbs	132 lbs	77 lbs	99 lbs	77 lbs
TrackAAAAAInverse Mounting of MotorXXXXXXFactory ResetXXXXXXXControl Options**Slim Drapery MotorGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Timer ControlXXXXXXXSun Control Options**XXXXXXSun ControlXXXXXXDigital Communication TechnologyARC™CRedio TechnologyIrismo™ 45Irismo™ 45Solar PowerXXXXXXXInstallation FeaturesSlim Drapery MotorGlydea" ULTRA 60eGlydea" ULTRA 35eIrismo™ 45Irismo™ 45Programming Buttons on Motor UnitXXXXXXXPower Supply10°, ACDC Power Transformer13.A0.8.A0.8.A0.5.A2.4V DC Power SupplPower Cosumption20.W96.W96.W60.W48.W48.WPower Cable Type3 conductor male plug3 conductor male plugCatrier FeaturesSlim Drapery MotorGlydea" ULTRA 50eGlydea" ULTRA 50eIrismo™ 45Irismo™ 45Irismo™ 45Catrier FeaturesSlim Drapery MotorGlydea" ULTRA 50eGlydea" ULTRA 50eIrismo™ 45Irismo™ 45Irismo™	Tandem Alternative Maximum Weight	220 lbs	266 lbs	154 lbs	198 lbs	154 lbs
Active resultXXXXXXControl Options***Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Timer ControlXXXXXXSun ControlXXXXXDigital Communication TechnologyARC™XXXXDigital Communication TechnologyARC™Glydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Solar PowerXCGlydea* ULTRA 55eIrismo™ 45Irismo™ 35Irismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower Supply113 A0.8 A0.8 A0.5 A2.4Power Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 co		X	Х	Х	Х	х
Control Options***Slim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35Timer ControlXXXXXXSun ControlXXXXXXDigital Communication TechnologyARC™Radio Technology Somfy (RTS)Solar PowerSolar PowerIrismo™ 45Irismo™ 45Irismo™ 45Installation FeaturesSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 45Programming Buttons on Motor UnitXXXXXXPower Supply10° AC/DC Power Transformer13 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 W20 APower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCECT UV UV CC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea* ULTRA 60eGlydea* ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleXXXXXXYWhite or Bronze Pinch Pleat or Ripplefold® StyleYYYYY	Inverse Mounting of Motor	X	Х	Х	X	×
Immer ControlXXXXSun ControlXXXXXSun ControlXXXXXDigital Communication TechnologyARCTMRadio Technology Somfy (RTS)Solar PowerXImmer ControlClydea® ULTRA 60eClydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or TTansformerIII A0.8 A0.8 A0.5 A2.44Power Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV us, CCC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorClydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control, White)XXXXXXXWhite or Bronze Plinch Pleat or Ripplefold® StylexxXXXXVisite or Bronze Plinch Pleat or Ripplefold® StylexXXXXXXXXXXXXXXXXXXXXXXS Channel Transmitter (Remote Control, White)XXXXXXXXXXXXX <td>Factory Reset</td> <td>X</td> <td>X</td> <td>Х</td> <td>X</td> <td>X</td>	Factory Reset	X	X	Х	X	X
Sun ControlXXXXXXDigital Communication Technology ARC^{M} RC^{M} $Radio Technology CRTS$ Solar PowerXImage: Solar PowerSolar Power <td>Control Options***</td> <td>Slim Drapery Motor</td> <td>Glydea® ULTRA 60e</td> <td>Glydea® ULTRA 35e</td> <td>Irismo™ 45</td> <td>Irismo™ 35</td>	Control Options***	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Digital Communication TechnologyARC TM Radio Technology Somfy (RTS)Solar PowerXImage: Clydea [®] ULTRA 60eClydea [®] ULTRA 35eIrismo TM 45Irismo TM 35Installation FeaturesSlim Drapery MotorClydea [®] ULTRA 60eClydea [®] ULTRA 35eIrismo TM 45Irismo TM 35Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or TransformerIti-ion Battery or Transformer25.9 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV usCECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea [®] ULTRA 60eGlydea [®] ULTRA 35eIrismo TM 45Irismo TM 45S Channel Transmitter (Remote Control; White)XXXXXXWhite or Bronze Pinch Pleat or Ripplefold [®] StyleyyyyyyWhite or Bronze Pinch Pleat or Ripplefold [®] Styleyyyyyyy	Timer Control		Х	Х	X	X
Solar PowerXClydea® ULTRA 60eClydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower Supply110 × AC/DC Power Transformer12 ····25.9 V DC Power (Li-ion Battery or Transformer24V DC Power Supply24V DC Power SupplyAmperage13 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV u>CCC, CECECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 355 Channel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyyyWhite or Bronze Pinch Pleat or Ripplefold® StyleyyyyyyyyyyyyyyUnit of the plan of Ripplefold® Styleyyyyyyyyyy<	Sun Control	X	Х	Х	X	Х
Installation FeaturesSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Programming Buttons on Motor UnitXXXXXXPower SupplyLi-ion Battery or 110 v AC/DC Power Transformer0.8 A0.8 A0.5 A24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV JCC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35Channel Transmitter (Remote Control; White)XXXXXXWhite or Bronze Pinch Pleat or Ripplefold® StyleXXXXXWhite or Bronze Pinch Pleat or Ripplefold® StyleXXXXXX	Digital Communication Technology	ARC™		Radio Technolo	ogy Somfy (RTS)	
Programming Buttons on Motor UnitXXXXXXXPower SupplyLi-ion Battery or 100 AC/DC Power TransformerLi-ion Battery or 100 AC/DC Power Transformer25.9 V DC Power Li-ion Rechargeable24V DC Power SupplyAmperage13 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plug3 conductor male plugCertificationsCEc TUV u, CC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 35S Channel Transmitter (Remote Control; White)XXXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Styleyyyyyyyy	Solar Power	X				
Power SupplyLi-ion Battery or 110 v AC/DC Power Transformer120 v25.9 V DC Power (Li-ion Rechargeable)24V DC Power SupplyAmperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor male plugCertificationsCEc TUV us, CC, CECECEStandard Accessories Included With SystemSlim Drapery MotorGlydea® ULTRA 60eGlydea® ULTRA 35eIrismo™ 45Irismo™ 355 Channel Transmitter (Remote Control; White)XXXXXXWhite or Bronze Pinch Pleat or Ripplefold® Styleyyyyyy	Installation Features	Slim Drapery Motor	Glydea® ULTRA 60e	Glydea® ULTRA 35e	Irismo™ 45	Irismo™ 35
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor	Programming Buttons on Motor Unit	X	X	X	Х	Х
Amperage1.3 A0.8 A0.8 A0.5 A2 APower Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conducto	Power Supply	Li-ion Battery or 110v AC/DC Power Transformer	12	0V	25.9 V DC Power (Li-ion Rechargeable)	24V DC Power Supp
Power Consumption20 W96 W96 W60 W48 WPower Cable Type3 conductor male plug3 conductor mal	Amperage		0.8 A	0.8 A	0.5 A	2 A
Power Cable Type3 conductor male plug3 conductor male plug <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Certifications CE CTUV us, CC, CE CE CE Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 5 Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style Y Y Y Y Y						
Standard Accessories Included With System Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 5 Channel Transmitter (Remote Control; White) X X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style Y Y Y Y Y	• •					
S Channel Transmitter (Remote Control; White) X X X X X Carrier Features Slim Drapery Motor Glydea® ULTRA 60e Glydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style x x x x x x						
Carrier Features Slim Drapery Motor Clydea® ULTRA 60e Clydea® ULTRA 35e Irismo™ 45 Irismo™ 35 White or Bronze Pinch Pleat or Ripplefold® Style y y y y y y y y y				-		
White or Bronze Pinch Pleat or Ripplefold® Style v v v v v v v						
			-	Giyuea ULI KA 558		
		X	X	X	X	Х

*components include: carriers, master carriers, drive gears, return hooks and fascia clips. **maximum allowable charging current. ***DCT motors are available for Glydea Ultra 60e, 35e and Irismo 35. Special order required.

54

Somfy Motorized Heavy Duty Traverse Systems

Motorized System is perfect for all treatments – from lightweight sheers to heavily lined fabrics, and is the ideal solution for treatments mounted where corded systems are not easily reached.

Decorative wood fascia available in 2 ¼" smooth, reeded, grooved / fluted profiles with flush ends or mitered returns. Finials may be ordered separately from 2 ¼" Portfolio or Quick Ship Wood and Resin.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single



Single Traverse System With Fascia

- Standard single bracket is adjustable up to 3 ³/₈" return
- Longer return bracket options may be substituted at no charge
- · Traverse system includes track, fascia, motor, power option,
- brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all fascia profiles
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



Single Traverse System With Mitered Returns

- \cdot Standard single bracket is adjustable up to 3 m %" return
- Longer return bracket options may be substituted at no charge
- Traverse system includes track, fascia, motor, power option, brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all lascia profiles
- Additional remote options sold separately



Single Traverse System Without Fascia

- \cdot Standard single bracket is adjustable up to 3 $_3$ " return
- \cdot ~ Longer return bracket options may be substituted at no charge
- Traverse system includes track, motor, power option, brackets, components and a standard 5 channel remote control
- \cdot Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately





Double Traverse System With Fascia

- Standard double brackets are adjustable 5" 5 3" front return and adjustable 1 3" 2 3" back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
 Coordinates with all fascia profiles
- Coordinates with all fascia profiles
- \cdot $\,$ 2 ¼" finials and additional remote options sold separately



(front fascia shown; front and back fascia also available; mitered returns on front only)

Double Traverse System With Mitered Returns

- Standard double brackets are adjustable 5" 5 %" front return and adjustable 1 %" 2 %" back return
- · Longer return bracket options may be substituted at no charge
- · Traverse system includes tracks, fascia(s), motors, power options,
- brackets, components and a standard 5 channel remote control Coordinates with all fascia profiles
- Additional remote options sold separately

XXXX MIN	MILY Y Y Y Y M	

Double Traverse System Without Fascia

- Standard double brackets are adjustable 5" 5 $3\!$ front return and adjustable 1 $3\!$ back return
- Longer return bracket options may be substituted at no charge
- Traverse system includes tracks, fascia(s), motors, power options, brackets, components and a standard 5 channel remote control
- Available with no fascia; ceiling mount only available without fascia
- Additional remote options sold separately

Single and Double Systems without Fascia can be curved for an additional fee:

Somfy Glydea®



Please note: Somfy Glydea® systems can be curved with a minimum 11.8" radius. All curves require a template. Curving track reduces weight capacity of motor. Please refer to motor specifications on page 56.



Somfy Motorized Heavy Duty Traverse Systems Information

Somfy Motorized Track

- Track sold in 1 foot increments, 6' minimum
- · Maximum continuous length is 20'; spliced lengths up to 36'
- Includes one motor, standard remote control 5-channel transmitter per track, and fascia with fascia clips when applicable
- Available in white or bronze; track finish will complement fascia finish
- · End drive gears available in white
- May be ordered with or without fascia options
- · Curved tracks available with minimum 11.8" radius; curving fees apply

Somfy Irismo™ 45 RTS Motor new

1002353

- Heavy duty motor, 1 per track
- Maximum drapery weight for motor: 99 lbs
- Maximum length for motor: 33'
- 25.9V Li-ion Battery Power
- Motor can be mounted on right or left for center draw, or top mounted
- · Return hooks/snaps included; available in white
- · Available in white
- 5 year warranty



Somfy Glydea[®] ULTRA 60e RTS Motor 1003159

- Heavy duty motor, 1 per track
- Maximum drapery weight for heavy duty motor: 132 lbs
- Maximum length for heavy duty motor: 36'
- 110V Power Supply cord with plug: 120" cord length
- Motor can be mounted on right or left for center draw,
- or top mounted; may also be hardwired
- Return hooks/snaps included: available in white
- Available in brushed aluminum

Somfy Motorized Traverse System

5 year warranty (warranty voided if hardwired)

Somfy Situo[®] standard remote control transmitter

1870575 (multi-channel handheld remote)


- 5 ¼"H x 1 %"W • 1 remote control per track
- 1 remote control pe
 5 channels
- Programmable My Position to set your favorite drapery position
- · Available in white

Somfy Irismo™ 35 Mini RTS Motor 1003004

- Mini motor, 1 per track
- · Maximum drapery weight for mini motor: 77 lbs
- Maximum length for mini motor: 32
- · 24V DC Power Supply cord with plug: 158.4" cord length
- Motor can be mounted on right or left for center draw, or top mounted
- Return hooks/snaps included; available in white
- Available in white
- 5 year warranty

Somfy Glydea® ULTRA 35e RTS Motor 1003152

- Light duty motor; 1 per track
- Maximum drapery weight for light duty motor: 77 lbs
- Maximum length for light duty motor: 32
- 110V Power Supply cord with plug: 120" cord length
- Motor can be mounted on right or left for center
- draw, or top mounted; may also be hardwired
- · Return hooks/snaps included; available in white
- Available in brushed aluminum
- \cdot 5 year warranty (warranty voided if hardwired)



Motor Weight Capacity

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on page 54 lists the varied functions of each motor.

		maximum drapery weight per total length of system (lbs)												
		Motor	18' or less	20'	22'	24'	26'	28'	30'	32'	34'	36'	38'	40'
	Std	Glydea® ULTRA 35	77	77	77	77	77	77	77	77	-	-	-	-
somfy.	HD	Glydea® ULTRA 60e	132	132	132	132	132	132	132	132	132	132	-	-
som y	Std	Irismo 45	99	99	99	99	99	99	99	99	-	-	-	-
	Mini	Irismo 35	77	77	77	77	77	77	77	77	-	-	-	-

Note: Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag or obstructions will adversely affect pulling capacity or stop motor due to resistance. Curving: System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. Maximum System Lengths: If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard 5 channel transmitter (1 per system), and fascia with fascia clips when applicable.

Somfy Motorized Heavy Duty Traverse Systems Finishes

Decorative wood fascia available in 2 ¼" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7%" slim round smooth profile, 2 ¼" flat smooth profile with flush ends or mitered returns. See page 49 for Fascia Profiles. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Wood Fascia Finish	Track and Bracket* Color	Component Color	Max. Continuous Length
	Amulet	White	White	16'
	Andiron	White	White	16'
	Antique Gold	White	White	16'
	Antique Gold Leaf	White	White	16'
	Art Bronze	White	Bronze	16'
	Barnwood	Bronze	Bronze	16'
	Black	White	Bronze	16'
	Blush new	White	White	16'
	Bronzed Pewter	Bronze	Bronze	16'
	Concrete new	White	White	16'
	Couture new	White	White	16'
	Dark Chocolate	Bronze	Bronze	16'
	Firelight	White	White	16'
	Gossamer	Bronze	Bronze	16'
	Greige new	White	White	16'
2 ¼" smooth,	Halo	White	White	16'
reeded or grooved /	Java	White	Bronze	16'
fluted profiles	Linen	White	White	16'
with coordinating	Luminous new	White	Bronze	16'
finials	Manor new	White	White	16'
1 %" slim round	Mink	Bronze	Bronze	16'
smooth profile	Moonlight	Bronze	Bronze	16'
2 ¼" flat smooth profile	Mystic	White	White	16'
	New Age Bronze	Bronze	Bronze	16'
With flush ends or mitered	Patina new	White	White	16'
returns	Shimmer	Bronze	Bronze	16'
	Silver Maple	White	White	16'
	Spicewood	Bronze	Bronze	16'
	Spun Gold	White	White	16'
	Stardust new	White	White	16'
	Starlet	White	White	16'
	Titanium	White	White	16'
	Truffle new	Bronze	Bronze	16'
	Urban Bronze	White	Bronze	16'
	White	White	White	16'
	PTH Perfect Match™	please specify	please specify	16'
	Antique Brass	White	White	12'
	Oil Rubbed Bronze	White	Bronze	12'
	Platinum	White	White	12'
	Rose Gold	White	White	12'
	Walnut	Bronze	Bronze	12'

White brackets may be substituted upon request.



Somfy Motorized Heavy Duty Traverse Systems Pricing

•/						6	,		
Item #	Name Pricing Includes Somfy® Motorized Traverse Trac	k with Motor, I	Remote and Ba	attery Charger	when orderin	g the Irismo™	45 Std Motor		
Motorized Travers	e System with Wood Fascia	6'	7'	8'	9'	10'	יוו		
Single Track System v	vith Wood Fascia for 1 7⁄8" slim, 2 ¼" flat smooth	ו and 2 ¼" r	ound					1	
STRACKF2S60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,290.00	\$3,420.00	\$3,550.00	\$3,680.00	\$3,810.00	\$3,940.00		
STRACKF2S35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,845.00	\$2,975.00	\$3,105.00	\$3,235.00	\$3,365.00	\$3,495.00		
Double Track System	Double Track System with Wood Fascia Front Only for 1 7⁄8" slim, 2 ¼" flat smooth and 2 ¼" round								
STRACKF2DF60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,265.00	\$6,480.00	\$6,695.00	\$6,910.00	\$7,125.00	\$7,340.00		
STRACKF2DF35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,375.00	\$5,590.00	\$5,805.00	\$6,020.00	\$6,235.00	\$6,450.00		
STRACKF2DFMIX	Mixed Motors	\$5,820.00	\$6,035.00	\$6,250.00	\$6,465.00	\$6,680.00	\$6,895.00		
Double Track System	with Wood Fascia Front and Back for 2 ¼" flat	smooth an	d 2 ¼" rour	nd					
STRACKF2DFB60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$6,580.00	\$6,840.00	\$7,100.00	\$7,360.00	\$7,620.00	\$7,880.00		
STRACKF2DFB35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,690.00	\$5,950.00	\$6,210.00	\$6,470.00	\$6,730.00	\$6,990.00		
STRACKF2DFBMIX	Mixed Motors	\$6,135.00	\$6,395.00	\$6,655.00	\$6,915.00	\$7,175.00	\$7,435.00		
Double Track System	with Stationary Front Wood Pole & No Back Fa	ascia							
STRACKF2DSF60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,567.00	\$3,780.00	\$3,993.00	\$4,206.00	\$4,419.00	\$4,632.00		
STRACKF2DSF35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,122.00	\$3,335.00	\$3,548.00	\$3,761.00	\$3,974.00	\$4,187.00		
Double Track System	with Stationary Front Wood Pole & Back Wood	d Fascia for	2 ¼" round						
STRACKF2DSFB60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$3,882.00	\$4,140.00	\$4,398.00	\$4,656.00	\$4,914.00	\$5,172.00		
STRACKF2DSFB35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$3,437.00	\$3,695.00	\$3,953.00	\$4,211.00	\$4,469.00	\$4,727.00		
Motorized Travers	e System without Wood Fascia								
Single Track System t	rack available in white or bronze	6'	7'	8'	9'	10'	יון		
STRACK60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$2,975.00	\$3,060.00	\$3,145.00	\$3,230.00	\$3,315.00	\$3,400.00		
STRACK35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$2,530.00	\$2,615.00	\$2,700.00	\$2,785.00	\$2,870.00	\$2,955.00		
Double Track System	track available in white or bronze								
STRACKDBL60E/45	Glydea® ULTRA 60e RTS Heavy Duty Motor or Irismo™ 45 Std Motor	\$5,950.00	\$6,120.00	\$6,290.00	\$6,460.00	\$6,630.00	\$6,800.00		
STRACKDBL35E/35	Glydea® ULTRA 35e RTS Std Motor or Irismo™ 35 Mini Motor	\$5,060.00	\$5,230.00	\$5,400.00	\$5,570.00	\$5,740.00	\$5,910.00		
STRACKDBLMIX	Mixed Motors	\$5,505.00	\$5,675.00	\$5,845.00	\$6,015.00	\$6,185.00	\$6,355.00		
Duantity Dar System									

Quantity Per System

	6'	7'	8'	9'	10'	יוו	12'	13'	14'	15'	16'
Pinch Pleat Glides	24	28	32	36	40	44	48	52	56	60	64
Brackets	3	3	4	4	4	5	5	5	6	6	6

Somfy glides are 4 per foot | Somfy brackets are 1 every 3-4 feet

Motorized Stack Back Calculation (each drapery panel) master carrier + (# glides on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 glides per ft.)

 $4.67" + [(40/2) \times .563"] + 3.75" = 19.7"$ stack, panel with over arm BEFORE drapery fabric is installed $4.07" + [(40/2) \times .563"] + 3.75" = 19.1"$ stack, panel with under arm BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

PTH Motorized Traverse Tips

 Specified custom cut length indicates track length including drive gears; fascia will be ¼" longer at each end of track (½" total); mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3⁄8"	7/8"	2"
2 1/4"	1 3⁄8"	3"
Flat	3/4"] 3/4"
Slim Round	5⁄8"	1 1/2"

• Track and fascia will be spliced in the center of overall length.

• Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.

 Back fascia can accommodate decorative end caps; decorative end caps sold separately. Orders with Somfy motorized traverse systems will incur a \$25 packaging fee. Available in all profiles for 1 %" and 2 ¼" diameter fascias or without a wood fascia. 1 %" not available with Somfy Systems.

12'	13'	14	15'	16'	per add'l ft
	1	1	Systems are	sold in 1 ft	increments
\$4,070.00	\$4,200.00	\$4,330.00	\$4,460.00	\$4,590.00	\$130.00
\$3,625.00	\$3,755.00	\$3,885.00	\$4,015.00	\$4,145.00	\$130.00
\$7,555.00	\$7,770.00	\$7,985.00	\$8,200.00	\$8,415.00	\$215.00
\$6,665.00	\$6,880.00	\$7,095.00	\$7,310.00	\$7,525.00	\$215.00
\$7,110.00	\$7,325.00	\$7,540.00	\$7,755.00	\$7,970.00	\$215.00
			r	F	
\$8,140.00	\$8,400.00	\$8,660.00	\$8,920.00	\$9,180.00	\$260.00
\$7,250.00	\$7,510.00	\$7,770.00	\$8,030.00	\$8,290.00	\$260.00
\$7,695.00	\$7,955.00	\$8,215.00	\$8,475.00	\$8,735.00	\$260.00
			1		
\$4,845.00	\$5,058.00	\$5,271.00	\$5,484.00	\$5,697.00	\$213.00
\$4,400.00	\$4,613.00	\$4,826.00	\$5,039.00	\$5,252.00	\$213.00
\$5,430.00	\$5,688.00	\$5,946.00	\$6,204.00	\$6,462.00	\$258.00
\$4,985.00	\$5,243.00	\$5,501.00	\$5,759.00	\$6,017.00	\$258.00
			Systems are	e sold in 1 ft	increments
12'	13'	14'	15'	16'	per add'l ft
\$3,485.00	\$3,570.00	\$3,655.00	\$3,740.00	\$3,825.00	\$85.00
\$3,040.00	\$3,125.00	\$3,210.00	\$3,295.00	\$3,380.00	\$85.00
\$6,970.00	\$7,140.00	\$7,310.00	\$7,480.00	\$7,650.00	\$170.00
\$6,080.00	\$6,250.00	\$6,420.00	\$6,590.00	\$6,760.00	\$170.00
\$6,525.00	\$6,695.00	\$6,865.00	\$7,035.00	\$7,205.00	\$170.00



ltem #	Name	Color	Price					
Somfy Motors								
1003159	Somfy Glydea® ULTRA 60e Heav	\$1,380.00						
1003152	Somfy Glydea® ULTRA 35e Std N	\$1,132.75						
1002353	1002353 Somfy Irismo™ 45 Std Motor**							
1003004	Somfy Irismo™ 35 Mini Motor*		\$1,132.75					

* Transformers are included **Li-ion battery included; charger sold separately.

Motor Accessories

1003080	Battery Charger for Irismo™ 45 Std Motor	White	\$94.17
9026476	Rechargeable Li-ion Battery	White	\$201.25

Transmitters/Devices

1870575	Situo®Transmitter-5 channel (included)	White	\$258.75
1810652	Telis Transmitter-5 channel	Black	\$325.00
1870571	Situo® Transmitter-1 channel	White	\$201.25
1810639	Telis Transmitter-1 channel	Silver	\$260.00
1810650	Telis Transmitter-1 channel	Black	\$260.00
1811081	Telis16 RTS-16 channel	White	\$787.75
1811082	Telis16 RTS-16 channel	Silver	\$787.75
1810897	Wireless Wall Switch-1 channel	White	\$442.75
1810898	Wireless Wall Switch-1 channel	Ivory	\$442.75
1810899	Wireless Wall Switch-1 channel	Black	\$506.00
1810813	Wireless Wall Switch-5 channel	White	\$460.00
1810814	Wireless Wall Switch-5 channel	lvory	\$460.00
1810830	Wireless Wall Switch-5 channel	Black	\$534.75
1811185	Table Top Accessory *	White	\$138.00
1810972	Table Top Accessory *	Silver	\$138.00
1811051	Table Top Accessory *	Black	\$138.00
* 51.544	Land Mall Constants		

 * use with Wireless Wall Switch

Programmable Timers


1811731	Somfy TaHoma® gateway	\$228.85 NET

Additional Somfy Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	n \$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fasci	a \$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge
Curving Fees (per bend, template required)	Quoted
Crating for Curved Track	\$75.00
Packaging fee per order	\$25.00

*Sold in pairs only.

Somfy Motorized Heavy Duty Traverse Systems Information




60

Carriers for additional carriers.

	Somfy Standard Pinch Pleat Glide 1781415 white 1782869 bronze	Wheeled for smooth movement. Included in system; additional glides may be ordered separately. Available in white or bronze.	\$1.85 NET each
	Somfy Ripplefold Clide 1780901 white 1782870 bronze 120% 1780902 white 1782871 bronze 100% 1780903 white 1782872 bronze 80%	Snap accepts Ripplefold tape and swivels to create fold. Fullness 80%, 100% or 120% - specify fullness on order. Available in white or bronze.	\$2.60 NET each
	Master Carrier Body 1781344	Select from different arms to assemble into one MC Body; order two if ordering Center Draw MC Arms - sold separately. Pinch pleat or Ripplefold. Available in gray with white only.	\$15.00 NET each
	Overlap Master Carrier Arms for Center Draw 1782320 (Over Arm) 1782321 (Under Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$12.75 NET each
	Tandem Master Carrier Arms for Center Draw 1782662 (Under Arm) 1780947 (Over Arm)	Pinch pleat or Ripplefold; order two MC Bodies - sold separately. Available in Stainless Steel only.	\$12.75 NET each
	Master Carrier Arm for One-Way Draw 1782320	Right and Left use. Pinch pleat or Ripplefold; order one MC Body - sold separately. Available in Stainless Steel only.	\$12.75 NET each
4) (*2112° (*	Ripplefold Butt Master Carrier Arms for Center Draw 1780953	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$12.75 NET each
4) (*2112° (*	Ripplefold Butt Master Carrier Arms for Center Draw Tandem Option 1782319	Each, order 2. Ripplefold only; order two MC Bodies - sold separately. Do not overlap, allowing some light to filter between draperies on center draw treatments. Available in Stainless Steel only.	\$12.75 NET each
A-11-12	Ripplefold Butt Master Carrier Arm for One-Way Draw 1782319	Right and left use. Ripplefold only; order one MC Body - sold separately. Available in Stainless Steel only.	\$12.75 NET each


Somfy Pinch Pleat Glide

1781415 white 1782869 bronze 4 per foot, unless otherwise specified




Somfy Ripplefold Glide

1780901 white, 80% 1782870 bronze, 80% 1780902 white, 100% 1782871 bronze, 100% 1780903 white, 120% 1782872 bronze, 120%




IMPORTANT: Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold glides. Somfy Glydea[®] Ripplefold glides are only compatible with Kirsch Ripplefold snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea[®] Motorized system.

Somfy Ripplefold Butt Master Carrier Arm - One-Way Draw 1782319




Somfy Pinch Pleat or Ripplefold Master Carrier Arms -Center Draw

Under Arm 1782321 Over Arm 1782320



Somfy Ripplefold Butt Master Carrier Arm - Center Draw 1780953



*Sold in pairs only.

PARIS TEXAS	Motorized Travers	raver	se O	e Order Form	For	E	Y	VIEO AUTOMATION®	TOMAT	\bigcirc		номе моттом ву
HARDWARE	P0#		Si	Side Mark			S	Ship via			Date	
Company Information		I				Shipping	Shipping Information		I		I	
Company Name		Acct #				Company Name	lame			Acct #	it #	
Contact Person		-				Contact Person	rson			-		
Street Address						Street Address	ess					
City		State		ZIP		City				State		ZIP
Email						Email						
Phone	Fax					Phone			Fax			
MOTORIZED TRAVERS Specified custom cut length indi	MOTORIZED TRAVERSE SYSTEMS - Consult Price List for detailed Specified custom cut length indicates track length including drive gears: Mitered fascia w	st for detaile Mitered fascia		:ations. o 3" longer	than track	lenath, depo	specifications. "iil be up to 3" longer than track length, depending on the profile ordered.	ofile ordered.	l		l	
ttem #	Power Option **see additional R-TEC options below	Fascia Type		Custom Cut Track Length (inches)	Fascia Finish Code F	Bracket Preference	Draw Draw Preference Center One-V	raw srence Motor One-Way Location	Glide Style pinch pleat or Ripplefold ®*	Qty	Price per Unit	Subtotal
	Ili-ion Battery Iliov AC/DC Power							R	R PP RF			
	Ilion Battery Intervention							R L	R PP RF			
	Ili-ion Battery I110v AC/DC Power							R	R RF			
	Li-ion Battery 110v AC/DC Power							R	R PP RF			
MOTORIZED TRAVERSE COORDINATING ACC Order finials, mitered returns, and accessories here.	MOTORIZED TRAVERSE COORDINATING ACCESSORIES AND A Order finials, mitered returns, and accessories here.	RIES AND ,		DDITIONAL FEES	S	**F AD	ower Options f DITIONAL: sol	**Power Options for R-TEC Motor (SRP) ADDITIONAL: solar panel \$188; 20' cord \$130 - specify total feet; plug \$43	RP) :ord \$130 - speci	ify total fe	eet; plug \$43	
Item #	Finish Code					Description	on		0	Qty Pr	Price per Unit	Subtotal
Additional Information	NOTE: I	NOTE: Minimum track I		ength for R-TEC is 4' and for Somfy is 6'	' and for S	Somfy is 6'					τοται	
Quantity included per system based on cut track length Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	based on cut track length 4' 5' s master carriers (2) & end caps (2)] 21 27	6' 7' 24 28	6	11 4	13' 52	14' 15' 16' 56 60 64	17' 18' 68 72	19' 20' 76 80				
Brackets (1 per every 3-4 feet)	3 4	4 4	4	2	ŝ	9 9 9	7 7 7	80				
Special Instructions								* When orde	* When ordering Ripplefold carriers, answer these questions:	carriers	, answer these	questions:
								1. Select Rip	1. Select Ripplefold fullness:		80%	100% 120%
									z. select rippleiold masters.			Dutt Master

1¹/₈" Baton Draw Metal Traverse Systems

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 1/8" Diameter Collections and require the use of the Transitional or Deco Cuff / Finial Adapter (sold separately). See page 67.

Select from 35 Portfolio hand painted finishes (except Antique Gold Leaf), 6 Quick Ship Metal finishes or PTH Perfect MatchTM.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 11/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ⁵/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Double Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/₁₆" drop, 4 ¹⁄₂" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Emery end caps
- 1 1/8" collection finials and transitional or deco cuffs sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 3/16" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Emery end caps
- 1¹/₈" collection finials and transitional or deco cuffs sold separately



1¹/₈" Baton Draw Metal Traverse Systems Pricing

Name & Item #	Price						System	s are sold	in 1 ft incr	rements
1 1⁄8" Baton Draw Metal Trave	erse Sy	rstem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	each add'l ft.
CSPTHMT118400	\$240.00	\$300.00	\$360.00	\$420.00	\$480.00	\$540.00	\$600.00	\$660.00	\$720.00	\$60.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT118401	\$272.00	\$340.00	\$408.00	\$476.00	\$544.00	\$612.00	\$680.00	\$748.00	\$816.00	\$68.00
Double Traverse System Wall Mount										
CSPTHMT118402	\$480.00	\$600.00	\$720.00	\$840.00	\$960.00	\$1,080.00	\$1,200.00	\$1,320.00	\$1,440.00	\$120.00
Single Traverse System Ceiling Mount										
CSPTHMT118403	\$240.00	\$300.00	\$360.00	\$420.00	\$480.00	\$540.00	\$600.00	\$660.00	\$720.00	\$60.00
Double Traverse System Ceiling Mount										
CSPTHMT118404	\$480.00	\$600.00	\$720.00	\$840.00	\$960.00	\$1,080.00	\$1,200.00	\$1,320.00	\$1,440.00	\$120.00
Single Traverse System Low-Profile Ceiling Mount										
CSPTHMT118406	\$192.00	\$240.00	\$288.00	\$336.00	\$384.00	\$432.00	\$480.00	\$528.00	\$576.00	\$48.00

1 ¹/₈" Baton Draw Metal Traverse Systems Information \square

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

			\sim	\sim	\sim
36" Metal Baton ¾" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$57.00 each	\$62.00 each	\$67.00 each	\$45.00 each	\$50.00 each	\$55.00 each
QSME36WAND	QSME48WAND	QSME60WAND			
\$50.00 each	\$55.00 each	\$60.00 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$62.00 each	\$67.00 each
QSME48HWAND	QSME60HWAND
\$55.00 each	\$60.00 each

48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic
AC48HWAND	AC60HWAND	AC72HWAND
\$50.00 each	\$55.00 each	\$60.00 each


1¹/₈" Baton Draw Metal Traverse Systems Finishes

35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect Match™ and 6 Quick Ship Metal finishes

Diameter	Track Finish	Component Color	Max. Continuous Length
1 1⁄8"	Amulet	White	12'
1 1⁄8"	Andiron	White	12'
] ½8"	Antique Gold	White	12'
] 1 ⁄8"	Art Bronze	Bronze	12'
1 1⁄8"	Barnwood	Bronze	12'
1 1⁄8"	Black	Bronze	12'
1 1⁄8"	Blush	White	12'
] 1 ⁄8"	Bronzed Pewter	Bronze	12'
1 1⁄8"	Concrete new	White	12'
1 1⁄8"	Couture new	White	12'
] ½8"	Dark Chocolate	Bronze	12'
] ½8"	Firelight	White	12'
] ½8"	Gossamer	Bronze	12'
] 1⁄8"	Greige	White	12'
] 1⁄8"	Halo	White	12'
1 1⁄8"	Java	Bronze	12'
] 1⁄8"	Linen	White	12'
] 1⁄8"	Luminous	Bronze	12'
] 1⁄8"	Manor	White	12'
] 1⁄8"	Mink	Bronze	12'
] 1⁄8"	Moonlight	Bronze	12'
] 1⁄8"	Mystic	White	12'
] 1⁄8"	New Age Bronze	Bronze	12'
] 1⁄8"	Patina	White	12'
] 1⁄8"	Shimmer	Bronze	12'
] 1⁄8"	Silver Maple	White	12'
] 1⁄8"	Spicewood	Bronze	12'
] 1⁄8"	Spun Gold	White	12'
] 1⁄8"	Stardust new	White	12'
1 1/8"	Starlet	White	12'
] 1⁄8"	Titanium	White	12'
] 1/8"	Truffle	Bronze	12'
1 1⁄8"	Urban Bronze	Bronze	12'
] 1⁄8"	White	White	12'
] 1⁄8"	PTH Perfect Match™	please specify	12'
] 1/8"	Brushed Nickel	White	12'
1 1/8"	Brushed Bronze	Bronze	8'
1 1/8"	Charcoal Zinc	White	8'
1 1/8"	Matte Black	White	12'
1 1/8"	Rose Gold	White	8'
1 1/8"	Satin Gold	White	8'

1¹/₈" Baton Draw Metal Traverse Systems Information


 $1^{1}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions



Upgrade your End Caps with Finial Styles 🛲

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter.







Portfolio page 7 | Quick Ship page 87 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 7 | Quick Ship page 88 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 *Requires Transitional or Deco Cuff / Finial Adapter



Portfolio page 9 *Requires Transitional or Deco Cuff/Finial Adapter



Portfolio page 8 | Quick Ship page 88 *Requires Transitional or Deco Cuff / Finial Adapter



1³/₈" Baton Draw Metal Traverse Systems 🐲

The perfect modern solution for residential or commercial applications.

Finials may be ordered separately from 1 3/8" Diameter Collections. Today's Traditional and Heritage Classics Finial Collections require the use of the Transitional Cuff / Finial Adapter (sold separately). See page 72.

Select from 35 Portfolio hand painted finishes **(except Antique Gold Leaf)**, 6 Quick Ship Metal finishes, 5 Quick Ship Wood & Resin finishes or PTH Perfect Match™.



Single Traverse System, Wall Mount

- Wall Bracket: 3 ½" or 6" return options
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Double Traverse System, Wall Mount

- Wall bracket: 3" and 7 ½" returns
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Single Traverse System, Ceiling Mount

- Ceiling bracket: 3 ¹¹/₁₆" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 13/8" collection finials and additional remote options sold separately





Double Traverse System, Ceiling Mount

- · Ceiling bracket: 4" drop, 4 1/2" between centers of tracks
- Traverse system includes tracks, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3/8" collection finials and additional remote options sold separately

Single Traverse System, Low-Profile Ceiling Mount

- Ceiling bracket: 1 ½" drop
- Traverse system includes track, pendants, brackets, glides, master carriers and Ainsley end caps
- 1 3⁄8" collection finials and additional remote options sold separately

1³/₈" Baton Draw Metal Traverse Systems Finishes 35 Portfolio finishes (except Antique Gold Leaf), PTH Perfect MatchTM, 6 Quick Ship Metal finishes or 5 Quick Ship Wood & Resin finishes.

Diameter	Track Finish	Component Color	Max. Continuous Length
1 3⁄8"	Amulet	White	12'
] 3⁄8"	Andiron	White	12'
1 3⁄8"	Antique Gold	White	12'
1 3⁄8"	Art Bronze	Bronze	12'
1 3⁄8"	Barnwood	Bronze	12'
] 3⁄8"	Black	Bronze	12'
1 3⁄8"	Blush	White	12'
] ¾r"	Bronzed Pewter	Bronze	12'
] ¾r	Concrete new	White	12'
] ¾r"	Couture	White	12'
] ¾r	Dark Chocolate	Bronze	12'
] ¾r"	Firelight	White	12'
] ¾r	Gossamer	Bronze	12'
] ¾"	Greige	White	12'
] 3⁄8"	Halo	White	12'
] 3⁄8"	Java	Bronze	12'
1 3⁄8"	Linen	White	12'
1 3⁄8"	Luminous	Bronze	12'
] 3⁄8"	Manor new	White	12'
] 3⁄8"	Mink	Bronze	12'
] ¾r"	Moonlight	Bronze	12'
] ¾r	Mystic	White	12'
] ¾r"	New Age Bronze	Bronze	12'
] ¾"	Patina new	White	12'
] 3⁄8"	Shimmer	Bronze	12'
] 3⁄8"	Silver Maple	White	12'
] 3⁄8"	Spicewood	Bronze	12'
] 3⁄8"	Spun Gold	White	12'
] 3⁄8"	Stardust new	White	12'
] ¾″	Starlet	White	12'
] ¾"	Titanium	White	12'
] 3⁄8"	Truffle new	Bronze	12'
] 3⁄8"	Urban Bronze	Bronze	12'
] ¾"	White	White	12'
] ¾"	PTH Perfect Match™	please specify	12'
] ¾"	Brushed Nickel	White	12'
] ¾"	Brushed Bronze	Bronze	8'
] ¾"	Charcoal Zinc	White	8'
] ¾"	Matte Black	White	12'
] 3⁄8"	Rose Gold	White	8'
] 3⁄8"	Satin Gold	White	8'
] 3⁄8"	Antique Brass	White	12'
] 3⁄8"	Oil Rubbed Bronze	Bronze	12'
] 3⁄8"	Platinum	White	12'
] ³ ⁄8"	Rose Gold	White	12'
] 3⁄8"	Walnut	Bronze	12'

*Sold in pairs only.



1³/₈" Baton Draw Metal Traverse Systems Pricing 🚥

Name & Item #	Price						System	s are sold	in 1 ft inc	rements
1 3⁄8" Baton Draw Metal Trave	erse Sy	vstem								
Single Traverse System Wall Mount 3 ½" Return	4'	5'	6'	7'	8'	9'	10'	יוו	12'	each add'l ft.
CSPTHMT138400	\$316.00	\$395.00	\$474.00	\$553.00	\$632.00	\$711.00	\$790.00	\$869.00	\$948.00	\$79.00
Single Traverse System Wall Mount 6" Return										
CSPTHMT138401	\$352.00	\$440.00	\$528.00	\$616.00	\$704.00	\$792.00	\$880.00	\$968.00	\$1,056.00	\$88.00
Double Traverse System Wall Mount										
CSPTHMT138402	\$632.00	\$790.00	\$948.00	\$1,106.00	\$1,264.00	\$1,422.00	\$1,580.00	\$1,738.00	\$1,896.00	\$158.00
Single Traverse System Ceiling Mount										
CSPTHMT138403	\$316.00	\$395.00	\$474.00	\$553.00	\$632.00	\$711.00	\$790.00	\$869.00	\$948.00	\$79.00
Double Traverse System Ceiling Mount										
CSPTHMT138404	\$632.00	\$790.00	\$948.00	\$1,106.00	\$1,264.00	\$1,422.00	\$1,580.00	\$1,738.00	\$1,896.00	\$158.00
Single Traverse System Low-Profile Ceiling Mount										
CSPTHMT138406	\$252.00	\$315.00	\$378.00	\$441.00	\$504.00	\$567.00	\$630.00	\$693.00	\$756.00	\$63.00

$1\frac{3}{8}$ " Baton Draw Metal Traverse Systems Information 🚥

Quantity Per System

Quantity included per system based on cut track length	4'	5'	6'	7'	8	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
Glides [4 per foot, includes master carriers & end caps (2)]	16	20	24	28	32	36	40	44	48	52	56	60	64	68	72	76	80
Brackets	2	3	4	4	4	5	5	5	5	6	6	6	6	7	7	7	8

Batons sold separately.

Note: Metal Baton available in 6 Metal Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.


36" Metal Baton ℁" DIA, Metal	48" Metal Baton ¾" DIA, Metal	60" Metal Baton ¾" DIA, Metal	36" Clear Acrylic Baton ½" DIA, Acrylic	48" Clear Acrylic Baton ½" DIA, Acrylic	60" Clear Acrylic Baton ½" DIA, Acrylic
POME36WAND	POME48WAND	POME60WAND	AC36WAND	AC48WAND	AC60WAND
\$57.00 each	\$62.00 each	\$67.00 each	\$45.00 each	\$50.00 each	\$55.00 each
QSME36WAND	QSME48WAND	QSME60WAND			,
\$50.00 each	\$55.00 each	\$60.00 each			

48" Handicap Metal Baton 4" Loop, ADA Compliant, Metal	60" Handicap Metal Baton 4" Loop, ADA Compliant, Metal
POME48HWAND	POME60HWAND
\$62.00 each	\$67.00 each
QSME48HWAND	QSME60HWAND
\$55.00 each	\$60.00 each

48" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	60" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic	72" Handicap Clear Acrylic Baton 4" Loop, ADA Compliant, Acrylic		
AC48HWAND	AC60HWAND	AC72HWAND		
\$50.00 each	\$55.00 each	\$60.00 each		

1³/₈" Baton Draw Metal Traverse Systems Information

 $1^{3}/_{8}$ " Brackets & Connectors for additional brackets. See below for diagrams/dimensions



*Sold in pairs only.

Upgrade your End Caps with Finial Styles 👜

1 3⁄8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3⁄8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



Portfolio page 14 | Quick Ship page 93 | *Transitional Cuff/Finial Adapter PO138CUFF not required



Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff/Finial Adapter PO138CUFF or QS138CUFF below




Portfolio page 17 | Quick Ship page 97 | *Requires Transitional Cuff / Finial Adapter PO138CUFF or QS138CUFF below



PARIS TEXAS		L L										
			Side Mark				PUITT Ship via			0	Date	
Company Information					Shipping Information	formation						
Company Name		Acct #			Company Name	ne				Acct #		
Contact Person					Contact Person	u			-			
Street Address					Street Address	0						
City		State	ZIP		City					State	ZIP	
Email			-		Email				-		-	
Phone	Fax				Phone			<u> </u>	Fax			
METAL TRAVERSE SYSTEMS - Consult Price List for detailed s	onsult Price List for deta	iiled specifications.	tions.									
ltem #	Eini:	Finish Code C	System Length (per 1')	Custom Cut Length (inches)	Draw Preference Center One-Way		Baton (sold separately)		Glides Pinch Pleat or Ripplefold*	Qty	Price per Unit	Subtotal
						<u>ه</u>			PP RF			
						2			PP C			
						R			PP RF			
					F	R			PP RF			
	VG ACCESSORIES AN	D ADDITION	AL FEE	S	I	1	I	1	1		1	
Urder Innals, curis, batons, additional brackets and accessories nere	onal brackets and ac	cessories ne	e.	l	l	l	l	l	ŀ	l	ŀ	
Item #	Finish Code				Description	tion			aty	Price per Unit	er Unit	Subtotal
Glide and Bracket Information	l	l					l			Answer T	Answer These Questions	suc
Quantity included per system based on cut track length	4, 2	8 1	1 0'	1 2	14' 15' 16'	18'	21'		1. Select Ripplefold fullness: □ 60% □ 80% □ 100	pplefold fullness: □ 80% □ 100%	sss: 100% □120%	
Glides [4 per foot, includes master carriers & end caps (2)] Brackets	2 3 20	24 28 32 36 4 4 4 5	40 44 5 5	5 48	52 56 60 64 68 6 6 6 6 7	3 72 76	80 84 8 8 8 8 8 8	8 30 8 30	2. Select Ripplefold masters:	elect Ripplefold masters:	-	
Special Instructions									* Must speci	y Ripplefe	* Must specify Ripplefold carrier fullness.	less.
											TOTAL	

Fascia Profiles for Manual Heavy Duty Systems



Heavy Duty Corded or Baton Traverse Systems

Heavy Duty System is recommended for heavier treatments with lining. Longer lengths are versatile for residential or commercial projects.

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns.

Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Single Traverse System

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded single bracket has 4" 5 $\frac{1}{2}$ " return; standard baton single bracket has adjustable 3 $\frac{3}{2}$ " 4" return
- Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- C-Rings available for 1 3/8" and 2 1/4"

Double Traverse System

Back track available with or without wood fascia. Back track shown with fascia and end caps.

- · Coordinates with all fascia profiles or available with no fascia
- Standard corded double brackets have 3" back track and adjustable 6" - 7 ¹/₂" front track return; standard baton double brackets have 2 ¹/₄" back track and adjustable 5 ¹/₄" - 6" front track return
- · Longer return bracket options may be substituted at no charge
- · Batons and finials sold separately
- \cdot $\,$ C-Rings available for 1 % and 2 $\frac{1}{4}$ " (front track)





Single or Double Traverse System With Mitered Returns

Back track available with or without wood fascia. Finials and c-rings are not available with this option.

- · Coordinates with all fascia profiles
- Standard corded single bracket has 4" 5 $^{1}\!\!\!/_2$ " return; standard baton single bracket has adjustable 3 $^{3}\!\!/_8$ " 4" return
- Standard corded double brackets have 3" back track and adjustable 6" 7 $\frac{1}{2}$ " front track return; standard baton double brackets have 2 $\frac{1}{4}$ " back track and adjustable 5 $\frac{1}{4}$ " 6" front track return
- \cdot $\,$ Batons and mitered returns sold separately
- C-Rings not available

Stationary Front Pole With Back Traverse System

2¼" wood poles can be used. Back track available with or without wood fascia. Back track shown with fascia and end caps.

- Traverse system coordinates with all 2 $^{1}\!\!\!/4"$ round fascia profiles; flat and slim fascia may not be used
- Coordinates with 2 ¼" poles for stationary front pole
- Stationary front pole and TBKT bracket finished to match pole are included
- · Batons and finials sold separately
- Full rings available on stationary front pole, sold separately;
 C-Rings not available



(back fascia shown; front pole only also available)

Batons

(if applicable, sold separately) Fiberglass or Clear Acrylic | Stainless Steel Clip 36", 48" or 60"

Note: Fiberglass Baton available in 5 Wood & Resin Quick Ship Finishes, 35 Portfolio finishes or PTH Perfect Match™.

	\sim
36" Fiberglass Baton ¾" DIA, Fiberglass	36" Clear Acrylic Baton ½" DIA, Acrylic
PORE36WAND	AC36WAND
\$58.00 each	\$45.00 each
QSRE36WAND	
\$58.00 each	
48" Fiberglass Baton ¾" DIA, Fiberglass	48" Clear Acrylic Baton ½" DIA, Acrylic
PORE48WAND	AC48WAND
\$63.00 each	\$50.00 each
QSRE48WAND	
\$63.00 each	
60" Fiberglass Baton ¾" DIA, Fiberglass	60" Clear Acrylic Baton ½" DIA, Acrylic
PORE60WAND	AC60WAND
\$68.00 each	\$55.00 each
QSRE60WAND	
\$68.00 each	

new	\sim
G	
AC48HWAND	
48" Handicap (Clear Acrylic Baton
4" Loop, ADA Compliant, Acry	lic
\$!	50.00 each
AC48HWAND	
60" Handicap (Clear Acrylic Baton
4" Loop, ADA Compliant, Acry	lic
\$	55.00 each
AC60HWAND	
72" Handicap C	Clear Acrylic Baton

\$60.00 each

76

Finishes

Decorative wood fascia available in 1 3/8" or 2 1/4" smooth, reeded or grooved / fluted profiles with coordinating finials, 1 7/8" slim round smooth profile, 2 1/4" flat smooth profile with flush ends or mitered returns - see next page. Select from 35 Portfolio Hand Painted Finishes, PTH Perfect Match™ or 5 Quick Ship Wood and Resin Finishes.

Diameter	Fascia Finish	Track and Bracket* Color	Component Color
	Amulet	White	White
	Andiron	White	White
	Antique Gold	White	White
	Antique Gold Leaf	White	White
	Art Bronze	Bronze	Bronze
	Barnwood	Bronze	Bronze
	Black	Bronze	Bronze
	Blush new	White	White
	Bronzed Pewter	Bronze	Bronze
	Concrete new	White	White
	Couture new	White	White
	Dark Chocolate	Bronze	Bronze
	Firelight	White	White
	Gossamer	Bronze	Bronze
	Greige new	White	White
1 3⁄8" or 2 1⁄4"	Halo	White	White
smooth,	Java	Bronze	Bronze
reeded or grooved / fluted	Linen	White	White
grooved / fluted profiles with coordinating finials 1 %" slim round smooth profile	Luminous new	Bronze	Bronze
	Manor new	White	White
	Mink	Bronze	Bronze
smooth profile	Moonlight	Bronze	Bronze
2 ¼" flat smooth	Mystic	White	White
profile	New Age Bronze	Bronze	Bronze
With flush ends or mitered	Patina new	White	White
returns	Shimmer	Bronze	Bronze
	Silver Maple	White	White
	Spicewood	Bronze	Bronze
	Spun Gold	White	White
	Stardust new	White	White
	Starlet	White	White
	Titanium	White	White
	Truffle new	Bronze	Bronze
	Urban Bronze	Bronze	Bronze
	White	White	White
	PTH Perfect Match™	please specify	please specify
	Antique Brass	White	White
	Oil Rubbed Bronze	Bronze	Bronze
	Platinum	White	White
	Rose Gold	White	White
	Walnut	Bronze	Bronze
	1		

PH PARIS TEXAS HARDWARE

Heavy Duty Corded or Baton Traverse Systems Fascia Profiles

	Smooth •1¾" and 2¼" diameters available • See below for coordinating finial options
	Reeded •1¾" and 2¼" diameters available •See below for coordinating finial options
	Grooved / Fluted ·1¾" and 2¼" diameters available · See below for coordinating finial options
	Slim Round Smooth, No Finials •1 %" diameter, available with flush ends or mitered returns
	Flat Smooth, No Finials · 2 ¼" height, available with flush ends or mitered returns
	Mitered Returns (sold separately) ·1¾",17%" and 2 ¼" diameters available · All profiles
Unovada vouv Manual H	D Trovorso with Finial Stylos

Upgrade your Manual HD Traverse with Finial Styles

Finials are sold separately. 1 ³/₈" or 2 ¹/₄" Portfolio and Quick Ship Wood and Resin finials are compatible across two style categories. Somfy systems are not available with 1 ³/₈" fascias and finials.



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 22 | 2 1/4" Quick Ship page 102



1 3/8" Portfolio page 17 | 1 3/8" Quick Ship page 97 | 2 1/4" Portfolio page 23 | 2 1/4" Quick Ship page 102



Heavy Duty Corded or Baton Traverse Systems Pricing 🚥

Item # for Corded System Item # for Baton System Name

Manual Heavy Duty Corded or Baton Traverse System with Wood Fascia


Track System with Woo Corded Systems	d Fascia(s) for 1 ¾" round Baton Systems (batons	sold separately)	4'	6'	8'	10'	
CSPTHC138WF	CSPTHB138WF	Single with Fascia, No Rings	\$420.00	\$620.00	\$820.00	\$1,020.00	
CSPTHC138WFFDBL	CSPTHB138WFFDBL	Double with Front Fascia, No Rings	\$700.00	\$1,045.00	\$1,390.00	\$1,735.00	
CSPTHC138WFDBL	CSPTHB138WFDBL	Double with Front & Back Fascias, No Rings	\$840.00	\$1,240.00	\$1,640.00	\$2,040.00	
CSPTHC138WFC	CSPTHB138WFC	Single with Fascia, C-Rings	\$670.00	\$1,005.00	\$1,340.00	\$1,675.00	
CSPTHC138WFFCDBL	CSPTHB138WFFCDBL	Double with Front Fascia, C-Rings	\$950.00	\$1,430.00	\$1,910.00	\$2,390.00	
CSPTHC138WFCDBL	CSPTHB138WFCDBL	Double with Front & Back Fascias, C-Rings	\$1,090.00	\$1,625.00	\$2,160.00	\$2,695.00	
Track System with Woo *available in 2 ¼" round o Corded Systems	d Fascia(s) for 1 7/8" slim, 2 1/ only 17/6" slim and 2 1/4" flat Baton Systems (batons	smooth double systems are available in the front fascia option o	only 1%" slim ar	nd 2¼" flat smoo	oth are not availabl	e with c-rings	
CSPTHC214WF	CSPTHB214WF	Single with Fascia, No Rings	\$545.00	\$815.00	\$1,085.00	\$1,355.00	

CSI IIICZI+WI	CSI II IDZI-IVI	Single with rased, no kings	\$545.00	\$015.00	\$1,005.00	φ1,555.00	
CSPTHC214WFFDBL	CSPTHB214WFFDBL	Double with Front Fascia, No Rings	\$825.00	\$1,240.00	\$1,655.00	\$2,070.00	
CSPTHC214WFDBL	CSPTHB214WFDBL	Double with Front & Back Fascias, No Rings *	\$1,090.00	\$1,630.00	\$2,170.00	\$2,710.00	
CSPTHC214WFC	CSPTHB214WFC	Single with Fascia, C-Rings *	\$800.00	\$1,200.00	\$1,600.00	\$2,000.00	
CSPTHC214WFFCDBL	CSPTHB214WFFCDBL	Double with Front Fascia, C-Rings *	\$1,080.00	\$1,625.00	\$2,170.00	\$2,715.00	
CSPTHC214WFCDBL	CSPTHB214WFCDBL	Double with Front & Back Fascias, C-Rings *	\$1,345.00	\$2,015.00	\$2,685.00	\$3,355.00	
CSPTHC214SDBL	CSPTHB214SDBL	Double with Stationary Front & No Fascia *	\$704.00	\$977.00	\$1,250.00	\$1,523.00	
CSPTHC214WFBSDBL	CSPTHB214WFBSDBL	Double with Stationary Front & Back Fascia *	\$969.00	\$1,367.00	\$1,765.00	\$2,163.00	

Manual Heavy Duty Corded or Baton Traverse System without Wood Fascia

Single Track System Corded Systems	track available in white an Baton Systems (batons s		4'	6'	8'	10'	
CSPTHCTRACK	CSPTHBTRACK	Single with No Fascia	\$280.00	\$425.00	\$570.00	\$715.00	
CSPTHCTRACKDBL	CSPTHBTRACKDBL	Double with No Fascia	\$560.00	\$850.00	\$1,140.00	\$1,430.00	

includes 1 track, components, your choice of brackets, and fascia with fascia clips when applicable.



Quantity per System

Quantity included per system based on cut track length	4'	6'	8'	10'	12'	14'	16'	18'	20'
Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	16	24	32	40	48	56	64	72	80
Brackets (1 per every 3-4 feet)	2	3	4	4	5	6	6	7	8

Note: All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

Pricing Includes Track, Components and your choice of TB035-, TB060- or TB100- Brackets

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$1,220.00	\$1,420.00	\$1,620.00	\$1,820.00	\$2,020.00	\$200.00
\$2,080.00	\$2,425.00	\$2,770.00	\$3,115.00	\$3,460.00	\$345.00
\$2,440.00	\$2,840.00	\$3,240.00	\$3,640.00	\$4,040.00	\$400.00
\$2,010.00	\$2,345.00	\$2,680.00	\$3,015.00	\$3,350.00	\$335.00
\$2,870.00	\$3,350.00	\$3,830.00	\$4,310.00	\$4,790.00	\$480.00
\$3,230.00	\$3,765.00	\$4,300.00	\$4,835.00	\$5,370.00	\$535.00

\$1,625.00	\$1,895.00	\$2,165.00	\$2,435.00	\$2,705.00	\$270.00
\$2,485.00	\$2,900.00	\$3,315.00	\$3,730.00	\$4,145.00	\$415.00
\$3,250.00	\$3,790.00	\$4,330.00	\$4,870.00	\$5,410.00	\$540.00
\$2,400.00	\$2,800.00	\$3,200.00	\$3,600.00	\$4,000.00	\$400.00
\$3,260.00	\$3,805.00	\$4,350.00	\$4,895.00	\$5,440.00	\$545.00
\$4,025.00	\$4,695.00	\$5,365.00	\$6,035.00	\$6,705.00	\$670.00
\$1,796.00	\$2,069.00	\$2,342.00	\$2,615.00	\$2,888.00	\$273.00
\$2,561.00	\$2,959.00	\$3,357.00	\$3,755.00	\$4,153.00	\$398.00

Spliced systems begin at 16' for Corded and 20' for Baton

12'	14'	16'	18'	20'	per add'l 2 ft
\$860.00	\$1,005.00	\$1,150.00	\$1,295.00	\$1,440.00	\$145.00
\$1,720.00	\$2,010.00	\$2,300.00	\$2,590.00	\$2,880.00	\$290.00

Additional Heavy Duty Traverse Fees

PTHFEEMITER-EACH Wood Fascia Mitered Return per return	\$80.00
PTHFEEMITER-45 Wood Fascia Mitered Cut 45° angle (90° corner) per connection	\$65.00
PTHFEEMITER-NON45 Wood Fascia Mitered Cut non-45° angle (non-90° corner) per connection	\$65.00
PTHFEEBLEND Blended Fascia Splice per blend	\$108.00
PTHFEEFASCUT Fascia Fabrication Fee (if ordering fascia alone, order full pole and specify fascia fabrication) per Fascia	\$65.00
PTHFEERESTRING Restringing Fee per track	\$100.00
Standard 45 Fascia Splice	No Charge

Please specify:

- Item number for track or track with wood fascia
- Track length (custom cut length is finished track length + 1/4" fascia on each end to receive finial)
- Track and matching bracket color (if not specified, we will select color to match fascia finish)
- Bracket return: see page 80 for details.
- Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- Pinch pleat or Ripplefold[®] style carriers
- · Cord drop (standard is 120")
- Finish name for fascia, if selected

Component

Colors	White	Bronze
Track	•	•
Master Carriers	•	•
Glides	•	•
Brackets	•	•
End Pulleys / Caps	•	•

Product information

- Single Corded or Baton traverse system price includes: traversing track, components, brackets (see system quantity chart on previous page) and 3 - 4 carriers per foot.
- Sold in 2' in increments, 4' minimum.
- · Cut to specified length. Fall off will not be saved or shipped.
- Track maximum continuous length up to 240 inches (20'); splice lengths available up to 40' for center draw only.
- Track, bracket and components available in White or Bronze.
- · Center or One-Way draw available.
- Fascia, if selected, in 1 3/8" or 2 ¼" wood pole profiles, available up to 16' in Portfolio or 12' in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16' in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- Standard cord drop: 120"
- Mitered fascia will add the following to the traverse system:

Fascia	Depth	+ to traverse system
1 3⁄8"	7⁄8"	2"
2 1/4"	13⁄8"	3"
Flat	3/4"	1 3⁄4"
Slim Round	5⁄8"	1 1/2"

Heavy Duty Stack Back Calculation (each drapery panel)

Heavy Duty pinch pleat:	master carrier	+	(# glides on panel x .63")	+	2.75" (0")	=	stack per drapery panel for cord draw (baton draw)
Heavy Duty Ripplefold*:	master carrier	+	(# glides on panel x .563")	+	2.75" (0")	=	stack per drapery panel for cord draw (baton draw)

*note: number of glides on panel depends on which fullness of Ripplefold tape being used. Consult your workroom for quantity.

EX: Heavy Duty pinch pleat, 20ft. one-way cord draw (standard 4 glides per ft.)


4.25" + [80 glides on panel x .63"] + 2.75" = 57.5" stack back, per drapery panel BEFORE drapery fabric is installed

Please note: Calculations result in Stack Back Width BEFORE drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.




Heavy Duty Corded Traverse Systems Information


1	HD Corded Single TB035-H	2 "1/16" H x 1 ½" W backplate, adjustable up to 5 ½" return Available in white or bronze /BR.	\$28.75 each
· lea · · · · · ·	HD Corded Single or Double TB060-H	3 5/16" H x 1 ½" W backplate, adjustable 6" - 7 ½" front return and 3" back return Available in white or bronze /BR.	\$46.00 each
твоз5-н тво60-н тв100-н	HD Corded Single, Double or Triple TB100-H	4 ¼2" H x 1 ¼2" W backplate, adjustable up to 11 ¼" return Available in white or bronze /BR.	\$46.00 each
	HD Corded Ceiling Mount Clip Single CD533	⁵ /8" H x 2 ⁵ /8" D x ⁷ /8" W May only be used in corded systems without fascia - for double ceiling mount installation, install two brackets into ceiling. Available in white.	\$3.15 NET each
	HD Corded Fascia Mount Clip CD4001FC]/2" H x 1" W Use to attach fascia to corded traverse systems; included. Available in zinc.	\$7.35 NET each
	Corded Pinch Pleat Master Carrier ZER CD3300R or CD3300L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Overlap Master Carrier ZBR CD3412R or CD3412L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Corded Ripplefold Butt Master Carrier CD3600R or CD3600L	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
	Corded Pinch Pleat C-Ring Master Carrier VER CD3500R or CD3500L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
	Corded Universal End Pulley Body CD4311R or CD4311L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$5.65 NET each
0 0	Corded One-Way End Pulley Body E CD4310R or CD4310L	Pendants sold separately. Available in white or bronze /BR and left or right.	\$2.75 NET each
	HD Custom Over-Bracket Single TD/CTI/CH	4" H x ¾" W backplate, 7 %" front return and 3" back return e to combine 2 ¼ full wood pole with single traverse systems; cludes traverse ceiling mount bracket attached onto the ttom of the over-bracket. Fascias sold separately. Available in y of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood Resin finishes or your own custom PTH Perfect Match™ finish.	\$80.50 each
	HD Custom Ceiling Single CMTB-H C.	4" H x ¾" W backplate. Specify drop: contingent upon which cia or finials are chosen - for double ceiling mount installation, stall two brackets into ceiling. Steel nen ordering, specify: Fascia diameter and profile. Projection to carrier and/or to front of fascia. Drop from ceiling to carrier eyelet and/or from ceiling to top of fascia (tip: finial must clear ceiling). Width of mounting plate if longer than 2 ¾."	\$69.00 each
			*Cold in pairs and




Single, Double or Triple Corded Bracket ТВ100-Н




Corded Single Ceiling Mount Bracket CD533



Custom Over-Bracket TBKT214-H




Corded Track



ILAR 6

Custom Ceiling Bracket CMTB-H



When ordering, specify:

- A. Fascia diameter and profile.
- B. Projection to carrier and/or to front of fascia.
- C. Drop from ceiling to carrier eyelet and/or from ceiling to
- top of fascia (tip: finial must clear ceiling). D. Width of mounting plate if longer than 2 3/4".


ANSI Standards: Child Safety Warning Tags

ANSI Standard 100.1: Safety of Corded Window Coverings Requires warning tags for child safety on all interior drapery hardware and window covering products that incorporate cords, bead chains, cord shrouds or any type of flexible loop control device in their operation INCLUDING sales collateral materials.



Heavy Duty Baton Traverse Systems Information


твоз5-нв	HD Baton Single TB035-HB	2 ʰ/ʲɕ" H x 1 ½" W backplate, adjustable up to 4" return Available in white or bronze /BR.	\$28.75 each
	HD Baton Single or Double TB060-HB	3^{3} /8" H x 1 ½" W backplate, adjustable 5 ¼" - 6" front return and adjustable 2 ¼" - 3 ¼" back return Available in white or bronze /BR.	\$46.00 each
	HD Baton Single, Double or Triple TB100-HB	4 ½" H x 1 ½" W backplate, adjustable up to 9 ¾" return Available in white or bronze /BR.	\$46.00 each
твобо-нв твіоо-нв	HD Baton Ceiling Mount Clip Single BT5333	May only be used in baton systems without tascia - tor	\$1.00 NET each
	HD Baton Fascia Mount Clip BT4003NFC	י/ֵל" H x 1" W Use to attach fascia to baton traverse systems; included. Available in zinc.	\$7.35 NET each
-	Baton Pinch Pleat Master Carrier / B BT3005R or BT3005	smooth movement. Available in white or bronze	\$4.75 NET each
	Baton Ripplefold Overlap Master Carrier BR BT3125R or BT3125L	Stainless steel overlap arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$5.65 NET each
	Baton Ripplefold Butt Master Carrier BR BT3600R or BT3600	Arms with snaps to accept Ripplefold tape and a multi-wheel design for smooth movement. Butt Master Carriers do not overlap, allowing light to filter between draperies on center draw treatments. Must be specified for substitution. Available in white or bronze /BR and left or right.	\$5.85 NET each
•••	Baton Pinch Pleat C-Ring Master Carrier ER BT3501R or BT3501L	Stainless steel overlap arms with multi-wheel design for smooth movement. Available in white or bronze /BR and left or right.	\$4.75 NET each
4	Baton Pinch Pleat End Cap BT4013 /BR	t Available in white or bronze /BR.	\$1.30 NET each
	Baton Pinch Pleat C-Ring End Cap BT4500	Right or Left. Pinch Pleat with C-Rings. Available in white or bronze /BR.	\$1.30 NET each
	Baton Ripplefold End Cap BT4123	Available in white or bronze /BR.	\$1.40 NET each
	HD Custom Over-Bracket Single TBKT214-HB	¹ / ₂ " H x ³ / ₄ " W backplate, 7 ⁷ / ₈ " front return and 3" back return lse to combine 2 ¹ / ₄ full wood pole with single traverse systems; includes traverse ceiling mount bracket attached onto the ottom of the over-bracket. Fascias sold separately. Available in ny of our 35 hand painted Portfolio finishes, 5 Quick Ship Wood . Resin finishes or your own custom PTH Perfect Match [™] finish. teel	\$80.50 each
	Ceiling Single ir	³ /4" H x ³ /4" W backplate. Specify drop: contingent upon which ascia or finials are chosen - <i>for double ceiling mount installation,</i> <i>astall two brackets into ceiling.</i> teel	\$69.00 each
			*Sold in pairs only.




*Sold in pairs only.

Heavy Duty Corded or Baton Traverse Systems Information

Carriers for additional carriers.




See pages 80 & 82 for Master Carrier options.



\$3.25 NET each

84

Heavy Duty Butt Master Carriers



\$2.95 NET pack (10 pieces)

\$0.55 NET each

	avy D	uty T	rave	rse (Heavy Duty Traverse Order Form	Form							
HARDWARE PO#				Side	Side Mark		Ship via				Date	te	
Company Information	I	I			I	Shipping Information	nation	I		I		I	
Company Name			Acct #			Company Name				<	Acct #		
Contact Person						Contact Person							
Street Address						Street Address							
City			State		ZIP	City				S	State	ZIP	
Email						Email				-		-	
Phone	Fax					Phone			Fax	×			
HEAVY-DUTY TRAVERSE SYSTEMS - Consult Price List for detai Specified custom cut length includes pulleys or end caps. For mitered ret	- Consult P 's or end ca	rice List fo os. For mite		led specifications. urns, see page 79.	ations. ge 79.								
ktern #	Fascia Type	System Length (per 2')	Custom Cut Length (inches)	Fascia Finish Code	Bracket Preference	Draw Preference Center One-Way	Cord (Cord Length Bi (standard D 120") Op	Baton Draw Pi Option*	Glides Pinch Pleat or Ripplefold*	Qty	Price per Unit	Subtotal
						L	L 			PP RF			
						L	L			PP RF			
						L .	L			PP RF			
						L .	L 			PP RF			
HEAVY-DUTY TRAVERSE COORDINATING ACCESSORIES AN Order finials, mitered returns, and accessories here.	ATING ACC	ESSORI	ES AND A	ΟΙΤΙΟΟ	D ADDITIONAL FEES	I							
Item #	Finish Code	Code				Description				Qty	Price per Unit	r Unit	Subtotal
Additional Information								* Baton d	łraw opi	* Baton draw option available; batons sold separately	le; baton	Is sold sepa	rately.
Quantity included per system based on cut track length Pinch Pleat Glides [4 per foot, includes master carriers (2) & end caps (2)]	k length & end caps (2)]	4' 6' 16 24	8' 10' 1 32 40 4	12' 14' 1 48 56 6	16' 18' 20' 64 72 80						ř	TOTAL	
Brackets (1 per every 3-4 feet)		2	4 4	5 6	6 7 8								
Special Instructions								* When ordering Ripplefold c 1 Select Rinnlefold fullness	ing Ripp Jefold fu		arriers, ansv	swer these questi	vestions: % 120%
							: ~i	Select Ripp	olefold m		Overlap		aster
]	

Quick Ship Collection

A carefully edited collection of drapery hardware and you get it fast! Orders ship within 24 hours, available in 6 metal and 5 wood & resin finishes.

ships within 24 hours!

1 1/8" Modern Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on page 89.

QS118COFI	QS118ELAFI	QS118EMFI	QS118EMFIGL	QS118EMEC
Cole	Ella	Elm	Elm - Smoke Glass	Emery End Cap
3 ¼" L x 1 ½" W Metal	1 5⁄8" L x 1 5⁄8" W Metal	1 1⁄8" L x 2" W Metal	1 ¼8" L x 2" W Metal / Glass	¾" L x 1 ¼" W Metal
\$80.00 pair*	\$70.00 pair*	\$70.00 pair*	\$80.00 pair*	\$30.00 pair*

(nea)			new	nev
QS118EVEC	QS118KNFI	QS118LXFI	QS118LOFI	QS118REFI
Evan End Cap	Knox - Crystal	Lex	London - Crystal	Reese - Crystal
³ ⁄4" L x 1 ³ ⁄4" W Metal	1 ¼" L x 2 5⁄8" W Crystal, Metal Pole	1 %" L x 2" W Metal	1 %" L x 3" W Metal / Crystal	2 ¾" L x 2 ½" W Crystal, Metal Pole
\$30.00 pair*	\$125.00 pair*	\$70.00 pair*	\$145.00 pair*	\$125.00 pair*





1 1⁄8" Clean Deco Fi	nial Collection fits1%	" poles. Finial adapters are requi	red to adapt to 1 ⁄8" metal travers	e, sold separately on next page.
PCP		new		
QS118ANFI	QS118DAFI	QS118DEEC	QS118NVFI	QS118PEFI
Andes	Dakota - Crystal	Deco End Cap	Neve - Crystal	Penelope
2 ½" L x 2 5⁄8" W Metal	2 ¾" L x 2 ½" W Metal / Crystal	³ ⁄4" L x 1 ¾" W Metal	2 ½" L x 2" W Metal / Crystal	1 ¼8" L x 2 ¾" W Metal
\$90.00 pair*	\$145.00 pair*	\$30.00 pair*	\$145.00 pair*	\$80.00 pair*

	new		
QS118VIFI	QS118WRFI	QS118WIFI	QS118ZAEC
Viktor	Wren	Wright - Crystal	Zane End Cap
1 ½" L x 2 ¾" W Metal / Acrylic	2" L x 1 7⁄8" W Metal	2 ½" L x 2 ¾" W Metal / Crystal	5⁄8" L x 2 3⁄8" W Metal
\$80.00 pair*	\$80.00 pair*	\$145.00 pair*	\$40.00 pair*

1 1/8" Transitional Luxe Finial Collection fits 1/6" poles. Finial adapters are required to adapt to 1/6" metal traverse, sold separately on next page.




1 ¹/₈" Mix & Match create an even more *customized* design!



Transitional and Deco Cuffs / Finial Adapters


Style Meets Function

1 1/8" Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 1/8" Finials across five style categories using either Cuff / Finial Adapter. See pages 63 - 67.



1 1/8" Modern Metal Brackets fit the 1 1/8" pole.

Note: Return indicates distance from wall to center of pole.



1 1⁄8" Metal Pole 📟

1 1/18" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' on BN, CZ and MK finishes; up to 8' on SG, RGD and BZ finishes. 1 1/8" metal poles are supplied with plastic inserts to attach the finials.

QS118ME02	QS118ME04	QS118ME06	QS118ME08	QS118ME10	QS118ME12	
2'	4'	6'	8'	10'	12'	
\$25.00 each	\$50.00 each	\$75.00 each	\$100.00 each	\$125.00 each	\$150.00 each	



Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

I



1¹/₈" Metal Accessories

T/6 MICLUI ACCCSSONCS		
Metal Baton	Clear Acrylic Baton	QS118MEL Hinged Elbow
¾" DIA, Metal	½" DIA, Acrylic	1 1/8" DIA, 2 7/8" overall length,
QSME36WAND - 36" - \$50.00 each	AC36WAND - 36" - \$45.00 each	1 ¾" L each side when bent
QSME48WAND - 48" - \$55.00 each	AC48WAND - 48" - \$50.00 each	Metal
QSME60WAND - 60" - \$60.00 each	AC60WAND - 60" - \$55.00 each	\$40.00 each
$-\bigcirc$		
Handicap Metal Baton	Handicap Clear Acrylic Baton	PSME118403 Pole Splice
4" Loop, ADA Compliant, Metal Finishes Available: BN, BZ & MK	4" Loop, ADA Compliant, Acrylic	4 5⁄8" L, must be ordered separately
QSME48HWAND - 48" - \$55.00 each	AC48HWAND - 48" - \$50.00 each	\$6.00 each
QSME60HWAND - 60" - \$60.00 each	AC60HWAND - 60" - \$55.00 each	
	AC72HWAND - 72" - \$60.00 each	



Modern Holdback Medallions fit modern holdback stems only.

ner	new		
QSHAHB	QSPAHB		
Hadley	Parker		
3 ½" DIA, 1" TH Metal	3 ¼" square, 1" TH Metal		
\$60.00 pair*	\$60.00 pair*		


Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

new	new	new
<u> </u>	· · · · ·	<u> </u>
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/16" DIA Stem: ½" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal
\$40.00 pair*	\$45.00 pair*	\$50.00 pair*

« Don't forget to order yourHoldback Stems separately


1 3/8" Modern Finial Collection fits the 13/8" metal pole and metal traverse.

QS138LOFI	QS138QUFI Ouinn	QSI38REFI Remi - Crystal	QSI38STFI Sterling - Crystal	QSI38ZAFI
2 5⁄8" L x 3 3⁄8" W Metal / Crystal	1 ¾" L x 2 ¼" W Metal	3 ¼" L x 3" W Metal / Crystal	2 ¼" L x 3" W Metal / Crystal	2 ½" L x 3 ½" W Metal / Clear Acrylic
\$175.00 pair*	\$80.00 pair*	\$155.00 pair*	\$155.00 pair*	\$175.00 pair*



1 3/8" Modern Metal Brackets fit the 1 3/8" pole.

Note: Return indicates distance from wall to center of pole.



1³/₈" Metal Pole | 1³/₈" Acrylic Pole

1 3/8" metal poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12' (select finishes). 1 3/8" metal poles are supplied with plastic inserts to attach wood & resin finials, if desired. Acrylic poles only work with the 1 3/8" Modern Finial Collection.


Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

QS138ME02	QS138ME04	QS138ME06	QS138ME08	QS138ME10	QS138ME12
2'	4'	6'	8'	10'	12'
\$30.00 each	\$60.00 each	\$90.00 each	\$120.00 each	\$150.00 each	\$180.00 each
QS138AC02	QS138AC04	QS138AC06	QS138AC08	QS138AC10	QS138AC12
2'	4'	6'	8'	10'	12'
\$77.00 each	\$154.00 each	\$231.00 each	\$308.00 each	\$385.00 each	\$462.00 each

1%" Metal Rings fit the 1%" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**





1 3/8" Metal Accessories

Metal Baton	Clear Acrylic Baton		
¾" DIA, Metal	½" DIA, Acrylic		
QSME36WAND - 36" - \$50.00 each	AC36WAND - 36" - \$45.00 each		
QSME48WAND - 48" - \$55.00 each	AC48WAND - 48" - \$50.00 each		
QSME60WAND - 60" - \$60.00 each	AC60WAND - 60" - \$55.00 each		





Modern Holdback Medallions fit modern holdback stems only.



Modern Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.

new	new	new
<u> </u>	<u> </u>	<u> </u>
QSMHBSTEM2	QSMHBSTEM4	QSMHBSTEM6
2" PROJ	4" PROJ	6" PROJ
Base: 2 ³ / ₁₆ " DIA Stem: ¹ ⁄2" DIA Metal	Base: 2 ³ / ₁₆ " DIA Stem: ½" DIA Metal	Base: 2 ³/ ₁₆ " DIA Stem: ½" DIA Metal
\$40.00 pair*	\$45.00 pair*	\$50.00 pair*

« Don't forget to order yourHoldback Stems separately 1 3/8" Today's Traditional Finial Collection fits the 1 3/8" wood poles and heavy duty traverse.


QS138AUEC	QS138BRFI	QS138EVFI	QS138JUFI	QS138LEFI
Aubrie End Cap	Bradford	Everette	June	Leo
³ ⁄4" L x 2 ¹ ⁄4" W Resin	3 ¼" L x 2 ¼" W Resin	2	2 ¾" L x 2 %" W Resin	3 ½" L x 2 ¾" W Resin
\$40.00 pair*	\$70.00 pair*	\$70.00 pair*	\$70.00 pair*	\$70.00 pair*

QS138LIFI	QS138LIFIGL	QS138LYFI	QS138ROFI
Lillian	Lillian - Mercury Glass	Lyla	Rose - Crystal
4" L x 3 ¾" W Resin	4" L x 3 ¾" W Resin / Glass	2	2 ½" L x 2 ¾" W Resin / Crystal
\$70.00 pair*	\$135.00 pair*	\$70.00 pair*	\$185.00 pair*

1 3/8" Heritage Classics Finial Collection fits the 13/6" wood poles and heavy duty traverse.

QS138HAFI	QS138LAFI	QS138LOEC
Harper	Lane	Lowell End Cap
3" L x 2 ¾" W Resin	3 5⁄8" L x 3 1⁄2" W Resin	1" L x 2" W Resin
\$70.00 pair*	\$70.00 pair*	\$40.00 pair*

1 3/8" Mix & Match create an even more *customized* design!



• Use to adapt your 1 3/8" Today's Traditional or Heritage Classics Finial to work with Metal Traverse (required)

\$39.00 pair*

1 3/8" R-TEC and Baton Draw Metal Traverse Systems include End Caps, but are designed to work with all 1 3/8" Finials across three style categories. Today's Traditional and Heritage Classics Finials require the use of the Transitional Cuff/ Finial Adapter to work with Metal Traverse. Modern Finials do not require the use of the Finial Adapter.



*Transitional Cuff/Finial Adapter QS138CUFF not required with Metal Traverse Systems on pages 32 - 41 and 68 - 73



*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73




*Requires Transitional Cuff / Finial Adapter QS138CUFF to work with Metal Traverse Systems on pages 32 - 41 and 68 - 73

How To Add Your Transitional Cuff / Finial Adapter » Place Cuff onto metal traverse and tighten set screw with Allen Wrench. Select your Cuff style and finish - Mix & Install finials by screwing into Match for the ultimate customization. the Cuff / Finial Adapter.

98

1 3/8" Wood & Resin Brackets fit the 1 3/8" wood poles.

Note: Return indicates distance from wall to center of pole.



1³/₈" Wood Poles

1 3/8" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fe	e per order.
---	--------------

All of dels with poles and/or the delse there with free a \$10,00 packaging ree per of del.					
QS138SM02	QS138SM04	QS138SM06	QS138SM08	QS138SM10	QS138SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each
@ QS138GR02	@ QS138GR04	🕬 QS138GR06	🕬 QS138GR08	@ QS138GR10	@ QS138GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each
QS138RE02	QS138RE04	QS138RE06	QS138RE08	QS138RE10	QS138RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$50.00 each	\$100.00 each	\$150.00 each	\$200.00 each	\$250.00 each	\$300.00 each

new

Wood






Smooth Wood Pole QS138SM Wood




Reeded Wood Pole QS138RE Wood

1 3/8" Wood & Metal Rings fit the 1 3/8" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**

Ô	Q
QS138WRI	QS138MRI
Wood Ring	Metal Ring
¹ ⁄2" W, 1 ¾" ID, 2 5⁄8"	1 ¾" ID, 2 ¼" OD,
OD, ¾" drop	%" drop
Wood	Metal
\$7.00 each	\$6.50 each





1 5⁄8" DIA, 3 7⁄8" OL, 2" L each side when bent Resin

\$40.00 each

Transitional Holdback Medallions fit transitional holdback stems.

fit transitional holdback stems.			
QSBRHB	QSMIHB	QSTRHB	
Brooks	Miranda	Trudy	
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ½" TH Resin	4 ¾" DIA, ¾" TH Resin	
\$70.00 pair*	\$75.00 pair*	\$75.00 pair*	
		Rev	
QSBKHB	QSHAHB	QSPAHB	
Blake - Mercury Glass	Hadley	Parker	
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal	
\$120.00 pair*	\$60.00 pair*	\$60.00 pair*	

Don't forget to order your Holdback Stems separately ≽

Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.





2¹/4" Today's Traditional Finial Collection fits the 2¹/4" wood poles and heavy duty traverse.

QS214AMFI	QS214APFI	QS214EDFI	QS214HZFI
Amelie	Aspen	Edward	Hazel - Crystal
2" L x 3 ¼" W Resin	4 ¼" L x 4 ½" W Resin	4 ¼" L x 3 ¼" W Resin	2 5⁄8" L x 3 3⁄8" W Resin / Crystal
\$90.00 pair*	\$95.00 pair*	\$90.00 pair*	\$215.00 pair*

QS214SIFI	QS214STFI		
Sidney	Stella		
3 ¼" L x 4 ¼" W [3" square] Resin	2 ½" L x 3 ¼" W Resin		
\$90.00 pair*	\$90.00 pair*		


2¹/₄" Heritage Classics Finial Collection fits the 2¹/₄" wood poles and heavy duty traverse.

QS214ADFI	QS214ADFIGL	QS214FAFI	QS214FIFI
Adelaide	Adelaide - Mercury Glass	Farrin - Mercury Glass	Fiona
5" L x 3 ½" W Resin	5" L x 3 ½" W Resin / Glass	4 ½" L x 4 %" W Metal / Glass	4" L x 5" W Resin
\$95.00 pair*	\$155.00 pair*	\$155.00 pair*	\$125.00 pair*

QS214MAEC	QS214OLFI		
Margot End Cap	Oliver		
¾" L x 3" W Resin	3 5⁄8" L x 3 7⁄8" W Resin		
\$50.00 pair*	\$95.00 pair*		


$2\,\ensuremath{\ensuremath{\mathcal{K}}}\xspace^{\ensuremath{\ensuremath{\mathcal{K}}}\xspace}$ Wood & Resin Brackets fit the 2 $\ensuremath{\ensuremath{\mathcal{K}}}\xspace^{\ensuremath{\ensuremath{\mathcal{K}}}\xspace}$ wood poles.

Note: Return indicates distance from wall to center of pole.



21/4" Metal Brackets fit the 21/4" wood poles.

Note: Return indicates distance from wall to center of pole.



*Sold in pairs only.

2 ¼" Wood Poles

2¹/₄" wood poles are sold in 2' increments. 2' minimum. Poles will be cut to specified lengths; fall off will not be saved or shipped. Maximum continuous length up to 12'.

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

QS214SM02	QS214SM04	QS214SM06	QS214SM08	QS214SM10	QS214SM12
Smooth - 2'	Smooth - 4'	Smooth - 6'	Smooth - 8'	Smooth - 10'	Smooth - 12'
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each
new QS214GR02	@ QS214GR04	🖤 QS214GR06	🕬 QS214GR08	@ QS214GR10	@ QS214GR12
Grooved / Fluted - 2'	Grooved / Fluted - 4'	Grooved / Fluted - 6'	Grooved / Fluted - 8'	Grooved / Fluted - 10'	Grooved / Fluted - 12'
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each
QS214RE02	QS214RE04	QS214RE06	QS214RE08	QS214RE10	QS214RE12
Reeded - 2'	Reeded - 4'	Reeded - 6'	Reeded - 8'	Reeded - 10'	Reeded - 12'
\$70.00 each	\$140.00 each	\$210.00 each	\$280.00 each	\$350.00 each	\$420.00 each







Smooth Wood Pole QS214SM Wood





Wood

Reeded Wood Pole QS214RE Wood

2¹/₄" Rings fit the 2¹/₄" wood poles. Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.**









2 3/6" DIA, 5 1/8" OL, 2 9/6" L each side when bent Resin \$55.00 each Transitional Holdback Medallions fit transitional holdback stems.

fit transitional holdback stems.			
QSBRHB	QSMIHB	QSTRHB	
Brooks	Miranda	Trudy	
4" DIA, 1 ¼" TH Resin	5" DIA, 1 ½" TH Resin	4 ¾" DIA, ¾" TH Resin	
\$70.00 pair*	\$75.00 pair*	\$75.00 pair*	
		Rav	
QSBKHB	QSHAHB	QSPAHB	
Blake - Mercury Glass	Hadley	Parker	
3" DIA, 2 ¾" TH Metal / Glass	3 ½" DIA, 1" TH Metal	3 ¼" DIA, 1" TH Metal	

Don't forget to order your Holdback Stems separately ≽


Transitional Holdback Stems must order separately. Projection indicates distance from wall to back of medallion.




Sales Tools

Sales Tools 📼

Inspire your clients with professional sales tools designed to showcase Paris Texas Hardware™ and drive revenue for your business. Select from Wall Displays and Table Top Displays with the newest finial designs and finishes.







TH]

PARIS TEXAS HARDWARE™

ParisTexasHardware.com

