

1. Order Synthroid 150 mcg po every day
Supply Synthroid 0.05 mg tablets Give _____ tablets
2. Order Laculose 30 gms in 100 ml fluid TID
Supply 3.33 gms in 5 ml Give _____ ml
3. Order 3 L NS in 24 hours IV How many ml/hr should be delivered? _____ ml/hr
4. Order 40 mg Lasix IVP.
Supply 10 mg / ml concentration How many ml's will be given _____
5. Order Digoxin 0.5 mg IV now. Supply Digoxin .25 mg/ml. How much do you give? _____
6. Mr. T is on telemetry. The nurse observes sinus bradycardia on the monitor. Mr. T is c/o headache and BP is 60/40. Which drug would the nurse administer for symptomatic sinus bradycardia?
 - a. Digoxin
 - b. Propranolol
 - c. Adrenolin
 - d. Atropine
7. 500 ml NaCl with heparin 25,000 units to infuse at 1200 units per hour.
What rate do you set the IV pump for? (based on a 60 drops/ml infusion set) _____
8. "5 mg" and "5.0mg" mean the same thing. Nurses can use them interchangeably.
 - a. True
 - b. False
9. Coumadin therapeutic dose is based on what lab work?
 - a. PTT
 - b. PT/INR
 - c. Clotting times
 - d. ACT
10. Prior to administering any medication to a patient, the most important thing for a nurse to check is:
 - a. Vital signs
 - b. Other prescription medications
 - c. Allergy status
 - d. Patient diagnosis
11. What is the most troublesome side effect of ACE inhibitors?
 - a. Hypokalemia
 - b. Cough
 - c. Diarrhea
 - d. Hypertension
12. What medications should be checked by two nurses?
 - a. Inotropes, insulin, heparin
 - b. Insulin, heparin
 - c. Betablockers, insulin, heparin
 - d. Lasix, insulin, heparin

13. Mr. T is receiving prednisone. Which adverse reaction should the nurse observe for?
- Hypokalemia
 - Hyperglycemia
 - Hyperkalemia
 - Hypoglycemia
14. A patient weighs 70 kg, what is his weight in lbs?
- 146
 - 128
 - 154
 - 190
15. Sodium Bicarbonate is administered to correct metabolic acidosis by what mechanism?
- Lowers blood pH after being metabolized
 - Increases Hydrogen ion concentration
 - Combines with hydrogen ions to alkalinize the blood
 - Decreases hydrogen ion concentration
16. Medications that are recommended in Congestive Heart Failure are which of the following
- ACE inhibitors, betablockers, diuretics
 - Antithrombotic, ACE inhibitors, antiatherosclerotic
 - ACE inhibitors, flouroquinolones, antiarrhythmic
 - None of the above
17. What is the mechanism of action for Beta Blocker on the heart?
- Increase the heart rate, increase cardiac output
 - Decrease the heart rate and decrease contractility
 - Increase the retention of salt and water
 - Decrease heart rate and increase cardiac output
18. All of these are signs of Digoxin toxicity except
- Nausea, vomiting, anorexia
 - Fatigue, pulmonary embolis, porphyric
 - Fatigue, aggitation, yellow-green halo's
 - Dizziness, vertigo, hallucinations
19. What are DO NOT USE abbreviations
- prn
 - qd, os, Q.D, QOD
 - MS, MSO4, MgSO4
 - All but a.
20. Order Valium 10 mg IVP now
Supplied Valium 5 mg/ml
Administer 2mg/min
Give total dose _____ml
Give _____ml/min

PLEASE ANSWER:

21. CONVERSIONS

A,	1000 mg=	1 ounce
B.	2.2 pounds =	1 inch
C.	1000 ml =	1 gram
D.	30 ml =	1 liter
E.	1000 meg =	1 kilogram
F.	2.54 cm =	1 milligram

SCORE: _____

Reviewed by: _____ Date: _____