

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Riverbend Deli	Facility Type Retail Food Store	
Licensee Name Cottle LLC, DBA Riverbend Store	Facility Telephone # 304	
Facility Address 3247 Vineyard Rd Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 06/14/2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Milk cooler	38
Soda cooler-2 door	37
chest freezer	0
ice cream freezer-2 door	0

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations
Total # 1
Repeated # 1
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION
REPEAT OBSERVATION Ice Cream freezers need defrosted

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian




Sherry Cottle

Keith Allison