# FlueBoss<sup>®</sup> Range of Colour Coded POWERSWEEPING RODS

Patented design FlueBoss®, Patent Application No.: US 15/160052, EU 161702204

Less than 1 minute to replace whip line

Colour-coded for easy rod identification, different coloured rods for different flue systems

2019



1 year free warranty assurance that our products are made to give the best strength and durability



Approved by the NACS & Guild and used in their training centres

Over 50 adaptors and heads to choose from



Easy push-fit connections. Design application No.: EU 005323201, US 29671444

Copolymer rods, lightweight, strong and durable in all weather conditions

Designed and manufactured in the UK



www.rodstation.com

## **FlueBoss**<sup>®</sup> Colourcoded Powersweeping Rods Designed for effective sweeping of insulated chimneys,

## flexible flue liners and masonry chimneys.

### Powersweeping Rods (full length 1 metre / 3'3")

Rodstation's range of colourcoded FlueBoss<sup>®</sup> powersweeping equipment holds several patents and design copyrights. Manufactured in the UK from high grade aluminium which is hard colour anodized to increase strength and durability and to help with rod selection for chimney type. The colourcoded rods have a unique 'push fit' connection which is quick and extremely strong. A slight twist of the rod engages the button into position with a reassuring 'click'.



1 metre (3'3") Rigid 18mm Black	PSR06SB
1 metre (3'3") Rigid 20mm Purple	PSR07SB
1 metre (3'3") Rigid Aluminium 20mm Blue	PSR08SB
1 metre (3'3") Rigid 20mm S/Steel fittings	PSRS20SB
1 metre (3'3") Rigid 22mm S/Steel fittings	PSRS22SB

### **Powersweeping Kits**

Colourcoded for easy rod identification, different coloured rods for different flue systems.

(Available as kits – page 6)

All rods can be INTER-CHANGED



## **Powersweeping Half Rods** 50cm half length version of the popular FlueBoss® Powersweeping Rods.

### Powersweeping Half Rods (full length <sup>1</sup>/<sub>2</sub> metre / 20")

Wide range from robust "Superflexy" flexible rods to rigid rods.

Description	Product Code
50cm (20") Superflexible 8mm Green	PSR01SBHR
50cm (20") Flexible 10mm Pink	PSR02SBHR
50cm (20") Flexible 12mm Orange	PSR03SBHR
50cm (20") Flexible 14mm Red	PSR04SBHR
50cm (20") Flexible 16mm Grey	PSR05SBHR
50cm (20") Rigid 18mm Black	PSR06SBHR
50cm (20") Rigid 20mm Purple	PSR07SBHR
50cm (20") Rigid Aluminium 20mm Blue	PSR08SBHR
50cm (20") Rigid 20mm S/Steel	PSRS20SBHR
50cm (20") Rigid 22mm S/Steel	PSRS22SBHR



## **FlueBoss**<sup>®</sup> Colourcoded Powersweeping

### FlueBoss Cable Head

For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in three sizes: Overall diameter when spinning is 300mm or 500mm. Cable can be replaced when worn. Also available in a cable 'loop'.



**Nest Hooks** 


Ideal for removing birds

### **Nest & Branch** Breaker

Heavy duty twin nest hook designed to assist removing birds nests and dislodging/breaking branches.

### Double Worm Screw To assist removing

birds nests or retrieving rods.



### **Drill Adaptor**

**NEW FlueBoss Abrasive Nylon** 

For use on masonry and clay liners. The

Used to connect suitable drill to Powersweeping rod. With flat shank.



### Van Hanger Suitable for securing

brushes and heads to the interior of a van or wall.



### **Power Rod to** Whitworth & M10 For connecting power rods

to Whitworth 1/2" & M10 rods and brushes.



### **Power Rod to** Universal For connecting power

rods to standard universal 34".









rods to bespoke fittings (with bolt).



Adaptor from male button lock to M10 thread.

nests. Single and double nest hooks.		
Description	Product	
Drill Adaptor Stainless Steel with shank	Code PSDA01SBS	
Van Hanger	PSVA01SB	
Whitworth Female Adaptor	PSWA01SB	
Whitworth Male Adaptor	PSWA01SB PSWAM01SB	
Universal Male Adaptor	PSUA01SB	
M10 Female Adaptor	PSA02SB	
M12 Female Adaptor (with bolt)	PSA01SB	
Adaptor to twin button	PSA03SB	
Male button to M10 thread	PSDAM10	
FlueBoss Nylon Biomass 15cm	PSN11SB	
FlueBoss Nylon Small 30cm	PSN01SB	
FlueBoss Nylon Large 50cm	PSN02SB	
FlueBoss Nylon Extra Large 60cm	PSN03SB	
FlueBoss Nylon Shaft 30cm	PSN05SB	
Power Chain Small 30cm	PSPC01SB	
Power Chain Large 50cm	PSPC02SB	
Power Chain Shaft 30cm	PSPC03SB	
FlueBoss Cable Small 30cm	PSC01SB	
FlueBoss Cable Large 50cm	PSC02SB	
FlueBoss Cable Loop Small 30cm	PSPCL01SB	
FlueBoss Cable Loop Large 50cm	PSPCL02SB	
FlueBoss Abrasive Small 30cm	PSAN01SB	
FlueBoss Abrasive Large 50cm	PSAN02SB	
Double Worm Screw	PSWS01SB	
Single Nest Hook	PSSNHSB	
Double Nest Hook	PSDNHSB	
Nest Claw	PSNBSB	
Branch Breaker	PSBBSB	

### **FlueBoss Nylon Head**


Available in four sizes. Overall diameter when spinning is 150mm, 300mm, 500mm or 600mm. Nylon can be replaced when worn.



### FlueBoss Nylon Head XL with additional Nylon Shaft

FlueBoss XL Nylon is designed for larger flues where there can be more crevices and a higher build up soot deposits. Head Diameter 500mm.

The shaft can be used on larger diameter chimneys (head diameter 500mm) inbetween connecting rods or additionly with other power heads.



Description	Product Code
Nest Buster	PSNBCSB
Rotating Handle	PSBRHSB
Breaker Small100 x 100mm (4" x 4")	PSB01SB
Breaker Large 100 x 150mm (4" x 6")	PSBO2SB
Breaker Large Offset 100 x 150mm (4" x 6")	PSB03SB
Pipe Scraper 5" (125mm)	PSPS01
Pipe Scraper 6" (150mm)	PSPS02
Pipe Scraper 7" (180mm)	PSPS03
Replacement Power Chain per m	PSRCH01
Replacement FlueBoss Nylon per m	PSRN01
Replacement Cable per m	PSRC01
Single Angled Scraper120x135mm	PSS01SB
Twin Angled Scraper120 x 230mm	PSS02SB

### Pipe Scraper

For scraping inside of fluepipes and register plates, available in 3 sizes (125mm, 150mm & 180mm).

## Power Chain

Replacement chain for use with Power Chain head. Supplied in multiples of 1 metre.

### Nest Buster

Ideal for power sweeping and breaking apart birds nests, with a set of 15cm legs and allen key.

### **Rotating Handle**

For manually rotating powersweeping rods.



Replacement Nylon for use with FlueBoss head. Supplied in multiples of 1 metre.

### FlueBoss Cable

Replacement cable for use with FlueBoss head. Supplied in multiples of 1 metre.

### Single & Twin Angled Scraper

For scraping deposits off large solid masonry flues. Not suitable for metal chimneys or liners.



### Breaker Small

100 x 100mm. Not suitable for metal chimneys or liners.

### **Breaker Large**

100 x 150mm. Not suitable for metal chimneys or liners.

### **Breaker Large Offset**

100 x 150mm. Not suitable for metal chimneys or liners.



For removing heavy deposits including bird nests and tar. Not suitable for metal chimneys or liners. Available in two sizes. Overall diameter when spinning is 300mm or 500mm. Chain can be replaced when worn.

Power Chain Shaft can be used inbetween connecting rods or additionly with other power heads. Overall diameter when spinning is 500mm.

## **FlueBoss**<sup>®</sup> Colourcoded Powersweeping Kits

#### **Require** a **Biomass Power Kit BESPOKE KIT?** Give us a call to **Kit Contents** Qty discuss your 1 metre 8mm Superflexi rods 10 requirements. **Drill Connector** 1 FlueBoss Nylon Extra Small 1 FlueBoss Cable extra small 1 Replacement Nylon (metres) 3 Rod Bag - Heavy Duty 1 FREE large & small van sticker 1 FREE Allen Key 1 **Product Code** Description Liner Power Kit PSK11SB

#### ..... **Extra**

Kit Contents	Q
1 metre 10mm Flexi rods	
Drill Connector	
FlueBoss Nylon Small	
Replacement Nylon (metres)	
Rod Bag - Heavy Duty	
FREE large & small van sticker	
FREE Allen Key	

	Qty					and and
n Flexi rods	10		0	 and a second		20
r	1		-			1-0
n Small	1					
Nylon (metres)	3		-			
y Duty	1					100
nall van sticker	1	0				
/	1	/	X	 Ì (	)	

Description	Product Code
Extra Flexible Kit	PSKS01SB

## **Liner Power Kit**

		POPULAR				
Kit Contents	Qty				-0	
1 metre 12mm Flexi rods	10	KIT	P		RODVIENCE	
Drill Connector	1					
FlueBoss Nylon Small	1					
Replacement Nylon (metres)	3	•				
Rod Bag - Heavy Duty	1					
FREE large & small van sticker	· 1	1	1			
FREE Allen Key	1		-	$\sim$		
-		/				
			/°/ )	1		F
		1-	- '			10
						6

**Our** 

MOST

Description	Product Code
Liner Power Kit	PSK01SB

FlueBoss<sup>®</sup> Colourcoded Powersweeping Kits

## **Ceramic Liner Power Kit**

Kit Contents	Qty
1 metre 14mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Large	1
Cable Loop Large	1
Replacement Nylon (metres)	3
Rod Bag - Heavy Duty	1
FREE large & small van sticker	1
FREE Allen Key	1

		-
R		
0	$\square \checkmark$	

Description	Product Code
Ceramic Liner Kit	PSKC01SB

## **Masonry Kit**

Kit Contents	Qty
1 metre 16mm Flexi rods	10
Drill Connector	1
FlueBoss Nylon Large	1
FlueBoss Nylon (m)	3
Power Chain Large	1
Rod Bag - Heavy Duty	1
FREE large & small van sticker	1
FREE Allen Key	1



Description	Product Code
Masonry Kit	PSKM02SB

## **Open Fire Kit**

Kit Contents	Qty
1 metre 18mm Rigid rods	10
Drill Connector	1
FlueBoss Nylon Large	1
Replacement Nylon (metres)	3
FlueBoss Nylon Shaft	1
Power Chain Large	1
Single angled scraper	1
Rod Bag - Heavy Duty	1
FREE large & small van sticker	1
FREE Allen Key	1



## FueBoss<sup>®</sup> Colourcoded Powersweeping Kits

## **Full Power Kit**




#### Kit Contents

ų ų
10
10
1
1
1
1
3
1
1
1
2
1
1

0tv

Description	Product Code
Full Power Kit	PSK03SB



Description	Product Code
Professional Kit	PSKP01SB

## **FlueBoss**<sup>®</sup> PowerBrushes



### FlueBoss® PowerBrush

Our FlueBoss® PowerBrushes feature a ball top and quick push connection to our powersweeping rods, available in 4 different grades of bristle. Bespoke brushes available.

Require a BESPOKE FlueBoss<sup>®</sup> PowerBrush? Give us a call to discuss your requirements.



Description	Product Code
5"/125mm single button Soft	PSMB05
6"/150mm single button Soft	PSMB06
7"/180mm single button Soft	PSMB07
8"/200mm single button Soft	PSMB08
8"/200mm to 14"/350mm single button Soft/Medium	PSMB0814
10"/250mm to 18"/450mm single button Soft/Medium	PSMB1018
18"/450mm single button Hard	PSMB18
18"/450mm single button X-Hard	PSMB18XH
24"/610mm single button Hard	PSMB24
24" single button X-Hard	PSMB24XH

# HD Camera Kit



## This kit is ideal for checking the inside of chimneys and flue liners with added definition.

Powered by a high capacity Li-battery with up to **6 hours** continuous working time.

7"HD Colour LCD Display Monitor

6GB

### **Pack includes:**

- Heavy duty Rodstation camera carry case
- Camera ball with 4 x rigid and 4 x flexible adjustable arms
- Camera
- Free 16GB Micro SD Card
- 7" HD LCD Display Monitor
- User manual
- USB Cable
- AV-IN Cable
- AV-OUT Cable
- AC Adaptor
- Adapter to ¾ inch Universal Rods

### Camera Head

High Definition Camera Kir

- "Ball" housing to protect the camera featuring adjustable arms to aid the camera through the flue
- Quick fitting of camera ball to Whitworth rod or adaptor to Power sweeping rods
- 90° field of view
- 15 metres (50 ft) of cable

#### Monitor

- 7 inch Colour LCD screen
- 3 Megapixel resolution
- 9 hours recording time
- Seamless loop recording
- Photo function
- Supports Micro SD Card for recording video and photo



Handy Storage Case



#### Description

## Product Code

Portable Inspection Camera HD

## Superbright HD Camera Kit

### For inspecting larger flues with unique self-centralising housing.

Auto focus camera and **16 extra bright LED** lights for great colour images.



Handy Storage Case

7"HD Colour LCD Display Monitor

### Kit supplied in Case includes:

- Camera with lights in unique ball head
- 2 sets of flexible quick fit centralising arms
- 7" HD LCD colour monitor with 16GB micro SD card for recording
- Adaptor to <sup>3</sup>/<sub>4</sub> inch Universal rods
- AC Adaptor and USB cable
- User manual and handy case
- Cable management reel (PCHD03 only)

#### Monito

- 7 inch Colour LCD screen
- 5 megapixel resolution
- 18 metre (60 ft) cable for connection to monitor
- Up to 9 hours recording time on SD card
- Seamless loop recording
- Photo function
- Supports Micro SD card for recording



### **Camera Head**

- Unique ball camera housing fits standard rods in 4 screw in positions to give different views in flue
- Auto focus in varying light conditions
- 2 sets of flexible arms to centralise camera ball in flue. Small set 25cm diameter, large up to 45cm
- Camera up to 120 degree angle of view
- Quick fitting to standard ½ inch Whitworth rods

Description	Product Code
Superbright HD Camera Kit	PCHD02
Superbright HD Camera Kit with Reel	PCHD03

Distributed by:

Ryan Consultants Group 973•810•3121 RODSTATIONUS@GMAIL.com WWW.RYANCONSULTANTSGROUP.COM



Unit 42 Vale Business Park, Cowbridge, Vale of Glamorgan, CF71 7PF, UK Tel: 01446 500695 | Email: sales@rodstation.co.uk

www.rodstation.co.uk

All offers and supplies are subject to our standard terms and conditions of sale shown on our website. E & O excepted. The names Rodstation, Flueboss and TwinClip are trademarks of RodStation Limited. This brochure, contents and images are Copyright of RodStation January 2019.