

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Boss's Spot	Facility Type Food Service Establishment	
Licensee Name Boss's Spot	Facility Telephone # 304	
Facility Address 361 Middleway Pike Inwood , WV	Licensee Address 829 Koontztown Rd Hedgesville , WV 25427	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 03/06/2019	Total Time Spent 0.50

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Frigidaire(back room)	38.5
Sandwich cooler	41
beer cooler(holding milk)	41

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Santizerbottle	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 1

ObservedNon-CriticalViolations

Total # 5

Repeated # 1

4-204.112 - TEMPERATURE MEASURING DEVICES – LOCATION, EASILY READABLE
REPEAT OBSERVATION thermometer needed for back refrigerator-temp of 33.5

5-501.17 - TOILET ROOM RECEPTACLE, COVERED
OBSERVATION: womens restroom needs covered trashcan

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: carpet needs repaired where area was opened for machines

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: ceiling stained in back room and center area needs re-painted

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: paint needed behind restroom sinks(paint chipping)

Inspection Outcome

Comments

Not using prep unit

Disclaimer

Person in Charge

Sanitarian



Amy ARE Edwards