Safety Data Sheet (SDS)

Reactivity: 0

Section 1: Identification

Product identifier: Picral Etch Other name(s): Picral Item number(s): 111, 112 Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet: ES Laboratory, LLC 2041 E. Gladstone St. Unit N Glendora, CA 91740 USA Tel: 626-208-9011 Emergency telephone number: CHEMTREC® Domestic: 800-424-9300 International: 703-527-3887

Section 2: Hazard(s) Identification

Hazardous classification of the substance or mixture:

Hazard Class	Category code	
Flammable liquid:	2	
Skin sensitization	1	
Acute toxicity (oral)	3	
Specific Target Organ Toxicity –	2	
Single Exposure:		

Signal word: Danger

Pictogram:



Hazard statement(s):

Highly flammable liquid and vapor.				
May cause allergic skin reaction.				
Toxic if swallowed.				
May cause damage to organs.				
nent(s):				
Keep away from heat/sparks/open flames/hot				
surfaces – No smoking.				
Do not breathe				
dust/fume/gas/mist/vapors/spray.				
Wear protective gloves/protective clothing/eye				
protection/face protection.				
Response statement(s):				
IF ON SKIN (or hair): remove/take off				
immediately all contaminated clothing. Rinses				
skin with water/shower.				
IF SWALLOWED: rinse mouth. Call a POISON				
CENTER or doctor/physician.				
Storage statement(s):				
Store in a well-ventilated place. Keep				
container tightly closed. Keep cool.				
Stored locked up.				
Keep wetted with ethanol.				
Disposal statement(s):				
Dispose of contents/container in accordance				
with local/regional/national/international				
regulations.				
Hazard(s) not otherwise classified: Explosive when dry. Inspect				
. Do not let it dry completely. Wipe clean the				

screw top of the container before sealing.

Label elements: See tables above

HMIS Ratings:	NFPA Ratings:
Health: 2	Health: 2
Flammability: 3	Flammability: 3

Section 3: Composition/Information on Ingredients

Component	CAS No.	Concentration
Ethanol	64-17-5	Balance
(ethyl alcohol)		
Methanol	67-56-1	3-5 %
(methyl alcohol)		
Isopropanol	67-63-0	3-5 %
Picric acid	88-89-1	Approx. 4 %
Any concentration shown as a range is to protect the confidentiality or		

Any concentration shown as a range is to protect the confidentiality or is due to batch variation. Only hazardous components are shown.

Section 4: First-Aid Measures

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical aid immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid immediately.

Skin contact: Wash the areas of contact with water for at least 15 minutes while removing contaminated clothing and shoes. Skin stains may be removed using reagent alcohol or dilute Ammonium Hydroxide Solution. Get medical aid immediately.

Ingestion: Rinse mouth. Get medical aid immediately. **Most important symptoms and effects, both acute and delayed**: May stain skin.

Recommendation for immediate medical care and special treatment needed, when necessary: No further relevant information.

Section 5: Fire-Fighting Measures

Extinguishing media: Dry chemical, foam, carbon dioxide, or water spray.

Special hazards arising from the substance or mixture: In the case of fire, the following can be released: carbon monoxide and carbon dioxide. Explosive if dry, Prevent evaporation. **Special protective equipment or precautions for firefighters:** Wear full protective clothing and self-contained respirator.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Environmental precautions: Do not allow the material to be released to the environment without proper government permits. Methods and materials for containment and cleaning up: Absorb with a liquid binding material (sand, diatomite, acid binder, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Keep away from ignition sources.

Section 7: Handling and Storage

Precautions for safe handling: Inspect the cap of the container before opening. Do not touch the bottle if any crystalline residue is present around the cap. Call an explosive expert immediately. Wipe clean the screw top of the container before sealing. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation in the workplace. Protect against electrostatic charges. Fume can combine with air to form and explosive mixture. **Condition for safe storage:** Keep container tightly sealed. Store in an approved flammable liquid storage container/area. **Incompatibilities:** Store away from oxidizing agents. Do not store on concrete floors (can form explosive calcium picrate). May react with various substances, see Section 10.

Specific storage requirement(s): Inspect the content periodically. Do not let it dry completely. Keep wetted with ethanol. Dispose of content as a hazardous waste within two years of initial receipt.

Section 8: Exposure Controls/Personal Protection

Exposure Limits

Component	CAS No.	ACGIH TLV	OSHA PEL
Ethanol	64-17-5	1000 ppm STEL	1000 ppm TWA
(ethyl alcohol)			
Methanol	67-56-1	200 ppm TWA skin	200 ppm TWA
(methyl alcohol)		250 ppm STEL skin	
Isopropanol	67-63-0	200 ppm TWA	400 ppm TWA
		400 ppm STEL	
Picric Acid	88-89-1	0.1 mg/m3 TWA	0.1 mg/m3
			TWA skin

Engineering controls: Use general and/or local exhaust ventilation to control the vapor concentration.

Eye protection: Wear safety glasses or goggles.

Skin protection: Wear protective clothing and chemical resistant gloves.

Respiratory protection: Use self-contained respiratory device in an emergency situation.

Section 9: Physical and Chemical Properties

Appearance: UFL/LEL: LFL/LEL: Odor: Vapor pressure: Odor threshold: Vapor density: pH: Relative density: Melting Point/Freezing point: Solubility in water: Boiling point/boiling range: Flash point: Evaporation Rate: Flammability (solid, gas): Partition coefficient (n-	Clear, yellow liquid 19 Vol% / 3.3 Vol% Not determined Alcohol-like ~44 mm Hg @20 °C Not determined ~6.6 lbs/gal Not determined ~0.79 g/cm3 @16 °C -114 °C Miscible 78 ° 13 °C 3.3 Not applicable
octanol/water):	Not determined
Auto-ignition temperature: Decomposition temperature: Viscosity:	Not determined Not determined Not determined

Section 10: Stability and Reactivity

Reactivity: No information.

Chemical stability: Stable under recommended conditions. **Stabilizer(s):** Ethanol.

Safety issues that may arise should the product change in

appearance: This product contains a small amount of dissolved picric acid. Do not let it dry completely. Dried picric acid crystal is not stable and may detonate. Do not touch the bottle if any crystalline residue is present around the cap. Call an explosive expert immediately. **Thermal decomposition/ conditions to Avoid:** Excessive heat,

incompatible materials, ignition sources, dryness.

Possibility of hazardous reactions: see incompatibilities. **Incompatibilities:** Strong oxidizers. Picric acid will react with metals including copper, lead, zinc, and aluminum; ammonia, concrete, plaster, salts, gelatin, silver salts, alkali metals, and many other materials to form dangerously sensitive salts.

Hazardous decomposition products: oxides of carbon, when heated to decomposition.

Section 11: Toxicological Information

For Ethanol (ethyl alcohol): Acute toxicity:

Oral rat LD50: 7060 mg/kg

Other exposure effect:

On the Skin: May cause irritation.

On the Eye: May cause irritation.

Sensitization: No sensitizing effects were known. **Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Danger through skin absorption. No classification data on carcinogenic properties of this material is available from NTP, IARC or OSHA.

For Picric Acid:

Acute toxicity: Oral rat LD50: 200mg/kg.

Other exposure effect:

Inhalation: May cause irritation.

On the Skin: May stain skin and cause irritation. On the Eye: May cause irritation.

Sensitization: May cause allergic skin reaction. **Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. May be absorbed through the skin. No classification data on carcinogenic properties of this material is available from NTP, IARC or OSHA.

Section 12: Ecological Information

Toxicity:

Aquatic toxicity: No information. Persistence and degradability: No information. Behavior in environmental system: Bioaccumulative potential: No information. Mobility in soil: No information. Additional ecological information: No information. Other adverse effects: No information.

Section 13: Disposal Considerations

Place in a chemical waste container for proper disposal in an approved waste disposal facility. Dispose of the content and container in accordance with local, regional, national, international regulations.

Section 14: Transport Information

D.O.T. shipping name: Flammable liquid, n.o.s., (ethanol, picric acid) D.O.T. hazard class: 3 UN number: UN1993 Packing group: II

Section 15: Regulatory Information

Not meant to be all inclusive, selected regulation represented OSHA status: These items meet the OSHA Hazard Communication Standard (29 CFR 1910.1200) definition of a hazardous material. TSCA status: All components are listed.

Section 16: Other Information

Disclaimer: The information above is believed to be accurate and represents the best information currently available to us. ES Laboratory, LLC makes no warranty, express or implied, as to its accuracy, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. We shall not be liable for any damages to person or property resulting from its use. **Revised Date:** 2/9/2017