

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Moler Ave. ROCS Food	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 260-0322	
Facility Address 1100 Shepherdstown Rd Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 07/18/2018	Total Time Spent 2.43

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Sandwich cooler	41
Walk in cooler	40
Half and half cooler	41
Hot cheese dispenser	
Hot food roller	142
Hot food holder	
Hot dog roller	
Salad chicken case	41
Chicken hot holder	142
True cooler	38
Viritofrigo cooler	41
2 door true cooler	38
Chicken walk in cooler	41
Hot dog condiment holder	
Henny Penny warmer	135

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Roller meat	136
Cold condiments for hotdogs	41

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION:</b> Small ice machine drink area needs cleaned inside, mold</p>

**Observed Non-Critical Violations**

**Total # 5**

**Repeated # 0**

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** Several coolers need thermometers

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Customer soda dispenser needs repaired, leaking .

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** three backroom freezers need cleaned inside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Top of oven and racks need cleaned

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Breeder table frame needs cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**ashley simpson**

Sanitarian



**Glenn GCO Ondick**