

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name South Middle School	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-3545	
Facility Address 150 Bulldog Blvd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/22/2018	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Victory warming cabinet	174
Victory warmer 2	180
Victory cooler	38/pears 40.5
Walk in cooler	38
Milk cooler 1	38
Milk cooler 2	being cleaned/41
Salad Case 1	35
Salad Case 2	36

Food Temperatures	
Description	Temperature (Fahrenheit)
green beans	155 scan
spaghetti	135-168
extra sauce in hot box	151

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
FrontbucketDishwasher	chemHeat	160			

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations

Total # 7

Repeated # 1

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: Thermometer used in Beverage Air refrigerator reading 28-temp taken of pears 40.5

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): 2 probe thermometers stored near mixer need to be calibrated

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: storeroom can rack needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION new caulk needed in dish area where caulk cannot come clean

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: hole in wall in chemical storeroom needs to be repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: dish machine curtain needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: several ceiling light covers need dusted

Inspection Outcome

Comments

Watch Best by dates: Craisins, Lemon Amazing Raisins, ketchup packets

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards