

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name 7-11 #10670 Queen	Facility Type Retail Food Store	
Licensee Name 7-11 #10670	Facility Telephone # 304 263-3111	
Facility Address 1015 N Queen St Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/14/2018	Total Time Spent 2.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
open cases	37
walkin	34
iced coffee	38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 7</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): several items on shelf past stamped date(pizzas, apple cup, burrito)</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation REPEAT OBSERVATION mouse droppings observed in corner by bag-n-box-Clean area-Pest control monthly(no issue observed)</p>

Observed Non-Critical Violations
<p>Total # 17 Repeated # 7</p> <p>3-305.11 - FOOD STORAGE OBSERVATION: back room-keep items 6' off floor for cleaning purposed</p> <p>4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES OBSERVATION: quaternary test strips needed</p>

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION ice cream novelty freezer needs to be defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: several door gaskets torn on customer doors for beverages/beer

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside cabinets beneath slurpee and soda machines need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION all walkin shelving needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: front vents on open food case need dusted

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION iced coffee machine-inside door needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: mop sink no longer cleanable-should be replaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION back area/restroom-floor damaged in several places

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION walkin ceiling light bulb needs replaced; ceiling light at back of store, in 3 bay sink area and ceiling light bulb out in freezer room

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: walkin door and door frame needs to be repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walkin walls and ceiling need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: room with freezer and other items needs to be cleaned-store items off floor for cleaning

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling vents need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION employee restroom needs cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

REPEAT OBSERVATION floor needs a thorough cleaning in room holding bag-n-box and 3 bay sink

Inspection Outcome

Comments

Shamrock Farms Rockin Protein builder drink past Best By date: 11/5 and 12/9(pulled)

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards