

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

CHILD CARE CENTER INSPECTION REPORT

Establishment Information	
Facility Name Bullocks Busy Bee Daycare 2	Facility Type Child Care Center
Licensee Name Bullocks Busy Bee Daycare 2	Facility Telephone # 304
Facility Address 130 Gosling Marsh Rd Martinsburg , WV	Licensee Address 235 Huttons Vireo Drive Martinsburg , WV 25405

Establishment Details		
Adult to Child Ratio	1 below 1; 3 1-2's; 6 over 3:2	
Inspection Information		
Inspection Type Routine	Inspection Date 01/08/2019	Total Time Spent 1.25

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
<p>Total # 3 Repeated # 1</p> <p>14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf REPEAT OBSERVATION restrooms-ceiling fan covers need cleaned; boys restroom-wall beneath sink needs cleaned; toilets need thorough cleaning</p> <p>16.1 - All necessary precautions shall be taken to insure an accident-free environment for the children. OBSERVATION: outlet covers missing in 2 rooms on left side of hallway</p> <p>5.3.E - Shielding or other effective means shall be used to protect the children from direct contact with radiators, registers, hot water pipes and similar hazards. OBSERVATION: baseboard heaters on in classrooms-safety covers needed</p>

Inspection Outcome

Comments
Bleach bottle-50ppm Water sample taken-0.600m chlorine

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards