


# TRIBUTE®

## KALM ULTRA®

A high-fat feed for use in mature horses at maintenance or in training; contains direct-fed microbials for improved gut health.

**PRODUCT CODE: T91212**

### FEATURES & BENEFITS:

- 🔪 **Direct Fed Microbials** (probiotics)!...maintains normal gut function during times of stress.
- 🔪 Contains the most viable and heat-stable microbial feed additives available.
- 🔪 **All Pellet Formula!** Horses cannot sort micronutrients!!
- 🔪 **Extruded grains** for improved digestion.
- 🔪 **Higher fat, highly digestible fiber and lower sugar and starch** for calm performances without loss of energy or condition.
- 🔪 **Essential amino acids** for muscle maintenance.
- 🔪 **Essential organic minerals** replenish body tissue stores depleted during daily activities and exercise.
- 🔪 **Essential fatty acids, Omega 3 and 6**, for healthy skin and haircoat, top performances and quick recovery.
- 🔪 Optimum levels of antioxidants Vitamin E, Vitamin C and Selenium reduce damage from aging and exercise. Also boosts immunity.
- 🔪 Excellent for hard-keepers and horses requiring less sugar and starch in their diets, like those who are hyperactive or have metabolic conditions such as insulin resistance, laminitis, ulcers, obesity or tying-up issues.
- 🔪 With  microencapsulated active dry yeast; acts as both a pre-and probiotic, increases total diet digestibility and improves overall gut health.

### FEEDING DIRECTIONS:

Training Level	T91212 (Lbs. per day)	Lbs. Hay per day
<b>Mature Weight: 660-880 lbs</b>		
Idle	3-5	6-10
Light Training	4-6	8-12
Moderate Training	5-7	8-12
Intense Training	7-10	9-14
<b>Mature Weight: 880-1,100 lbs</b>		
Idle	4-8	9-14
Light Training	6-10	10-16
Moderate Training	7-12	10-16
Intense Training	9-14	12-18
<b>Mature Weight: 1,100-1,320 lbs</b>		
Idle	5-9	12-18
Light Training	7-11	14-20
Moderate Training	10-14	14-20
Intense Training	12-16	16-22

### GUARANTEED ANALYSIS:

Crude Protein (Min.)	12%
Lysine (Min.)	0.9%
Methionine (Min.)	0.3%
Methionine & Cystine (Min.)	0.5%
Threonine (Min.)	0.6%
Crude Fat (Min.)	12.0%
Crude Fiber (Max.)	12.0%
Calcium (Ca) (Min.)	0.8%
Calcium (Ca) (Max.)	1.3%
Phosphorus (P) (Min.)	0.6%
Potassium (K) (Min.)	1.0%
Magnesium (Mg) (Min.)	0.3%
Manganese (Mn) (Min.)	130 ppm
Cobalt (Co) (Min.)	2 ppm
Iron (Fe) (Min.)	300 ppm
Iodine (I) (Min.)	1.4 ppm
Salt (NaCl) (Min.)	1.0%
Salt (NaCl) (Max.)	1.5%
Copper (Cu) (Min.)	50 ppm
Selenium (Se) (Min.)	0.6 ppm
Zinc (Zn) (Min.)	200 ppm
Vitamin A (Min.)	7,000 IU/lb.
Vitamin D (Min.)	1,000 IU/lb.
Vitamin E (Min.)	160 IU/lb.
Biotin (Min.)	3.0 mg/lb.
Thiamine (Min.)	4.5 mg/lb.
Riboflavin (Min.)	2 mg/lb.
Omega 6 fatty acids (Min.)	3.85%
Omega 3 fatty acids (Min.)	1.00%
Saccharomyces cerevisiae (Min.)	435 million CFU/lb.
Direct-Fed Microorganisms (Min.)	700 million CFU/lb.
<small>(Saccharomyces cerevisiae, Lactobacillus acidophilus, Bacillus subtilis, Bacillus licheniformis, Bacillus coagulans, Enterococcus faecium, Bifidobacterium thermophilum, and Bifidobacterium longum)</small>	
Cellulase (Aspergillus Oryzae) (Min.)	9.6 Enzyme Units
Protease (Aspergillus Oryzae) (Min.)	12 Enzyme Units
Lipase (Aspergillus Oryzae) (Min.)	3.6 Enzyme Units
Hemicellulase (Aspergillus Niger) (Min.)	10.8 Enzyme Units
Phytase (Trichoderma reesei) (Min.)	55 FTU/lb.

\*An Enzyme Unit is defined as milligrams of substrate liberated/minute/lb. of feed.

\*A Phytase Unit (FTU) is defined as the quantity of enzyme which liberates one micromole of inorganic phosphate per minute from sodium phytate at 37°C, 5.5 pH.

This feed contains a dry source of cellulase that breaks down cellulose, a dry source of protease that hydrolyzes proteins and increases the digestibility of protein in soybean meal based diets, a dry source of lipase that hydrolyzes triglycerides, a dry source of hemicellulase that breaks down hemicellulose, and a dry source of phytase which hydrolyzes phytate and increases the digestibility of phytin-bound phosphorus.

## PRODUCT REFERENCE