

Czech Direct Fire Data Chart 2

Unit	Ammo	ROF	Range Effectiveness														Ammo Supply
			Range in hexes														
			0	1	2	3	4	6	8	10	12	14	16	18	20	22	
SA-8	AAM†	1	—	—	4:9	4:9	4:9	4:9	3:9	3:9	3:9	3:9	3:9	3:9	3:9	2:9	8
Mi-2 Mi-8C	HEAT*	8	6:10	7:10	5:10	3:10	2:10	1:10	—	—	—	—	—	—	—	—	16
	HE	8	1	2	2	2	1	1	—	—	—	—	—	—	—	—	
Mi-24D ⊕	AT-6B	2	—	—	8:20	8:20	8:20	8:20	8:20	8:20	8:20	8:20	8:20	8:20	8:20	—	32
	HEAT*	8	6:10	7:10	5:10	3:10	2:10	1:10	—	—	—	—	—	—	—	—	
	HE	8	1	2	2	2	1	1	—	—	—	—	—	—	—	—	
	SCAP*	5	4:5	8:5	6:5	4:4	2:3	1:2	—	—	—	—	—	—	—	—	
	SA	5	3	5	5	4	3	1	—	—	—	—	—	—	—	—	
D-30	HEAT	2	6:18	8:18	7:18	5:18	3:18	2:18	1:18	—	—	—	—	—	—	—	12
	HE	2	—	10	10	10	10	10	9	8	7	6	5	4	—	—	
	IS	2	—	20	20	20	20	18	16	14	12	10	8	6	—	—	
T-12	AP	1	7:8	8:8	7:7	6:7	5:7	4:7	3:6	2:6	1:5	—	—	—	—	—	6
	HEAT	1	7:12	8:12	5:12	3:12	1:12	—	—	—	—	—	—	—	—	—	
V-77	HEAT	2	6:19	8:19	7:19	5:19	3:19	2:19	1:19	—	—	—	—	—	—	—	9
	HE	2	—	18	16	14	12	10	8	6	5	4	—	—	—	—	
PRAM	AT-5	1	—	8:19	8:19	8:19	8:19	8:19	8:19	8:19	8:19	—	—	—	—	—	10
	HE	5	—	—	—	20	18	16	14	12	10	8	6	4	3	2	
	Smoke	5	—	—	—	SMK	SMK	SMK	SMK	SMK	SMK	SMK	SMK	SMK	SMK	SMK	
	SCAP*	2	6:5	8:5	4:4	2:3	1:2	—	—	—	—	—	—	—	—	—	
OT-64A w/AT-3M	SCAP*	3	6:7	8:7	6:7	5:6	4:6	2:4	1:3	—	—	—	—	—	—	—	8
	SA	2	2	4	4	4	4	2	1	—	—	—	—	—	—	—	
	AT-3M	2	—	—	—	8:19	8:19	8:19	8:19	8:19	8:19	—	—	—	—	—	
SA-13 ⊙	AAM†	1	—	—	5:9	5:9	5:9	5:9	4:9	4:9	4:9	4:9	3:9	3:9	3:9	2:9	4
FUG	SCAP*	3	6:7	8:7	6:7	5:6	4:6	2:4	1:3	—	—	—	—	—	—	—	8
PSZH-4	SA	2	2	4	4	4	4	2	1	—	—	—	—	—	—	—	8

- ⊕ Stabilized Weapon System
- ⊕ Thermal Imaging Stabilized Weapon System
- ⊕ Thermal Imaging/CITV Stabilized Weapon System
- ⊕ Thermal Imaging Laser Ranging Stabilized Weapon System
- ⊕ Thermal Imaging/CITV Laser Ranging Stabilized Weapon System
- ⊕ Thermal Imaging Laser Ranging Weapon System
- ⊕ Thermal Imaging System
- ⊕ Laser Designating System
- ⊕ Thermal Imaging LONGBOW Laser Designating System
- ⊕ Thermal Imaging Laser Designating System
- ⊕ Laser Ranging Stabilized Weapon System