

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name Musselman Baseball	Facility Type Food Service Establishment	
Licensee Name Berkeley County Schools	Facility Telephone # 304	
Facility Address 126 Excellence Way Inwood, WV	Licensee Address 401 S Queen St Martinsburg, WV 25401	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date March 13, 2020	Total Time Spent 0.75

<b><i>Equipment Temperatures</i></b>	
Description Kenmore Soda machine	Temperature (Fahrenheit) 39 40

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Priority Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b><i>Observed Priority Foundation Items</i></b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b><i>Observed Core Violations</i></b>
<b>Total # 2</b>
<b>Repeated # 0</b>
 <b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Top of storage shelf in dry goods room needs repaired (water damage)
 <b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Cabinet beside kenmore refrigerator needs repaired (water damage)

<b><i>Inspection Outcome</i></b>

--

<b>Comments</b>

Disclaimer

  
Person in Charge

Sanitarian

  
**Keith Allison**