



West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours for Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 CSR 17-3.1.j).

OBSERVATIONS TOTALS: PRIORITY 1 PRIORITY FOUNDATION 2  
 CORE 6 TOTAL 9

ESTABLISHMENT: Subway Charlestown Rd PERMIT NO.: \_\_\_\_\_ DATE: 10/2/2019  
 ADDRESS: 3058A Charlestown Rd CITY: Kearneysville STATE: WV ZIP: 25430  
 PERSON IN CHARGE/TITLE: X Patricia Gladden TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): X Pate Spahn SANITARIAN (SIGNATURE): Paul Allison  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER: \_\_\_\_\_ TIME: 10:30am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-501.11	Walk-In Freezer needs degreased.
	✓		3-301.11	Gloves sitting under paper towels at hands. k.
✓			6-301.13	Hand sink in back room not accessible Tray on top.
			4-901.11	Pans being stored prior to Air Drying.
			6-501.12	Walk-In Fan Cover needs cleaned.
✓			4-302.12 <sup>PF</sup>	Thermometer needed in Walk-In Cooler (outside not working) Couldn't locate internal.
			4-602.13	Inside of Microwave needs cleaned (top)
			4-302.12 <sup>PF</sup>	Thermometer needed in Subway refrigerator under oven.
			4-903.11	Clean Utensils need to be stored handle up.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
3-Bay	300ppm	Subway Case R	37.5°	Bucket	200ppm.		
Walk-In	40°	Subway Case L	39°				
Chill	139°	meatballs.	190°				
Subway Refrigerator	38°	Coca-Cola/Front	39°				