-0

MATERIAL SAFETY DATA SHEET

Sales Order: {SalesOrd}

S4007 ZINC CHROMATE PRIMER (AEROSOL) TT-P-1757A

MSDS Revision No:
MSDS Revision Date: 11/23/2004

Akzo Nobel Coatings
Awlgrip North America
2270 Morris Avenue
P. O. Box 386
Union, NJ 07083

EMERGENCY NUMBERS:

(800) 424-9300	CHEMTREC (USA)
(703) 527-3887	CHEMTREC (Intl)
(800) 854-6813	Poison Control Center
CUSTOMER SERVICE:	(Non-Emergency)
(888) 355-3090	AWLGRIP (Phone)
(908) 686-1752	AWLGRIP (Fax)

1. GENERAL INFORMATION

Product Identity: S4007 ZINC CHROMATE PRIMER (AEROSOL) TT-P-1757A

Bulk Sales Reference No: OS4007

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.
NOTICE: OSHA hazardous chemicals are listed in Section 2 if present at 1% or more. Carcinogens and extraordinarily/special hazardous chemicals are listed in Section 2 if present at .1% or more. Additional regulatory information for specific chemical categories is included in Section 15.

2. HAZARDOUS INGREDIENT INFORMATION

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	1000 ppm TWA; 2400 mg/m3 TWA1000 ppm STEL; 2400 mg/m3 STEL (The acetone STEL does not apply to the cellulose acetate fiber
		ACGIH:	500 ppm TWA750 ppm STEL

000067-64-1	Acetone 25 - 50% by Weight	NIOSH:	250 ppm TWA; 590 mg/m3 TWA2500 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	500 ppm TWAEV750 ppm STEV
		Mexico:	1000 ppm TWA; 2400 mg/m3 TWA1260 ppm STEL; 3000 mg/m3 STEL
		Brazil:	780 ppm TWA; 1870 mg/m3 TWA
		Source	**Health Data**
		NIOSH:	Narcosis; CNS depression; eye nose
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000074-98-6	Propane 10 - 25% by Weight	OSHA:	1000 ppm TWA; 1800 mg/m3 TWA
		ACGIH:	2500 ppm TWA
		NIOSH:	1000 ppm TWA; 1800 mg/m3 TWA2100 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	2500 ppm TWAEV
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Asphyxiation
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	100 ppm TWA; 300 mg/m3 TWA
		ACGIH:	50 ppm TWA
		NIOSH:	50 ppm TWA; 150 mg/m3 TWA1600 ppm IDLH

000078-83-1	Isobutyl alcohol 1.0 - 10% by Weight	Supplier:	No Data Available
		OHSA, CAN:	50 ppm TWAEV; 150 mg/m3 TWAEV
		Mexico:	50 ppm TWA; 150 mg/m3 TWA75 ppm STEL; 225 mg/m3 STEL
		Brazil:	40 ppm TWA; 115 mg/m3 TWA
		Source	**Health Data**
		NIOSH:	Narcotic effects; mild irritation of the skin eyes
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000107-98-2	Propylene glycol monomethyl ether 1.0 - 10% by Weight	OSHA:	150 ppm STEL; 540 mg/m3 STEL
		ACGIH:	100 ppm TWA150 ppm STEL
		NIOSH:	100 ppm TWA; 360 mg/m3 TWA150 ppm STEL; 540 mg/m3 STEL
		Supplier:	No Data Available
		OHSA, CAN:	100 ppm TWAEV; 365 mg/m3 TWAEV150 ppm STEV; 550 mg/m3 STEV
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Eye nose
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	100 ppm TWA; 410 mg/m3 TWA75 ppm STEL; 300 mg/m3 STEL
		ACGIH:	50 ppm TWA75 ppm STEL
		NIOSH:	50 ppm TWA; 205 mg/m3 TWA75 ppm STEL; 300 mg/m3 STEL500 ppm IDLH

000108-10-1	Methylisobutyl ketone 10 - 25% by Weight	Supplier:	No Data Available
		OHSA, CAN:	50 ppm TWAEV; 205 mg/m3 TWAEV75 ppm STEV; 305 mg/m3 STEV
		Mexico:	50 ppm TWA; 203 mg/m3 TWA75 ppm STEL; 307 mg/m3 STEL
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Irritation liver
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000110-19-0	Isobutyl acetate 1.0 - 10% by Weight	OSHA:	150 ppm TWA; 700 mg/m3 TWA
		ACGIH:	150 ppm TWA
		NIOSH:	150 ppm TWA; 700 mg/m3 TWA1300 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	150 ppm TWAEV; 710 mg/m3 TWAEV187 ppm STEV; 887 mg/m3 STEV
		Mexico:	150 ppm TWA; 700 mg/m3 TWA187 ppm STEL; 875 mg/m3 STEL
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Eye and nose irritation narcosis
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available

000115-10-6	Dimethyl ether 10 - 25% by Weight	Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	No Data Available
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
000142-82-5	Heptane (n-) 1.0 - 10% by Weight	OSHA:	500 ppm TWA; 2000 mg/m3 TWA500 ppm STEL; 2000 mg/m3 STEL
		ACGIH:	400 ppm TWA500 ppm STEL
		NIOSH:	85 ppm TWA; 350 mg/m3 TWA440 ppm Ceiling (15 minute); 1800 mg/m3 Ceiling (15 minute)750 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	400 ppm TWAEV; 1635 mg/m3 TWAEV500 ppm STEV; 2045 mg/m3 STEV
		Mexico:	400 ppm TWA; 1600 mg/m3 TWA500 ppm STEL; 2000 mg/m3 STEL
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Skin and nervous system effects (Listed under 'Alkanes (C5-C8)')
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	1 mg/m3 TWA
		ACGIH:	0.5 mg/m3 TWA
		NIOSH:	0.5 mg/m3 TWA250 mg/m3 IDLH

CAS No.	Ingredient Name & %	Source	Exposure Data
007440-47-3	Chromium 1.0 - 10% by Weight	Supplier:	No Data Available
		OHSA, CAN:	0.5 mg/m3 TWAEV
		Mexico:	0.5 mg/m3 TWA
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	Pulmonary effects
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: Yes; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
007440-66-6	Zinc 1.0 - 10% by Weight	OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	No Data Available
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available

064742-88-7	Solvent naphtha (petroleum), medium aliphatic 1.0 - 10% by Weight	OHSA, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	No Data Available
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
064742-89-8	Solvent naphtha (petroleum), light aliphatic 1.0 - 10% by Weight	OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	No Data Available
		Mexico:	No Data Available
		Brazil:	No Data Available
		Source	**Health Data**
		NIOSH:	No Data Available
		Source	**Carcinogen Data**
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

3. HAZARD IDENTIFICATION

Overview:	Avoid contact with eyes, skin and clothing.
Inhalation:	Harmful if inhaled. Causes nose and throat irritation.
Eyes:	Causes severe eye irritation. Do not get in eyes.

Skin:	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion:	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.
Chronic Effects:	Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient). Birth defect hazard. Contains an ingredient which can cause birth defects (See Section 2 and Section 15 for each ingredient). Cancer hazard. Contains an ingredient which can cause cancer (See Section 2 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.
HMIS Rating:	Health: Unknown Flammability: Unknown Reactivity: Unknown

4. FIRST AID MEASURES

General:	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion:	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Respiratory:	Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes:	Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin/Hand:	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls:	Depending on the site-specific conditions of use, provide adequate ventilation.

Other Work Practices:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

6. FIRE AND EXPLOSION INFORMATION

Flash Point:	F: 0 C: -18
Lower Explosive Limit (LEL):	0.9 (%vol in air) at Normal Atmospheric Temp and Pressure
Fire and Explosion Hazards:	Extremely flammable liquid and vapor. Vapors may cause flash fire. FLAMMABLE/ COMBUSTIBLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated.
Fire Fighting Procedures:	CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material. **Also Reference Emergency Response Guide Number:** 127

7. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	No Information Provided
pH:	?
Specific Gravity:	0.785
Boiling Point (F):	10.6 ERROR!!!
Vapor Density:	Heavier than air
VOC Content (lbs):	Refer to the Technical Data Sheet for this product.
Evaporation Rate:	Slower than ether

8. STABILITY AND REACTIVITY DATA

General:	This product is stable and hazardous polymerization will not occur.
Incompatible Materials:	Strong oxidizing agents.
Hazardous Decompostion:	May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

9. HANDLING AND STORAGE

Storage Temperature:	Store between 32 and 120 F
Handling and Storage Precautions:	Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.

10. TOXICOLOGICAL DATA

General:	No additional information provided for this product. See Section 2 for chemical specific data.

11. ECOLOGICAL DATA

General:	No additional information provided for this product. See Section 2 for chemical specific data.

12. ACCIDENTAL RELEASE MEASURES

Spill Response Procedures:	ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.
Public Safety:	CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet). **Also, Reference Emergency Response Guide Number: 127**

13. DISPOSAL CONSIDERATION

Waste Disposal:	Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. TRANSPORTATION INFORMATION

DOT (Domestic Surface Transportation)		IMO / IMDG (Ocean Transportation)	
DOT Proper Shipping Name: PAINT		**IMDG Proper Shipping Name:** PAINT	
DOT Hazard Class:	3	**IMDG Hazard Class:**	3.2 - Intermediate flashpoint flammable liquids
UN / NA Number:	UN 1263	**UN Number:**	UN 1263
DOT Packing Group:	II	**IMDG Packing Group:**	II
CERCLA/DOT RQ:	3059 gal. / 20000 lbs.	**System Reference Code:**	38

15. REGULATORY INFORMATION

Regulatory Overview:	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory. **Note:** Any chemical ingredients listed in Section 15, that do not also appear in Section 2, are contained in the product at a concentration below the applicable OSHA threshold level of 1% or 0.1%.
WHMIS Classification:	Not Determined

Regulatory List	Product Ingredients on List
DOT Marine Pollutants (10%):	
(No Product Ingredients Listed)	
DOT Severe Marine Pollutants (1%):	
(No Product Ingredients Listed)	

EPCRA 311/312 Chemicals and RQs (>.1%) :

000067-64-1	Acetone : 5000 lb final RQ; 2270 kg final RQ
007440-47-3	Chromium : 5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diame
000110-19-0	Isobutyl acetate : 5000 lb final RQ (Listed under Butyl acetate); 2270 kg final RQ (Listed under Butyl acetate)
000078-83-1	Isobutyl alcohol : 5000 lb final RQ; 2270 kg final RQ
000108-10-1	Methylisobutyl ketone : 5000 lb final RQ; 2270 kg final RQ
007440-66-6	Zinc : 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diame

EPCRA 302 Extremely Hazardous (>.1%) :

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%) :

007440-47-3	Chromium
000108-10-1	Methylisobutyl ketone
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

Mass RTK Substances (>1%) :

000067-64-1	Acetone
007440-47-3	Chromium
000115-10-6	Dimethyl ether
000142-82-5	Heptane (n-)
000110-19-0	Isobutyl acetate
000078-83-1	Isobutyl alcohol
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

Mass Extraordinarily Haz Sub (>.01%) :

007440-47-3	Chromium

Penn RTK Substances (>1%) :

000067-64-1	Acetone
007440-47-3	Chromium
000115-10-6	Dimethyl ether
000142-82-5	Heptane (n-)
000110-19-0	Isobutyl acetate
000078-83-1	Isobutyl alcohol
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

Penn Special Hazardous Substances (>.01%) :

007440-47-3	Chromium

Rhode Island Hazardous Substances (>.1%) :

000067-64-1	Acetone
007440-47-3	Chromium
000115-10-6	Dimethyl ether
000142-82-5	Heptane (n-)
000110-19-0	Isobutyl acetate
000078-83-1	Isobutyl alcohol
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

RCRA Status (>.01%) :

007440-47-3	Chromium : 5.0 mg/L regulatory level; waste number D007

N.J. RTK Substances (>1%) :

000067-64-1	Acetone
007440-47-3	Chromium
000115-10-6	Dimethyl ether
000142-82-5	Heptane (n-)
000110-19-0	Isobutyl acetate
000078-83-1	Isobutyl alcohol
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

N.J. Special Hazardous Substances (>.01%) :

000067-64-1	Acetone
007440-47-3	Chromium
000115-10-6	Dimethyl ether
000142-82-5	Heptane (n-)
000110-19-0	Isobutyl acetate
000078-83-1	Isobutyl alcohol
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether

N.J. Env. Hazardous Substances (>.1%) :

007440-47-3	Chromium
000115-10-6	Dimethyl ether
000108-10-1	Methylisobutyl ketone
000074-98-6	Propane
000107-98-2	Propylene glycol monomethyl ether
007440-66-6	Zinc

Proposition 65 - Carcinogens (>0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0%):
(No Product Ingredients Listed)
Proposition 65 - Developmental Toxins (>0%):
(No Product Ingredients Listed)

---

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

End Of Document