

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Subway	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 1691 Valley Rd. Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date October 31, 2017	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Meatballs	180
Walk-In Cooler	34
Walk-In Freezer	0.05

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> Observation: Ice machine needs cleaned. Corrective Action(s):
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> Observation: Sink area needs cleaned. Corrective Action(s):

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge

A handwritten signature in blue ink, appearing to be 'N. Zeigler', with a long horizontal stroke extending to the right.

Sanitarian

**Tim Zeigler**