

WINDOW SCHEDULE

WIDTH	HEIGHT	TYPE	LIGHT SQ. FT.	VENT SQ. FT.
30"	36"	SINGLE HUNG	6.19	2.05
30"	60"	SINGLE HUNG	10.88	5.35
36"	36"	SINGLE HUNG	7.51	3.56
36"	40"	SINGLE HUNG	8.48	4.05
36"	60"	SINGLE HUNG	13.20	6.46
66"	32"	SINGLE HUNG	9.07	1.72
71"	81"	SINGLE HUNG	34.50	17.25

***ART. LIGHT AND VENT PROVIDED**

LIGHT/VENT CHART	FLOOR AREA SQ. FT.	REQUIREMENTS	
		LIGHT REQUIRED	VENT REQUIRED
MASTER BEDROOM	182	14.56	7.28
		39.50	17.25
BEDROOM 2	138	11.04	5.52
		26.40	12.92
BEDROOM 3	147	11.76	5.58
		21.68	10.51
LIVING ROOM	246	19.68	9.84
		34.50	17.25
KITCHEN	95	7.60	3.80
		*7.51	*3.56
DINING	118	9.44	4.72
		26.40	12.92

These prints comply with the Florida Manufactured Building Act and adopted Codes and adhere to the following criteria:




- Const. Type: VB - unprotected
- Occupancy: R3
- Allowable No. of Floors: 1
- Wind Velocity: 180 MPH Vult, 139 MPH Vasd, Exp. D
- Fire Rating of Ext. Walls: 0 Hr
- Plan No.: MFT2437-MD523-384-108
- Allow. Floor Load: 40 PSF
- Approval Date: 8/4/2015
- Manufacturer: Destiny Industries, LLC

WINDOW GUARDS TO BE INSTALLED IF WINDOWS ARE MORE THAN 72" ABOVE GRADE AND THE LOWEST CLEAR OPENING IS LESS THAN 24" A.F.F..

1387 TOTAL SQUARE FOOTAGE
1387 HEATED & COOLED
185.62 SQ FT GLAZING

B-HALF HITCH END



FINER LINES
DESIGN & CONSTRUCTION, INC

DATE: 7/15/2015	3RD PARTY INSPECTION AGENCY
CODES: 2014 FBC	NTA INC
LABELS: FLORIDA	305 NORTH OAKLAND AVE
SCALE: NTS	NAPPANEE, IN 46550
	Contact: Dave Barts (574-773-2732)

MODEL: MFT2437-MD523-384-108

DRAWING: MASTER PLAN

DRAWN BY: Jerry Benton

SHEET 4

ENGINEERING & PLAN DEVELOPMENT BUILDING SYSTEM ENGINEERING
149 HARBOUR WATCH BLVD.
LEESVILLE, SC 29070