

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name War Memorial Park	Facility Type Food Service Establishment
Licensee Name Parks and Recreation	Facility Telephone # 304
Facility Address Tennessee Ave Martinsburg , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 05/25/2017	Total Time Spent 1.00

Equipment Temperatures	
Description Fridge cheese machine	Temperature (Fahrenheit) 40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 2

Observed Non-Critical Violations

Total # 9

Repeated # 2

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Hamilton Beach crockpot lid damaged and needs replaced/repared

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of cabinets/drawers need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of cheese machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Inside of microwave needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Golf course/Pool doors have gaps in bottom that need sealed.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Public bathrooms (men's/women's) need cleaned. Windows/Toilets/Hand Dryers/Walls and Ceilings

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor behind equipment/corners of building need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Toilet/Urinal/and sink in bathroom needs cleaned

6-501.16 - DRYING MOPS

REPEAT OBSERVATION Mops need to air dry after use

Inspection Outcome

Comments

Facility may open at this time. Will be inspected routinely through the summer. Ice machine being cleaned/worked on at time of inspection.

Disclaimer

Person in Charge



Ron Watkins

Sanitarian



Keith Allison