

**West Virginia Department of Health & Human  
Resources  
Berkeley County Health Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name <b>Jasper's Sports Bar</b>	Facility Type <b>Food Service Establishment</b>
Licensee Name <b>Ladd Jasper</b>	Facility Telephone # <b>304 262-1470</b>
Facility Address <b>970 Foxcroft Ave Martinsburg , WV</b>	Licensee Address <b>,</b>

<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>03/17/2017</b>	Total Time Spent <b>1.25</b>

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Refrigerator	<b>40</b>
Beer Cooler	<b>36</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>ObservedNon-CriticalViolations</b>
<b>Total # 3</b>
<b>Repeated # 0</b>
<b>6-301.13 - HANDWASHING AIDS AND DEVICES, USE RESTRICTIONS</b> <i>OBSERVATION: Handsink needs to be used for handwashing only (dumping coffee in sink)</i>
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <i>OBSERVATION: Cracked floor tiles needs replaced/repared</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>OBSERVATION: Hot water heater spill pan needs cleaned</i>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



Pat Darrow

Sanitarian



Keith Allison