

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | |
|--|--------------------------------------|
| Facility Name Weis Market-Retail | Facility Type Retail Food Store |
| Licensee Name Weis Markets Inc. | Facility Telephone # 304 263-1515 |
| Facility Address 1102 N Queen Square Martinsburg, WV | Licensee Address |

| Inspection Information | | |
|-------------------------------|--------------------------------------|--------------------------|
| Inspection Type Routine | Inspection Date February 15, 2018 | Total Time Spent 2.72 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Butter case | 37 |
| eggs | 39 |
| Juice cooler | 38 |
| Milk cooler | 39 |
| Milk Walk in | 40 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3 bay sink | chem | | | | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|--|
| Total # 1 Repeated # 0 3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: Multiple dented cans found on the shelves, need to develop procedures so dented cans can be taken off the shelves or not placed there in the first place, All cans had dents along seams. |

| Observed Non-Critical Violations |
|---|
| Total # 7 Repeated # 1 |

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Ice cream freezer shelves need cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Air handlers need cleaned in the milk/butter cases

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Several retail shelves need cleaned, example jelly shelves

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Retail cases in the cooler shelves need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Wall needs repaired by the water fountain

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor needs repaired in the walk in freezer .

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned in the back walk in coolers and storage units

| |
|---------------------------|
| Inspection Outcome |
| |

| |
|-----------------|
| Comments |
| |

Disclaimer

Person in Charge



Melonee Rogers

Sanitarian



Glenn GCO Ondick