Material Safety Data Sheet (MSDS)

N1--- 1--- ----

Series: **#080901, #082901** (All Labels) (1013663)

MSDS# 0078				NFPA Rating: 1-0-0 HMIS Rating: 1-0-0-B				
SECTION I				EM	EMERGENCY TELEPHONE NO.			
TRADE NAME (IF NONE, PUT CHEMICAL)	RD Pro Industrial Grade Heat Resistant Silicone - Red				(918) 825-5744 (24 Hrs.)			
MANUFACTURER'S NAME AND TELEPHONE NO.	Red Devil, Incorporated	(91	8) 825-5744	•				
ADDRESS (Number, Street, City, State, Zip Code)	4175 Webb Street, Pryor,	Oklahoma 74	361					
SECTION	II - HAZARDOUS	INGRED	DIENTS	%	TLV	PEL	UNITS	
Silica** [7631-86-9] (as Amorphous silica, total dust)				11	20	20	mg/m3	
Dimethylsiloxane, hydroxy-terminated (70131-67-8)				< 60	NE	NE		
Ethyltriacetoxysilane*** [17689-77-9)				2	10	10	ppm	
Methyltriacetoxysilane*** [4253-34-3]				2	10	10	ppm	
Polydimethylsiloxane (63148-62-9)				1 - 5	10	10	ppm	
Titanium dioxide** (in white product only) - (as nuisance particulate, total) [13463-67-7] Iron (III) Oxide** (1309-37-1)				2 10	10 5	15 10	mg/m3 mg/m3	
Non-hazardous ingredients*				< 75	NA	NA		
*Unlisted ingredients are not considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910). **Inhalation of particulates unlikely due to product's physical state ***Observe limits for acetic acid, formed during curing on exposure to water or humid air.								
VOC: 3.1%/wt. CARB Compliance: YES. Prop 65 Ingredients: NONE								
	SECTIO	N III - PH	IYSICAL D	ATA				
BOILING POINT (°F)	NE		SPECIFIC GRAVITY (H₂0=1)		1.02			
VAPOR PRESSURE (MM Hg.)	NE		PERCENT VOLATILES BY VOLUME (%)		<5			
VAPOR DENSITY (AIR=1)	>1		рН		NE			
SOLUBILITY IN WATER	Insoluble		EVAPORATION RATE		NA			
APPEARANCE AND ODOR	Thick liquid/sealant consis	stency; slight v	/inegar odor - Re	ed				
S	ECTION IV - FIRE	AND EX	PLOSION	HAZAR	D DAT	ΓΑ		
FLASH POINT (Method used)	>200°F	FLAMMABLE LIMITS			LEL	NE U	el NE	
EXTINGUISHING MEDIA	Carbon dioxide or foam	bon dioxide or foam						
SPECIAL FIRE FIGHTING PROCEDURES	No special proœdures required.							

NA - Not Applicable

NE - Not Established

UN - Unavailable

SECTION V - HEALTH HAZARD INFORMATION

SYMPTOM/EFFECTS OR OVEREXPOSURE

Eye, nose and throat irritation. Possible skin irritation.

FIRST AID

EYES

Immediately flush eyes with large amounts of water while holding the eyelids open. Get medical attention if irritation persists.

SKIN

Wipe material from skin with cloth or paper towel, then wash exposed area with soap and water. Get medical help if irritation persists.

INHALATION

Move victim to fresh air. Get medical help if irritation persists.

INGESTION

Contact local poison control center or physician IMMEDIATELY!!

SECTION VI - REACTIVITY DATA

STABILITY

Normally stable. Avoid extreme heat

INCOMPATIBLE MATERIALS

Moisture will release acetic acid vapor

HAZARDOUS DECOMPOSITION PRODUCTS

Silion dioxide, Carbon monoxide, Carbon dioxide, traces of formaldehyde

SECTION VII - SPILL OR LEAK PROCEDURES

PROCEDURES

Wear personal protective equipment (See Section VIII). Clean up with absorbent material.

WASTE DISPOSAL METHOD

Dispose of according to Local, State, and Federal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY

Not normally required. If TLV is exceeded, or for symptoms of overexposure, wear a NIOSH-approved respirator for organic vapors.

EYEWEAR

Wear safety glasses.

CLOTHING/GLOVES

Not normally required; in situations of extended skin contact, neoprene or other chemical resistant gloves are recommended.

VENTILATION

Local exhaust may be necessary under some handling/use conditions.

SECTION IX - SPECIAL PRECAUTIONS

Store in a closed container in dry area. NOTE: Do not wear contact lenses while applying this material, as acetic acid vapor may become trapped under lenses. This product does not contain ingredients listed in Section 313 of SARA Title III and 40 CFR 372.65. This product does not contain carcinogens (at 0.1% or greater) as defined by IARC, NTP or OSHA. PROPER SHIPPING NAME: N/A, HAZARD CLASS: N/A, UN/NA NUMBER: N/A, PACKING GROUP: N/A.

Reviewed By Larry G. Brandon VP Technology & General Manager June 24, 2004

The information contained herein has been developed based upon currentavailable scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.