

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Arby's Edwin Miller	Facility Type Food Service Establishment	
Licensee Name Arby's KRA Food Service	Facility Telephone # 304 264-4457	
Facility Address 217 Administrative Drive Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/27/2018	Total Time Spent 1.38

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Sandwich prep	38
Walkin	39
Server Fridge	39
Hot fryer food holder	164
Alto sham	154
Cheese sauce warmer	136
Roast Beef Slicer Warmer	
Milk Shake Machine	38
Front cold drawers	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bayServerbucket	Chemical		30030030		
GrillbucketFrontLineBackSanitizerBucket	Chemical		0300300-400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 3</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation REPEAT OBSERVATION Walk in cooler racks need cleaned, old food stuffs hanging from shelf</p>

ObservedNon-CriticalViolations

Total # 10

Repeated # 3

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

REPEAT OBSERVATION Tops of the cooking equipment need cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Back pan rack needs cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Fryer freezers need cleaned inside, crumbs

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Black carryout condiment holders needs cleaned inside

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Right side cabinets under the customer drink station needs cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Dry stock shelves need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Coving needs repaired in the back line

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Walk in cooler floor needs repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Several ceiling vents need cleaned in the unit.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS


REPEAT OBSERVATION Floors behind and under equipment. including walkins

Inspection Outcome

Comments

Disclaimer

Person in Charge



Jesse Shifflett

Sanitarian



Glenn GCO Ondick