

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Moose	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 593 North Washington St Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date January 25, 2019	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Freezer	8
Walk-In Cooler	31
Freezer	12
Cooler	41
Freezer	2.5
Freezer	-3
Cooler	41
Bar Cooler	41

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 4
Repeated # 0
 4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Food residue in microwave. Corrective Action(s):
 4-602.13 - NONFOOD CONTACT SURFACES Observation: Walk-In cooler shelves need cleaned. Corrective Action(s):
 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Kitchen walls need cleaned. Corrective Action(s):

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

Observation: Hood vents need cleaned.

Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian

Tim Zeigler