## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/05/2011 Revised On 01/05/2011

#### 1 Identification of the substance and manufacturer

Trade name: STRIPE BLUE FLUORESCENT

Product code: 0000160669

Manufacturer/Supplier: SEYMOUR OF SYCAMORE

917 Crosby Avenue Sycamore, IL 60178

(815)-895-9101, www.seymourpaint.com

Emergency telephone number: CHEMTEL 1-800-255-3924, 813-248-0585 \*if located outside the U.S.\*



## 2 Composition/information on ingredients

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions

	Chomical Decemplication	This product is a mixture of the odbotanece hoted below with hormazardous additions.	
ſ	Dangerous components:		
Γ	64742-89-8 VM&P Naphtha		18.1%
Γ	74-98-6 propane		17.0%
Γ	1317-65-3 Calcium Carbonate		15.52%
Γ	106-97-8 n-butane		9.99%
	64742-47-8 Mineral Spirits		4.77%

#### 3 Hazards identification

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

X Irritant

Irritating to respiratory system and skin.

Extremely flammable

Extremely flammable. Hazard Information: Extremely flammable liquid and vapor. Keep away from heat, sparks, and flame.

Risk phrases: Extremely flammable.

Irritating to respiratory system and skin.

Safety phrases: Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe gas/fumes/vapour/spray.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point

If swallowed, seek medical advice immediately and show this container or label. Use only in well-ventilated areas.

Special precautions: Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation. May cause permanent brain and nervous system damage. Repeated overexposure can also damage kidneys, lungs, Effects of chronic overexposure:

liver, heart, and blood. Intentional misuse by deliberately inhaling the contents may be harmful or fatal.

Classification system: NFPA ratings (0 - 4):

Health-Flammability-

Reactivity-

HMIS-ratings (0 - 4): Health-Flammability-Physical Hazard-

## 4 First aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.
Remove contaminated clothing. Wash exposed area with soap and water. After skin contact: Rinse opened eye for several minutes under running water. Then consult a doctor. Contact physician or poison control center. After eye contact: After swallowing:

## 5 Firefighting measures

CO2, sand, extinguishing powder, or water spray. No further relevant information available. **Extinguishing agents:** 

Special hazards:

Protective equipment: No special measures required.

## 6 Accidental release measures

Wear protective equipment. Keep unprotected persons away. Personal safety procedures: **Environmental precautions:** Do not allow product to reach sewage systems or ground water.

Additional precautions: Ensure adequate ventilation.

## 7 Handling and storage

Storage requirements:

Fire/explosion protection: Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do

not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Do not smoke. Protect from electrostatic discharges.

Observe préssurized container storage regulations. Consult with your local authorities.

## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/05/2011 Revised On 01/05/2011

Trade name: STRIPE BLUE FLUORESCENT

(Contd. of page 1)

## 8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

74-98-6 propane

EL 1000 ppm EV 1.000 ppm

106-97-8 n-butane

EL Short-term value: 750 ppm Long-term value: 600 ppm EV 1.900 mg/m³, 800 ppm

64742-47-8 Mineral Spirits

EL 200 mg/m<sup>3</sup> Skin

Hygienic protection:

Keep away from foodstuffs and animal feed. Wash hands after use.

Breathing equipment:

A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.

Hand protection: Protective gloves

Protective gloves. The glove material has to be impermeable and resistant to the substance. No glove recommendation can be given.

Eye protection: Tightly sealed goggles

## 9 Physical and chemical properties

Odor: Aromatic

pH-value: Boiling point: Not determined. -44°C (-47°F) Flash point: -19°C (-2°F) Ignition temperature: 365°C (689°F)

Auto igniting: Product is not self-igniting.

Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: Upper Explosion Limit: 1.7 Vol % 10.9 Vol %

Specific Gravity: Between 0.77 and 0.85 (Water equals 1.00)

VOC content: 515.6 g/l / 4.30 lb/gl

VOC content (less exempt solvents): 50.2 % Water: 22.7 % MIR Value: 0.56 Solids content: 26.0 %

Other information No further relevant information available.

## 10 Stability and reactivity

Conditions to avoid: Do not allow the can to exceed 120 degrees Fahrenheit. Stable at normal temperatures.

Hazardous reactions: No dangerous reactions known.

Hazardous decomposition: No dangerous decomposition products known.

#### 11 Toxicological information

Skin effects: No irritant effect. Eve effects: No irritating effect.

Sensitization: No sensitizing effects known.

#### 12 Ecological information

Aquatic toxicity: Hazardous for water, do not empty into drains.

#### 13 Disposal considerations

DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

## 14 Transport information

Hazard class: Identification number: N/A Label 2.1 TDG class: 5F Gases UN-Number: 1950 1950 AEROSOLS

UN proper shipping name: IMDG Class: 2.1 Packaging group: EMS Number: īï

F-D,S-U Marine pollutant: ICAO/IATA Class: Nο 2.1

(Contd. on page 3)

# Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/05/2011 Revised On 01/05/2011

Trade name: STRIPE BLUE FLUORESCENT

Aerosols, Flammable Consumer Commodity ORM-D Proper shipping name:

(Contd. of page 2)

15 Regulatory information

CPSC: CANADIAN ENVIRONMENTAL PROTECTION ACT: WHMIS Symbols for Canada:

This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

Compressed gas

\*

IARC:

Group 2A: The ingredient is probably carcinogenic to humans.
Group 2B: The ingredient is possibly carcinogenic to humans. There is limited evidence of carcinogenicity.

Group 3: The ingredient is unclassifiable as to its carcinogenicity to humans.

NTP (National Toxicology Program)

None of the ingredients is listed.

Hazard symbols:

Irritant

Extremely flammable

Special labeling of certain preparations:

Do not spray on a naked flame or any incandescent material. Buildup of explosive mixtures possible without sufficient ventilation. Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

Water hazard class:

Abbreviations and acronyms:

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) IMDG: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances WHMIS: Workplace Hazardous Materials Information System (Canada)