



West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 1
CORE: 18

PRIORITY FOUNDATION: 1
TOTAL: 20

ESTABLISHMENT: Dollar General Kearneysville PERMIT NO.: _____ DATE: 2/11/2020
 ADDRESS: 2941 Charles town Rd CITY: Martinsburg/Kearneysville STATE: WV ZIP: 25430
 PERSON IN CHARGE/TITLE: X Barbara Cruse TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X [Signature] SANITARIAN (SIGNATURE): [Signature] R.S.
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 9:45 am.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
✓			6-501.12	Men's bathroom needs cleaned (Ceiling Vent/toilet/floor)
			6-501.11	Men's toilet needs repaired (tank lid cracked)
✓			6-501.12	Women's bathroom needs cleaned.
			6-501.11	Walls in hallway with water Abundant need repaired (holes/scrapes)
			6-501.12	Dumpster Area needs cleaned + organized.
			4-602.13	Dairy cooler in back storage needs cleaned.
			4-501.11	True Freezer in back storage needs defrosted (Doors will not open)
✓			6-301.12 PF	Paper Towels needed in men's bathroom.
			4-602.13	Inside of Ice Cream Freezer needs cleaned (sales floor) cardboard not approved.
			4-501.11	Basket on Ground Beef/Fish stick Freezer needs replaced (Torn)
			4-602.13	Inside of all refrigeration/Freezers on sales floor needs cleaned.
			6-501.11	Bulbs in Milk/Egg coolers need repaired/replaced
			4-602.13	Water shelving needs cleaned. Include Coca-Cola shelving.
			4-602.13	Potato Chip shelving needs cleaned (Bottom)
✓	✓		3-501.18	Donuts with Sell By Date of Feb 3, 2020 (mini Glazed)
			4-501.11	Vent on PIZZA Freezer needs repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Dairy Cooler (Back)	40°						
Egg Cooler	39°						
Milk Cooler	40°						

