

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Food Lion-Bakery/Deli	Facility Type Food Service Establishment	
Licensee Name Food Lion #1167	Facility Telephone # 304	
Facility Address 4803 Gerrardstown Rd Inwood , WV	Licensee Address 4803 Gerrardstown Rd Inwood , WV 25428	
Inspection Information		
Inspection Type Routine	Inspection Date 12/14/2018	Total Time Spent 2.72

Equipment Temperatures	
Description	Temperature (Fahrenheit)
cheese island	39
open case	40
walkin	38
deli case	40
cake case	31
frozen cake case	26
chicken hot hold	143

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkbottles	chemicalchemical				300

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Clear bag of baloney, no date

Observed Non-Critical Violations

Total # 9

Repeated # 0

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

OBSERVATION: Outside and in the internal hood system of the chicken rotisserie oven needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Speed rack needs cleaned in the bakery

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside several shelves, need cleaned, especially along the edges and behind boxes

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Dunnage racks need cleaned in the walk in cooler

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors in the walk in freezer need cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors need cleaned in corners and under equipment.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Mop sink caulking needs mold cleaned under caulking and then repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors in the walk in cooler need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Inside the bakery oven hoods need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



jesse wyand

Sanitarian



Glenn GCO Ondick