

**West Virginia Department of Health  
& Human Resources  
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Sheetz West King Street	Facility Type Food Service Establishment	
Licensee Name Sheetz Inc.	Facility Telephone # 304 263-0516	
Facility Address 1617 West King St Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 09/11/2017	Total Time Spent 1.42

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	36
Grab-N-Go	39
Grab-N-Go 2	39
Milk	40
French Vanilla Creamer	38
Beverage Air Prep	36
Meatballs	151
Hot Dogs	154
Beverage Air Right	36
Beverage Air Left	35
Ice Cream Base Refrigerator	37
Half & Half	40

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySink	Chemical		300	Quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b>ObservedNon-CriticalViolations</b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>4-602.13 - NONFOOD CONTACT SURFACES</b>
<b>OBSERVATION:</b> Backside ledge of whole milk/Half & Half machine need cleaned (mold)
<b>4-602.13 - NONFOOD CONTACT SURFACES</b>
<b>OBSERVATION:</b> Gaskets on pull out drawers by fryer need cleaned

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



**Scott Johnson**

Sanitarian



**Keith Allison**