

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Weis Market- Meat Dept.	Facility Type Food Service Establishment	
Licensee Name Weis Markets Inc.	Facility Telephone # 304 263-1515	
Facility Address 1102 N Queen Square Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 06/19/2017	Total Time Spent 2.32

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Meat room	49
Walk in cooler	36
Beef cooler	
chicken cooler	
Pork cooler	
Deli cooler	
Fish cooler	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink,	chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 3 4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS <i>This is a critical violation</i> OBSERVATION: Seafood sharp kitchen knife and scissors needs cleaned</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): Meat sharp kitchen knives need recleaned</p>

ObservedNon-CriticalViolations

Total # 13

Repeated # 3

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Long stainless steel shelf needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Seafood wrapping machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Seafood spice shelf needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Corner speed rack and carts need cleaned, dust

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Meat wrapping machine needs exterior cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Floor freezers needs cleaned on the bottom

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Coving needs repaired in the corner close to the walk in door

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Metal supports and lower woodwork needs repainted, chipping.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Dunnage racks in the walk in cooler needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor needs cleaned in the meatroom.and the walkin cooler

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Walk in door and surrounding area needs cleaned, mold

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Seafood microwave shelf needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Lower walls in the walk in cooler needs cleaned

Inspection Outcome

Comments

Person in Charge



Gary Sowers

Sanitarian


Glenn GCO Ondick