SF-1
Rev 3/08

West Virginia Department of Health & Human Resources
Berkeley Co. Department of Health

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 **NONCRITICAL** 0 **TOTAL** 0

ESTABLISHMENT: Firehouse Subs	**PERMIT NO.:**	**DATE:** 4-1-19	
ADDRESS: 886 Foxcroft Ave	**CITY:** Martinsburg	**STATE:** WV	**ZIP:** 25401
PERSON IN CHARGE/TITLE: X Natalie Hobby		**TELEPHONE:** 681-247-2823	
RECEIVED BY (SIGNATURE): X N Hobby		**SANITARIAN (SIGNATURE):** Cara Harding RS	
INSPECTION TYPE: ROUTINE ☐ FOLLOW-UP ☐ COMPLAINT ☒ OTHER: Final		**TIME:** 1:30 PM	

Corrected	Critical	Repeat	Code Reference	Violation Description/Remarks/Corrections
				- No violations noted
				Permit issued. Okay to open and operate.
				- Ensure that dumpster lids are replaced

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Walk-in	39	Subs True	40°				
Freezer	-7	3 door	32				
Dishwasher	100	2 door	30°				
True	36°	Soup well	156°				