

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name King Street ROCS and SUBWAY	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 264-1469	
Facility Address 1619 W King St Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 12/13/2018	Total Time Spent 1.55

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Bev. Air cooler 2 door	41
Walk in cooler	38
Half and half machine	39
Sandwich bar left	40
Sandwich bar right	41
back bain cooler	
Subway cooler front	39

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Subway soups	143
Meatballs	139

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sanitizerfrontarea- rocsFrontbucket3 baysink	chemicalchemch em		300300-4 00	quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 4**

**Repeated # 1**

**2-301.14 - WHEN TO WASH**

**This is a critical violation**

**OBSERVATION:** Employee observed not washing hands before cleaning the windows above the food in the Subway area

**2-401.11 - EATING, DRINKING, OR USING TOBACCO**

**This is a critical violation**

**OBSERVATION:** Employee eating in the Subway area right before picking up a towel and wetting it in the handsink

**4-703.11 - HOT WATER AND CHEMICAL**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** No sanitizer buckets in the Subway area to sanitize areas with

**5-204.11 - HANDWASHING FACILITIES - CONVENIENT USE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Handwashing sink in the Subway has a lid and wet cleaning cloth sitting in, while employee observed washing her hands

**Observed Non-Critical Violations**

**Total # 3**

**Repeated # 1**

**4-502.11 - GOOD REPAIR AND CALIBRATION**

**OBSERVATION:** Drystock shelves need repaired, rust

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Buscart needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Floors need cleaned behind and under equipment and in the Subway closet

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**charlotte smith**

Sanitarian



**Glenn GCO Ondick**