

## Supplemental Label

# Headline<sup>®</sup>

SC fungicide

ACCEPTED  
FOR REGISTRATION

11/11/11

DOC ID 529070

New York State Department  
of Environmental Conservation  
Division of Solid & Hazardous Materials  
Pesticide Product Registration

This label expires on June 13, 2014

### For use in sorghum

#### Active Ingredient\*:

pyraclostrobin: (carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl] methoxy-, methyl ester) ..... 23.3%

Other Ingredients:..... 76.7%

Total: ..... 100.0%

\*Equivalent to 2.08 pounds of pyraclostrobin per gallon.

EPA Reg. No. 7969-289

### Directions For Use

Refer to the Headline<sup>®</sup> SC fungicide main label, EPA Reg. No. 7969-289, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this supplemental label, the user must have this label and the entire Headline SC container label in possession at the time of pesticide application.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### Product Information

Headline SC provides optimum disease control when applied in a regularly scheduled protective fungicide program and used in a spray program that rotates fungicides with different modes of action. Refer to the Headline SC main label for general resistance management information and to the Headline SC Crop-specific Requirements table found in this label.

### Application Instructions

Apply Headline SC according to the rates, timing and resistance management instructions in the Headline SC Crop-specific Requirements table in this label.

Headline SC may be applied by ground sprayer, aerial equipment or through sprinkler irrigation systems. Refer to the Headline SC main label for specific instructions on these methods.

### Restrictions and Limitations

Headline SC is not for use in greenhouse or transplant production systems.

**DO NOT** enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

**No aerial application in New York State except as permitted under FIFRA Section 24(c), Special Local Need Registration.**

**Headline<sup>®</sup> SC fungicide Crop-specific Requirements**

Crop	Target Disease	Product Rate per Application (fl ozs/A)	Maximum Number of Sequential Foliar Applications	Maximum Product Rate per Season (fl ozs/A)	Minimum Time from Application to Harvest (PHI) (days)
Sorghum	Anthracnose <i>Colletotrichum graminicola</i>  Gray leaf spot <i>Cercospora</i> spp.  Northern leaf blight <i>Exserohilum turcicum</i>  Rust <i>Puccinia</i> spp.  Southern leaf blight <i>Bipolaris</i> spp.	6 to 12	1	12 (0.20 lb ai/acre)	Apply no later than 25% flowering

**Application Directions.** Begin **Headline SC** applications prior to disease development.

Use the higher rate when disease pressure is high.

Under high disease pressure for Northern leaf blight and Southern leaf blight, apply 9 to 12 fl ozs per acre.

**Resistance Management.** To limit development of resistance, **DO NOT** apply more than 0.20 lb ai/acre pyraclostrobin (12 fl ozs of **Headline SC**) per acre per season.

**DO NOT** make more than one (1) **Headline SC** application per season. If additional fungicide applications are needed, use a labeled **non-Group 11** fungicide with a different mode of action.

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.**

**TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.**

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

*Headline is a registered trademark of BASF.*

©2011 BASF Corporation  
All rights reserved.

007969-00289.20110202b.NVA 2010-04-340-0187

Based on: NVA 2010-04-340-0200

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709



The Chemical Company