



Shadow  
600

  
ben pearson<sup>®</sup>'78

# shadow™ 600

## 3-piece td self-compensating 6-wheel compound

Ben Pearson's Shadow 600 is archery's most advanced uncomplex compound. It combines two-wheel simplicity with high-speed four-wheel performance.

The Shadow 600 is designed with trophy-taking speed and stability in mind. As the archer draws the bow, its exclusive "Hyper-Flex" limbs are pulled from two different points on the limb, greatly multiplying the bow's stored energy force. On release, the archer is not only rewarded with increased speed, but with a flatter trajectory that assures greater accuracy and rock solid stability.

No fine tuning is required. The Shadow 600's self-compensating design keeps the bow in perfect balance — unaffected by "string walking" or any other shooting style or method of release. The smooth cable rotation through the compensating wheels reduces the amount of stress and friction on both the cables and the bow string, lengthening their service life, insuring vertical alignment and reducing torque and eliminating cable/arrow interference.

The Shadow 600 has a precision die-cast magnesium riser, and laminated, interchangeable "Hyper-Flex" limbs. Its draw weight is adjustable, with your choice of 40 to 65 pounds. Draw weight changes and tiller adjustments are accomplished with just a few turns of the master weight adjusting bolts.

### **Ben Pearson Shadow 600**

Length: 44". (Measured axle to axle)

Adjustable draw weights: 40-50, 45-55, 50-60, or 55 to 65 lbs.

Let-off at full draw: 30% ± 3%.

Draw lengths: 28"-29", 30", 31".

String (brace) height: 10-1/2" to 10-3/4".

String length: 40". Dacron® with black monofilament center serving.

Riser: Die-cast magnesium with polyester powder coat finish.

Riser length: 24". Tapped for three stabilizers, bow quiver, bow sight and cushion plunger. Non-slip contoured grip of molded vinyl.

Sight window: Length: 7". Recessed 1/4" past center for proper arrow rest. Cable clearance (Lateral distance from string to cable at nocking point): 1/2".

Cam Size: 1-7/8", 2", 2-1/8".

Limbs: Interchangeable, laminated "Hyper-Flex" limbs with maple cores and black Pearsonite Fiberglass.

Bow weight: 4 lbs. 2 oz.

Shipping weight: 5 lbs.

*Specify draw length, adjustable weight and right or left hand.*

Licensed under Allen patent No. 3,486,495.





**shadow™ 300**

## 3-piece td high-performance adjustable, 2-wheeler

Speed, accuracy, adaptability, dependability. This Ben Pearson Compound has it all. You can adjust the Shadow 300's draw weight with just a few quick turns of the master weight adjusting bolts. A let-off of approximately 45% at full draw lessens arm fatigue and lets you hold steadier for a longer time.

The Shadow 300's self-compensating limb design keeps the bow in balance at all times. There is absolutely no complicated tuning procedure, and the balance is completely unaffected by any shooting style or type of release.

The Shadow 300's precision die-cast magnesium riser carries light, yet has amazing strength. Its polyester powder coat finish defies corrosion, grease, acids, alkalines and other solvents. The interchangeable, laminated "Hyper-Flex" limbs have tapered maple cores and store a tremendous amount of energy — energy you need to cast hefty broadheads in a flat, fast and accurate trajectory. Should a limb suffer accidental damage, you can easily replace it.

A removable, non-slip contoured grip of molded vinyl snaps on and off in a jiffy, and provides comfort and control.

### **Ben Pearson Shadow 300**

41-3/4". (Measured axle to axle)

Adjustable draw weights: 35-45, 40-50, 45-55, 50-60, or 55 to 65 lbs.

Let-off at full draw: 45% ± 3%.

Draw lengths: 28"-29", 30"-31".

String (brace) height: 9-7/8" to 10-1/4".

String length: 36". Dacron® with black monofilament center serving.

Riser: Precision die-cast magnesium with polyester powder coat finish. Length: 20".

Tapped and drilled for 5/16" x 24" stabilizer and cushion plunger. Indented for 4 holes to accommodate sight and quiver.

Removable non-slip contoured grip of molded vinyl.

Sight window: Length: 4-1/2". Recessed 1/4" past center for proper arrow rest.

Cable clearance (Lateral distance from string to cable at nocking point): 1/2".

Cam size: 2" and 2-3/8".

Limbs: Interchangeable "Hyper-Flex" laminated limbs with tapered maple cores.

Bow weight: 3 lbs. 9 oz.

*Specify draw length, draw weight, and right or left hand.*

Licensed under Allen patent No. 3,486,495.

# shadow™ 100

## 3-piece td adjustable 2-wheeler

This streamlined, three-piece take-down is engineered to provide maximum performance with a minimum of maintenance. Virtually "goof-proof", it is always in balance. Self-compensating fiberglass limbs are unaffected by any shooting style or method of release.

The Shadow 100's draw weight is adjustable, with a few quick turns of the master weight adjusting bolts. And you enjoy a let-off of approximately 45% at full draw.

The Shadow 100's precision die-cast magnesium riser is strong, yet packs light, and has a polyester powder coat finish that is impervious to corrosion, grease, acids, alkalines and other solvents. Interchangeable limbs are Pearsonite reinforced poly fiberglass. A removable, non-slip contoured grip of molded vinyl snaps on and off and helps protect bow hand when the weather is cold.

### **Ben Pearson Shadow 100**

Length: 41-3/4". (Measured axle to axle)

Adjustable draw weights: Adjusts from

40-50, 45-55, 50-60 or 60 to 65 lbs.

Let-off at full draw: 45% ± 3%.

Draw lengths: 28"-29", 30"-31".

String (brace) height: 9-7/8" to 10-1/4".

String length: 36". Dacron® with black monofilament center serving.

Riser: Precision die-cast magnesium with

polyester powder coat finish. Length: 20".

Tapped and drilled for 5/16" x 24" single stabilizer and cushion plunger. Indented for 4 holes to accommodate sight and quiver.

Removable non-slip contoured grip of molded vinyl.

Sight window: Length: 4-1/2". Recessed

1/4" past center for proper arrow rest.

Cable clearance (Lateral distance from

string to cable at nocking point): 1/2".

Cam size: 2" and 2-3/8".


Limbs: Interchangeable. Pearsonite reinforced poly fiberglass.

Bow weight: 3 lbs. 9 oz.

Shipping weight: 4 lbs. 7 oz.

*Specify draw length, draw weight, and right or left hand.*

Licensed under Allen patent No. 3,486,495.





**our newest,  
full value  
self-compensating  
2-wheel compound**

The new Ben Pearson Mirage is no illusion. It's the real thing. It's one compound you can count on for a good turn. Like many of our new uncomplex compounds, the Mirage features a precision die-cast magnesium riser, and self-compensating, interchangeable, Pearsonite fiberglass limbs. No fine tuning is required.

In 50 pound fixed draw weight, it features a let-off of approximately 45% at full draw, and a price tag that's hard to match.

The Mirage has been thoroughly tested — from design, to engineering, to actual field trials. And it has proven it can perform. With exceptional speed, stability and quietness. If you have visions of higher sales at a lower investment, the Mirage is the compound you've been looking for. The compound that pays its own way.

**Ben Pearson Mirage No. 999-0**

Length: 45-1/2". (Measured axle to axle)  
Draw weight: Fixed: 50 lbs.  
Let-off at full draw: 45% ± 3%.  
Draw lengths: Up to 30-1/2".  
String (brace) height: 9-1/4".  
String length: 40".  
Riser: Precision die-cast magnesium with polyester powder coat finish.  
Length: 26". Drilled for cushion plunger button, side mount sight and bow quiver.  
Limbs: Self-compensating Pearsonite fiberglass.  
Sight window: 8-1/8". Recessed 1/4" past center for proper arrow rest.  
Cable clearance (Lateral distance from string to cable at nocking point): 1/2".  
Bow weight: 3 lbs. 7 oz.  
Shipping weight: 4 lbs. 5 oz.  
*Specify draw length.*  
Right hand only.

Licensed under Allen patent No. 3,486,495.

# model 250™

## 4-wheel compound with unexcelled speed

The Ben Pearson Model 250 Compound retains all the beauty and feel of a traditional one piece bow, while providing extraordinary speed, great stability and quietness.

In tests conducted by a leading independent research organization, the 250 delivered more foot/pounds of energy, and thus, more speed than comparative models of four major compound bow manufacturers. Clocked at 226 feet per second, no other compound tested could equal its velocity. The Model 250 with its exclusive "Hyper-Flex" limbs, topped them all — by as much as 23 feet per second.

The Model 250's turnbuckle tuning is simple and uncomplicated, requiring no special tools, no special knowledge of physics or mechanics. It's factory tuned and tested before it ever reaches your hands. And you keep it in tune with a simple turnbuckle adjustment.

In the Ben Pearson Model 250 Compound you get speed, quietness, simple turnbuckle tuning, and true, handcrafted beauty.

### **Ben Pearson Model 250 Compound**

Bow length: 47". (Measured axle to axle)

Draw weights: 45, 50, 55 and 60 lbs.

Let-off at full draw: Approx. 25%.

Draw lengths: 28", 29", 30", 31".

String (brace) height: 8-1/2".

String length: 40".

Sight window: Length: 5-1/2". Cable clearance (Lateral distance from string to cable at nocking point): 7/16".

Cam size: 2" and 2-1/4".

Flexible arrow rest.

Limbs: Exclusive "Hyper-Flex" laminated working limbs. Gordon fiberglass.

Handle: Hand finished Pearson Marblewood.

Tapped for stabilizer. Cushion plunger bushing installed.

Bow weight: 4 lbs. 2 oz.

Shipping weight: 5 lbs.

*Specify draw length, draw weight and right or left hand.*

Licensed under Allen patent No. 3,486,495.





## model 210™

### adjustable weight 2-wheel compound

The Ben Pearson Model 210 Compound provides the economy-conscious archer with all the advantages of compound design, including an adjustable draw weight range of 15 pounds (from 45 to 60), with a single screw adjustment. At full draw, you will enjoy a let-off, or weight relaxation, between 40 and 50%.

It's two-wheel design eliminates any need for fine tuning. Since the cables are anchored at the limb tips, the drawing force is always equalized, and is unaffected by any shooting style or method of release.

Ben Pearson's Model 210 Compound is handcrafted from Pearson Marblewood to give a traditional look and feel, plus maximum one piece stability. Non-slotted "Hyper-Flex" laminated limbs are stronger and faster than comparable models. When ordering, specify draw length and right or left hand.

## model 200™

### fixed weight 2-wheel compound

The same quality craftsmanship and high-performance features as the Model 210 Compound, but with a fixed draw weight of 40, 45, 50, 55 or 60 pounds. Specify draw weight, draw length, and right or left hand.

#### **Ben Pearson Model 210 Adjustable Weight Compound and Ben Pearson Model 200 Fixed Weight Compound**

Bow length: 42-1/2". (Measured axle to axle)

Model 210 (Adjustable Draw Weight). Adjustable from 45 to 60 lbs. Factory pre-set at 45 lbs.

Let-off at full draw: Approx. 45%.

Model 200 (Fixed Draw Weight).

Choice of 40, 45, 50, 55 or 60 lbs.

Let-off at full draw: Approx. 45%.

Draw lengths: 27"-29" and 29"-31".

String (brace) height: 9-3/4".

String length: 38".

Sight window: Length: 6-1/2". Cable clearance (Lateral distance from string to cable at nocking point): 1/2".

Cam size: 2" and 2-3/8".

Flexible arrow rest.

Limbs: Exclusive "Hyper-Flex"

Non-slotted laminated limbs.

Handle: Hand finished Pearson Marblewood.

Bow weight: 3 lbs. 15 oz.

Shipping weight: 4 lbs. 8 oz.

*When ordering Model 210, specify draw length and right or left hand.*

*When ordering Model 200, specify draw length, draw weight and right or left hand.*

Licensed under Allen patent No. 3,486,495.

# fiberglass bows & sets

## No. 3360-0 Hunting Bow

Big bow power concentrated in a 52" bow.  
Shoots right or left-handed.  
Camo green color.  
Length: 52"  
Draw weights at 28": 45 & 50 lbs.  
String (brace) height: 7½" to 8½"  
Handle: Injection-molded heavy-duty vinyl.  
Limbs: Full working recurve.  
String: Serv-Weld custom Dacron®, pre-stretched and pre-waxed.  
Shipping weight: 3 lbs.  
*Specify draw weight.*

## No. 3350-0 Hunting & Field Bow

For bagging game or backyard fun, this sleek 60" bow gives you great dual performance.  
Shoots right or left-handed.  
Draw weights at 28" range from 25 to 45 lbs.  
Shipping weight: 1 lb. 4 oz.  
*Specify draw weight.*

## No. 3810-3 Barracuda™ Hunting Set

Gets you off to a good start, with all the essential equipment required for enjoyable bowhunting.  
Set includes:  
No. 3350 60" fiberglass bow in 45 lb. draw weight with custom Dacron® string.  
3-29" cedar hunting arrows, color band and crest.  
Bow quiver, Armguard.  
Leather shooting tab.  
16" leopard target face.  
Ben Pearson's booklet, "Secrets of Successful Bowhunting".  
Shipping weight: 4 lbs.

## No. 3820-3 Big Ben® Target Set


The family fun set. For right or left-handed archers. in 25 to 35 lb. draw weights.  
Set includes:  
No. 3350 60" fiberglass bow.  
4 28" cedar target arrows, clear dipped with color crests.  
Belt quiver, Armguard.  
Leather shooting tab. 16" 4-color target face.  
"How To Shoot" booklet.  
Shipping weight: 3 lbs. 3 oz.

## No. 3340-0 Camp And School Bow

A rugged, straight limb bow that handles easily on the range. 60" in length. Available in 20, 25, 30 and 35 lb. draw weights at 28". For either right or left-handed archers.  
Shipping weight: 1 lb. 4 oz.  
*Specify draw weight.*

## No. 3800-3 Wolverine™ Hunting Set

A complete set for the beginning bowhunter.  
Set includes:  
No. 3360 52" fiberglass bow in 45 lb. draw weight with custom Dacron® string.  
3-29" cedar hunting arrows, color band and crest.  
Bow quiver, Armguard.  
Leather shooting tab. 16" leopard target face.  
Ben Pearson's booklet, "Secrets of Successful Bowhunting".  
Shipping weight: 5 lbs. 12 oz.





**No. 3330-0 Intermediate Bow**

A 54", semi-recurve bow for the right-handed shooter. This bow has a draw weight of approximately 25 lbs. at 29". Shipping weight: 1 lb.

**No. 3830-3 Buccaneer™ Hunting Set**

Ben Pearson's most economically priced complete hunting set. Equips the archer with all necessary tackle.

Set includes:  
No. 3360 54" fiberglass bow in 45 lb. draw weight.  
3 cedar hunting arrows.  
Bow quiver. Vinyl armguard.  
Leather shooting tab. 16" leopard target face.  
Ben Pearson's booklet, "Secrets of Successful Bowhunting".  
Shipping weight: 2 lbs. 12 oz.

**No. 3840-3 Li'l Ben 25® Target Set**

An intermediate target set for right-handed shooters. Not a toy. Set includes:  
No. 3330 54" fiberglass bow. Draw weight approximately 25 lbs. at 25".  
3-26" cedar target arrows with plastic Nock-Fletch™.  
Vinyl belt quiver. Vinyl armguard.  
Leather shooting tab. 16" 4-color target face.  
"How To Shoot" booklet.  
Shipping weight: 2 lbs. 8 oz.

**No. 3320-0 Junior Bow**


A light weight, 54" bow for beginning archers who want a little extra length. Shoots right or left-handed. Draw weight is approximately 20 lbs. at 24". Shipping weight: 8 oz.

**No. 3850-3 Li'l Ben 20® Target Set**

A complete junior target set. Bow accommodates either right or left-handed shooters. Not a toy. Set includes:  
No. 3320 54" fiberglass bow. Draw weight approximately 20 lbs. at 24".  
3-24" cedar target arrows with plastic Nock-Fletch™.  
Soft vinyl side quiver. Vinyl armguard.  
Vinyl shooting tab. 16" 4-color target face.  
Shooting instruction card.  
Shipping weight: 2 lbs.

**No. 3300-0 Beginner's Bow**

For the beginner. Shoots either left or right-handed. Bow length is 48". Draw weight is approximately 15 lbs. at 22". Shipping weight: 7½ oz.



**No. 3330-0 Intermediate Bow**

A 54", semi-recurve bow for the right-handed shooter. This bow has a draw weight of approximately 25 lbs. at 29". Shipping weight: 1 lb.

**No. 3830-3 Buccaneer™ Hunting Set**

Ben Pearson's most economically priced complete hunting set. Equips the archer with all necessary tackle.

Set includes:  
No. 3360 54" fiberglass bow in 45 lb. draw weight.  
3 cedar hunting arrows.  
Bow quiver. Vinyl armguard.  
Leather shooting tab. 16" leopard target face.  
Ben Pearson's booklet, "Secrets of Successful Bowhunting".  
Shipping weight: 2 lbs. 12 oz.

**No. 3840-3 Li'l Ben 25" Target Set**

An intermediate target set for right-handed shooters. Not a toy. Set includes:  
No. 3330 54" fiberglass bow. Draw weight approximately 25 lbs. at 26".  
3-26" cedar target arrows with plastic Nock-Fletch™.  
Vinyl belt quiver. Vinyl armguard.  
Leather shooting tab. 16" 4-color target face.  
"How To Shoot" booklet.  
Shipping weight: 2 lbs. 8 oz.

**No. 3320-0 Junior Bow**



A light weight, 54" bow for beginning archers who want a little extra length. Shoots right or left-handed. Draw weight is approximately 20 lbs. at 24". Shipping weight: 8 oz.

**No. 3850-3 Li'l Ben 20" Target Set**

A complete junior target set. Bow accommodates either right or left-handed shooters. Not a toy. Set includes:  
No. 3320 54" fiberglass bow. Draw weight approximately 20 lbs. at 24".  
3-24" cedar target arrows with plastic Nock-Fletch™.  
Soft vinyl side quiver. Vinyl armguard.  
Vinyl shooting tab. 16" 4-color target face.  
Shooting instruction card.  
Shipping weight: 2 lbs.

**No. 3300-0 Beginner's Bow**

For the beginner. Shoots either left or right-handed. Bow length is 48". Draw weight is approximately 15 lbs. at 22". Shipping weight: 7½ oz.



# ben pearson® hunting arrows

Manufactured to A.M.O. approved equipment and measuring standards



## Ben Pearson Switchblade® & Switch-On™ System

A superlative broadhead and the arrow-saving interchangeable point system that lets you switch from 4-blade to 2-blade head. Switch from broadhead . . . to blunt . . . to field point. Switch from aluminum . . . to fiberglass . . . to wooden shafts.

To order Switchblades® and Switch-On™ components, see "Points", Page 15.



### Switchblade® Specifications

Length: 2½". Width: 1¼"  
Auxiliary Blade Width: 1-1/16" Auxiliary Blade Angle: 50°  
Ferrule: Behind Blades. Does not interfere with penetration.  
Steel: 1075 spring hardened.  
Weight: 130 grains.

### A-Pearson-Easton Aluminum Hunting Arrows

Developed especially for the many trophy hunters who demand the finest. Unequaled uniformity of weight and spine. Anodized green finish blends with surroundings and is non-reflecting. 5" fletching. XX-80 arrows are precisely matched in 5 lb. spine increments, 45 to 65 lbs. 29", 30" and 31" lengths. Available only from Ben Pearson.

**No. 2695-1** (Half-Dozen) 29", 30" and 31". Switchblades® attached to Switch-On™ broadhead adapters.

**No. 2690-1** (Half-Dozen) 29", 30" and 31". With 3 attached and 3 unattached Switchblades® and 3 attached, 3 unattached 125 grain field points. Complete with Switch-On™ broadhead adapters.

**No. 2620-1** (Half-Dozen) 29", 30" and 31". With Switch-On™ inserts installed.

### B-Matched Woodsman Fiberglass

Combines the precise flight characteristics of fiberglass with complete camouflage. Olive drab shafts. 5" parabolic fletching. Matched in 5 lb. spine increments, 40 to 60 lbs. 29", 30" and 31" lengths.

**No. 2795-1** (Half-Dozen) 29", 30" and 31". With Switchblades® attached to Switch-On™ system.

**No. 2720-1** (Half-Dozen) 29", 30" and 31". With Switch-On™ inserts installed.

**No. 2789-1** (Half-Dozen) 29", 30". Deluxe shaft with Razorhead® and Switch-On™ system.

### C-Deluxe Matched Cedar

Finest, hand selected Port Orford cedar shafts. Painted full length. Color band crest. 5" parabolic fletching. Matched in spine and weight in 5 lb. increments for 40 to 60 lb. bows. Full length, 29" and 30" length. Specify arrow length and draw weight.

**No. 2385-1** (Half-Dozen) 29" and 30". With Switchblades®

### D-Camo Cedar Hunting Arrows

Economical Port Orford cedar arrows. A good quality arrow matched for 45 to 50 lb. bows in a 30" length. 5" parabolic fletching. Painted camo green.

**No. 2240-9** (4 Dozen Display) 30" length. With Arrowmate 4-blade head.

### E-Bow Fishing Arrow With Point

Durable solid glass shaft with rubber vanes. Has the weight to penetrate deeply into water. Two-color brush crest. Double-barbed harpoon point unscrews for easy withdrawal from fish.

**No. 2770-0** One per display pack.

# ben pearson® target & field arrows

Manufactured to A.M.O. approved equipment and measuring standards



## A-Deluxe Matched Cedar Field Arrows

Select Port Orford cedar shafts, painted full length, distinctive color band crest and hairline. 5" parabolic fletching. Matched in spine and weight in 5 lb. increments. Snap-On nocks. 125 grain tapered hole field points.

<b>No. 2120-1</b> (Half Dozen)	<b>Arrow Length</b>	<b>Bow Weight</b>
	29" length	40 to 60 lbs.
	30" length	40 to 50 lbs.

<b>No. 2120-2</b> (Dozen)	<b>Arrow Length</b>	<b>Bow Weight</b>
	28" length	40 to 60 lbs.
	29" length	40 to 60 lbs.

## B-Matched Cedar Field Arrows

Matched Port Orford cedar shafts with color band crest. 4" parabolic fletching. Matched in spine and weight in 5 lb. increments for 40 to 60 lb. bows. In 28" and 29" lengths. Snap-On nocks. 60 grain non-skid field points.

**NEW** **No. 2110-1** (Half-Dozen) 28" and 29". With non-skid parallel field points

## C-Camo Cedar Field Arrows

Tough, economical cedar arrows with 5" parabolic fletching. Indx. nocks and 125 grain tapered-hole field points. Painted camo green. For 45 to 50 lb. bows. 29" length.

**No. 2230-9** (4 Dozen Display) 29" length only

## D-Economy Cedar Field Arrows

Popular priced arrow for bows under 50 lbs. Colorful cresting with non-skid parallel field points. 4" fletch; 28" length.

**No. 2100-9** (4 Dozen Display) In 28" length only

## E-Pearson-Easton Aluminum Target Arrows

Easton aluminum tournament shafts, specially processed to Ben Pearson specifications. Matched within 5 grains. Distinctive brush cresting, 3" parabolic fletching. Snap-On nocks. *Specify arrow length and bow weight.*

<b>No. 2600-1</b> (Half-Dozen)	<b>Arrow Length</b>	<b>Bow Weight</b>
	26" length	25 to 35 lbs.
	28" length	30 to 50 lbs.

## F-Deluxe Port Orford Matched Cedar Target Arrows

The finest wood target arrow. Matched and spined in 5 lb. increments for bows 25 to 50 lbs. Bright color crest, 3" parabolic fletching. *Specify arrow length and bow weight.*

<b>No. 2070-1</b> (Half-Dozen)	<b>Arrow Length</b>	<b>Bow Weight</b>
	26" length	25 to 35 lbs.
	28" length	30 to 50 lbs.

## G-Select Target Practice Arrows

For bows under 40 lbs. Ideal for school and camp archery programs. Port Orford cedar shafts have colorful 3-band crest, 2 3/4" parabolic fletching. Cannot specify colors.

**NEW** **No. 2220-1** (Half-Dozen) Specify 26", 28" or 29" length.  
**No. 2220-5** (Half-Gross Display) Specify 26", 28" or 29" length. Shipped 2 dozen each of 3 different colors.

## H-Cedar Target Arrow With Nock-Fletch™

For bows under 40 lbs. Cedar shaft with parallel target point and one piece plastic Nock-Fletch™. A good choice for beginning and intermediate archers. Packed all 28", or in standard pack of one-half 26" and one-half 28".

**No. 2210-5** (Half-Gross Display)

# targets & cases



## Standard 4-Color Target Faces On Heavy Tag

**No. 9190-0**  
48" diameter. Shipping weight: 12 oz.

**No. 9180-0**  
36" diameter. Shipping weight: 8 oz.

**No. 9170-9** 24" diameter.  
Shipping weight: 9 oz. (2 per package)

**No. 9210-9** 16" diameter.  
Shipping weight: 9 oz. (4 per package)



## 4-Color Skirted Heavy Tag

**No. 4910-0** 48" dia. Shipping weight: 1 lb.

**No. 4810-0** 36" dia. Shipping weight: 8 oz.

**No. 4710-0** 24" dia. Shipping weight: 2 oz.

## 4-Color Skirted Vinyl

**No. 4135-0** 48" dia. Shipping weight: 22 oz.

**No. 4125-0** 36" dia. Shipping weight: 12 oz.

**No. 4115-0** 24" dia. Shipping weight: 6 oz.




## Do-It-Yourself Target

**No. 9100-0** Heavy corrugated paper box with a four-color target face printed on both sides. Fill with paper or straw, tightly packed, or newspapers packed flat. Close with gummed tape. An inexpensive target for juniors and beginners using light-weight bows. Shipping weight: 1 lb. 4 oz.



## Corrugated Cardboard Target

**No. 9450-0** Thick layers of rugged, lightweight corrugated cardboard, in a full-sized 4-color target face. May be used satisfactorily with bows up to 40 lbs. in draw weight. Sold in multiples of 2 only. Shipping weight: 5 lbs.



## Full Color Animal Target Faces

Natural, lifelike, printed on heavy stock . . . with scoring circles and aiming spots. Packed in poly bags.

**No. 9273-9**  
24" Deer. Shipping weight: 3 oz. (2 per package)

**No. 9263-9**  
18" Fox. Shipping weight: 1 oz. (3 per package)

**No. 9253-9**  
12" Bobcat. Shipping weight: 1 oz. (3 per package)

**No. 9243-9**  
6" Squirrel. Shipping weight: 3 oz. (8 per package)



## Deluxe Metal Stand

**No. 4380-0** A sturdy tripod with adjustable brackets for large or small targets. Mat locks hold target securely in place, even when moving. Rubber tips on legs permit use on indoor floors. Shipping weight: 2 lbs.



## Target Face Pin

Holds face flat and firmly in the proper position. Prevents loss and damage. Essential to target and field courses.

**No. 4530-9**  
Card of 4 pins. Shipping weight: 2 oz.



## Target Display Assortment

Sturdy, convenient corrugated display rack is free with total assortment order. Shipping weight: 17 lbs.

**No. 9290-9**  
24", 4-color faces. (12 packages of 2)  
16", 4-color faces. (8 packages of 4)  
24", Deer faces. (12 packages of 2)  
12", Bobcat faces. (10 packages of 3)  
18", Fox faces. (10 packages of 3)  
6", Squirrel faces. (8 packages of 8)

**NEW**

## A. No. 8565-0 Deluxe Compound Bow Case

Professional quality case has a green expanded vinyl exterior with thick padding and protective lining. Nylon coil Y.K.K. zipper. Has strong, wrap-around handle and name card holder. 53 inch length will handle bows with bow quivers attached. Can also be used as a strung bow case for conventional bows.

**NEW**

## B. No. 8555-0 Camo Compound Bow Case

Light weight green and brown camouflage vinyl with Velcro® closure. Permits compound bows to be carried legally without loosening tension on limbs. Will accommodate all compound or conventional bows up to 53 inches in length.

**NEW**

## C. No. 8545-0 Compound Bow Case

Light weight green vinyl case. Ideal for carrying strung bow into the field. Protects bow from scratches and weather. Has Velcro® closure. Accommodates compound or conventional bows up to 53 inches in length.

## D. No. 8510-0 Flannel Bow Case

Strong, soft flannel with vinyl top and bottom. String tie, pocket on flap for carrying extra bow string. Accommodates conventional bows up to 68 inches in length.



A



B



C



D


# armguards, tabs & gloves

For men, women and young archers



**No. 8675-0 Full Length Armguard**


Quality split leather, with soft suede lining and four adjustable arm straps. Protects the entire forearm and holds shirt out of way.



**NEW**

**No. 8625-0 Camo Ventilated Armguard**

Camo patterned expanded vinyl with comfortable suede-like backing. Has three, full length spring steel stays. Affords maximum ventilation and protection. Features two adjustable elastic straps with Velcro® fasteners. Length: 7 inches.



**No. 8665-0 Vented Armguard With Velcro® Fastener**

Long-lasting black leather, with soft suede lining. Fastens securely at the touch. Vented for hot weather comfort. Three spring steel stays. Adjustable straps.



**NEW**

**No. 8635-0 Camo Hunting Armguard**

Green camo pattern expanded vinyl armguard has a split leather backing and a steel center section for rigidity. Holds bulky hunting clothes out of the way for fast, silent shooting. Length: 7 inches. Three adjustable elastic straps.



**No. 8660-0 Hunting Armguard**

Heavy-duty with adjustable arm straps. Concealed fiber stay. Black vinyl, lined with soft suede.



**No. 8690-0 Skeleton Armguard**

The ideal, all-purpose armguard. Provides maximum protection. Strong, brown vinyl, with concealed fiber center stay. Soft vinyl lining, two adjustable elastic straps.



**No. 8655-0 Standard Armguard**

Good protection for a moderate price. Sturdy, brown vinyl. Two adjustable elastic arm straps.


**No. 8695-0 Kant-Pinch Hair Tab**

Double thick. Cordovan leather with calf hair face. Snaps in place. Has special finger divider to prevent arrow from pinching. Ideal for heavy hunting bows. Specify right or left hand, S-M-L.



**No. 8710-0 "Easy-On" Finger Tab**

Long-wearing, top grain leather release aid gives the right combination of pliability and protection. Fits right or left hand. S-M-L.



**No. 8715-0 Standard Tab**

Tough, smooth leather protection in a tab that fits right or left-handed archers. Specify S-M-L.



**NEW**

**A. No. 8595-0 Camo Glove**

Top quality expanded vinyl with nylon backing. Green camo pattern. Adjustable snap wrist closure. Double seam closed-end finger construction. Top grain soft leather finger material. S-M-L-XL.

**B. No. 8730-0 Deluxe Glove**

Tough cowhide with elastic webbing. Molded tips. V-shaped cut-outs. Adjustable wrist strap. A high quality glove made for active shooters. S-M-L-XL.

**C. No. 8725-0 Standard Vinyl Glove**

Long-lasting vinyl, with adjustable wrist strap. A one piece model for archers of all ages. S-M-L.




# quivers

There's one for every age, every archer's needs.



### No. 9045-0 Custom Compound Quiver

Detachable quiver, custom designed for Ben Pearson compound bows. Rugged, yet light weight. Shroud has padded interior to keep broadheads razor sharp and quiet. Gives maximum protection to both the archer and his arrows. Complete with both wood and metal screws and mounting plate. Wing nuts make attaching and detaching simple and quick. Holds 6 arrows.



### No. 8530-0 Hooded Silent Bow Quiver

Safety is the foremost design feature of this economy-priced slip-on bow quiver. It's lightweight, fits on any bow. Heavy-duty, brown leather hood with cushioned lining, protects broadheads and the hunter. Holds 5 arrows. No tape, clamps or screws necessary.

### No. 8520-0 Silent Bow Quiver

Soft, molded shoulders fit securely over bow limbs. Can't scratch bow or arrows. Slots hold five arrows ready for action. No tape, clamps or screws necessary.




### No. 8525-0 Deluxe Kwikie Kwiwer®

Light, durable, space-saving quiver. Clamps on any bow. Grips arrows firmly, yet allows easy removal. Holds 4 arrows of any standard size. Ready for instant use.



### No. 8320-0 Shoulder Quiver

A rugged, brown and tan, two-division quiver that carries 12 broadheads easily and safely. Of durable, scuff-resistant vinyl, large zipper pocket for accessories. Adjustable leather shoulder and divider straps.



### No. 8470-0 Junior Hunting Quiver

For arrows to 26". Has a wide throat for easy arrow removal, a heavy, leather bottom. Adjustable leather shoulder and arrow divider straps. Of durable, claret-colored vinyl, with tan, scalloped cuff.



### No. 8350-0 New Target And Field Quiver

Claret colored rigid vinyl. Belt clip holds quiver at easy access angle. 12 arrows are held ready at your fingertips. Has roomy accessory pocket and arrow divider strap.



### No. 8780-0 Economy Quiver

Low cost, yet tough and long lasting. Carries 12 target arrows or 6 hunting arrows. Brown vinyl, with molded puncture-proof bottom.

### No. 8770-0 Young Archer's Side Quiver

Carries 12 target arrows. Has handy belt loop and heavy, puncture-proof bottom. Claret colored, scuff resistant vinyl, finished with a decorative cuff.



### No. 9025-0 Safety Designed "Adjust-On" Bow Quiver

Custom, cushioned extra-deep shroud keeps broadheads silent and sharp, shields against accidental injury. Quick and quiet in action. Adjusts to fit any size bow. Heavy-duty, vinyl-coated fingers clasp and protect the bow limbs. Rack holds six arrows ready for your use.




### No. 5270-0 Ground Quiver

For expert archers, clubs, schools. Upright rod of quiver is designed to avoid contact with horizontally hanging bow. Holds 12 arrows. Rack is removable.


# bow accessories



**No. 1442-0 Bow Sling**  
Ideal for improving shooting form. Prevents over-gripping of the bow. Cowhide, with adhesive backing for quick and easy installation. No screws or tape. Adjustable. With instructions.



**No. 1465-0 Arrow Plate**  
Self-adhesive pressure plate fits and protects all bows. Use with No. 1891-0 Mohair carpet rest. Ideal for quieting hunting bows.



**No. 1550-0 Arro-Guide**  
Perfect for the beginning archer. Holds arrow firmly in shooting position, ready to draw. Fits right or left hand bows. Self-adhesive for simple installation.

**NEW**

**No. 1466-0 "Rifle Rest"**  
As the name implies, this arrow rest is made for accuracy. Can be used equally well for both hunting and target shooting. Long flexible arm takes care of the most center shot bow and eliminates all interference for both plastic vanes and feathers. Hole in plate of rest allows use of most centering devices now available. Self-adhesive backing. Specify right or left hand.



**No. 1415-0 Para-Rest**  
Horizontal nylon brush type. Mounts in seconds on any center shot bow. Assures noiseless arrow flight, protects arrows from crest damage. For hunting or target shooting.



**No. 1891-0 Mohair Carpet Rest**  
Genuine Mohair for quiet, smooth drawing and release. Padded to insure stable arrow flight. Self-adhesive backing, fits all arrow shelves. An ideal bowhunting arrow rest. Fits right or left hand bows.





**No. 1418-0 Hoyt Pro Rest**  
A non-interfering rest with pressure plate. Provides for positive clearing of vanes or feathers. Retaining finger prevents arrow from falling off rest. Flexible shelf prevents arrow bounces. Self-adhesive backing. Specify right or left hand.



**NEW**


**No. 1545-0 Ben Pearson Arro-Holder**  
Keeps arrow in a constant "ready" position, yet releases instantly when arrow is drawn. Eliminates tired fingers, ideal for cold weather bowhunting. Quiet, will not spook game. Self-adhesive backing. Fits all bows.



**No. 1433-0 Klicker**  
Improves shooting technique. Spring clicks at full draw, eliminates "freezing" or snap shooting. Made of long-lasting spring steel mounted on leather tab.



**No. 1447-0 Bow Tip Protector**  
Soft, pliable rubber. Protects bow while stringing. Holds string in place, keeps bow tip like new. Fits all bows.



**NEW**


**No. 1566-0 Accra-Button**  
The most popular tuning aid for precision shooters. Lets you dial the amount of center shot you desire. Spring tension pressure point reacts like a shock absorber to minimize the effects of a poor release. Teflon tip. Allows fine tuning for perfect arrow flight.




**No. 9917-0 Side Mount Hunting Sight**  
All metal, five pin bar sight. Mounts to side of either right or left-hand bows. Fluorescent, multi-color pins adjust for various distances. Has 5" sight bar, black, non-glaring finish. Pin-locking system. Complete with both wood and metal screws for easy mounting.




**No. 9925-0 Hunter Sight**  
Four position, multi-colored sight settings. Adjustable pins for windage and elevation. 5" sight bar. Double lock insures permanent position. Designed for rugged use. Tape or screw on. Fits all bows.



**No. 9975-0 Field Sight**  
Hooded post for precise sighting. High visibility — no glare sight pin. Easily adjustable for windage and elevation. 5" sight bar. Tape or screw on. Fits all bows.



**No. 9955-0 Target Pin Sight**  
Features a high visibility pin for all light conditions. Double lock insures a permanent, no-slip position. Adjustable for windage and elevation. 5" sight bar. Tape or screw on. Fits all bows.




**No. 9920-0 Bow Sight**  
Adjustable for height and windage. Lightweight, flexible steel. Screw adjustment swivels into position. 5" sight bar. Easily attaches to bow with tape.



# bow strings

The preferred, proven high-performance strings



## Exclusive "Serv-Weld" Process Prevents Unraveling, Assures Stay-Strong Strings.

Utilizing a patented heat fusion process, the tie-off ends of the serving, at the loops and string center, are Serv-Welded to provide an effective lock against the serving's loosening. Each strand of Dacron® custom string is pre-stretched and pre-waxed to further assure strength and durability. The Ben Pearson "Serv-Weld" process is covered by U.S. Patent No. 3,297,013.

### For Laminated Bows

**No. 6380-0** Our finest quality string. Made from Custom Dacron® with extra large double loops to assure proper fit. Available in the following bow lengths and draw weights. Specify each.

62" — 25/35 lbs. 35/45 lbs. 45/55 lbs.	66" — 25/35 lbs. 35/45 lbs. 45/55 lbs.	69" — 25/35 lbs. 35/45 lbs. 45/55 lbs.
64" — 25/35 lbs. 35/45 lbs. 45/55 lbs.	68" — 25/35 lbs. 35/45 lbs. 45/55 lbs.	70" — 25/35 lbs. 35/45 lbs. 45/55 lbs.

### No. 6390-0

Camouflaged Custom Dacron® strings. Dull olive green for hunting bows 40 to 60 lbs. in 48", 52", 54", 56", 60" and 62" lengths. Specify bow length when ordering.

48" — 40/60 lbs.	56" — 40/60 lbs.	60" — 40/60 lbs.
52" — 40/60 lbs.	58" — 40/60 lbs.	62" — 40/60 lbs.
54" — 40/60 lbs.		

### For Compound Bows

#### No. 6338-0

Camouflaged olive green, heavy duty Dacron® with monofilament serving.

36" — 40/60 lbs.	41" — 40/60 lbs.	46" — 40/60 lbs.
37" — 40/60 lbs.	42" — 40/60 lbs.	47" — 40/60 lbs.
38" — 40/60 lbs.	43" — 40/60 lbs.	48" — 40/60 lbs.
39" — 40/60 lbs.	44" — 40/60 lbs.	49" — 40/60 lbs.
40" — 40/60 lbs.	45" — 40/60 lbs.	50" — 40/60 lbs.

#### No. 6337-0

White, heavy-duty Dacron® with monofilament serving.

36" — 40/60 lbs.	41" — 40/60 lbs.	46" — 40/60 lbs.
37" — 40/60 lbs.	42" — 40/60 lbs.	47" — 40/60 lbs.
38" — 40/60 lbs.	43" — 40/60 lbs.	48" — 40/60 lbs.
39" — 40/60 lbs.	44" — 40/60 lbs.	49" — 40/60 lbs.
40" — 40/60 lbs.	45" — 40/60 lbs.	50" — 40/60 lbs.

### For Fiberglass Bows

**No. 6385-0** — White Dacron® string for fiberglass bows under 40 lbs. Small double loops. Available in 54" and 60" lengths.

**No. 6395-0** — Camouflaged olive green, heavy-duty Dacron® string for fiberglass bows over 40 lbs. Small double loops. Available in 52", 54" and 60" lengths.

**No. 6350-0** — Standard polyester string with small double loops. Dacron® served center. For fiberglass bows under 30 lbs. Specify 48" or 60" length.

**No. 6340-0** — A single loop, polyester string fitting all fiberglass bows not exceeding 30 lbs. in draw weight and 60" in length.


**No. 6445-9** Stocking Assortment

A 36-string custom assortment, for initial stocking. Contains 12 of our No. 6380 and 24 of our No. 6390 best quality bows strings.

#### 6380 STRINGS

2-64" 25/35 lbs.	1-68" 35/45 lbs.	3-48" 40/60 lbs.	6-58" 40/60 lbs.
1-64" 35/45 lbs.	1-69" 25/35 lbs.	4-52" 40/60 lbs.	4-60" 40/60 lbs.
2-66" 25/35 lbs.	2-69" 35/45 lbs.	2-54" 40/60 lbs.	3-62" 40/60 lbs.
2-66" 35/45 lbs.	1-70" 35/45 lbs.	2-56" 40/60 lbs.	

# bow string accessories



#### No. 1479-9 Tox-Nox

Heat shrinks nock securely onto string. Gives archer correct nocking point instantly. Neat and efficient.



#### No. 1434-9 Arrow Nok-Loks


Hold arrow firmly on bow string at any tension desired. You're always prepared to shoot. Shooting hand is freed up, arrow is correctly positioned for every shot. Durable rubber. Easy to install.



#### NEW No. 9630-9 Saunders Noks

Ideal for both bowhunting and target shooting. Eliminates finger tension and draw fatigue, providing a smooth, consistent release that reduces string oscillation to a minimum. Mechanically activated rope release has fully adjustable travel speed, operates right or left-handed. Has precision machined aluminum body, with hardened steel moving parts.

No. 1527-0 Two finger. Model C.  
No. 1537-0 Three finger. Model AR.



#### No. 1485-9 Kwikkee Silencers

String "twang" is eliminated by dampening vibration. Deer will not "duck" arrow or locate hunter by sound. Soft gum rubber. Slip over each end of bowstring. Will not slow bow speed.

#### No. 1440-9 Bow String Silencers

Eliminate all string noise. A necessity for every bowhunter. Easily attached. Light. Will not slow bow speed.




#### NEW No. 8820-0 No Glov®

A pure gum rubber sleeve that slips over the bow string. Makes shooting comfortable without a glove or tab. Will not pinch fingers.

#### No. 6650-0 Bow String Wax

New larger size. Protects string strands. Prolongs the life of the string. An archery necessity.



#### No. 1488-0 Action Kisser Button

Used by tournament archers. Increases accuracy of anchor and adds points to score. Installs easily. Practically indestructible.




#### No. 9660-3 Saunders Nok Set With Pliers

Consists of specially designed steel pliers and 3, No. 9630-9 noks. This unique closing tool keeps the nok round while it is being clamped around the bow string serving. Makes nok setting easy and permanent.



#### 9630-9 Saunders Noks

The perfect nocking point. Inside is coated with rubbery plastic which compresses around the bow string serving and prevents nocking point from slipping. Outside is light weight aluminum band. Fits any diameter bow string. 5 Noks per pack.



#### No. 9770-9 Brush Buttons

Keeps twigs and brush from wedging between string and bow. Also dampens string noise. Easy to install. Soft rubber.



#### No. 1446-0 Bow Stringer

The proper equipment for stringing a bow safely and quickly. Eliminates the danger of personal harm and twisting of the bow's limbs. Strings any bow up to 75 lbs. in draw weight.



#### No. 1595-0 Compound Bow Stringer

Specially designed for Ben Pearson compound bows. Safe, strong aircraft cable with protective plasticized coating. Assures protection of both the archer and the bow.

# arrow accessories



## Snap-On Nocks

A precision design nock for the tournament archer who requires uniformity. Helps the bowhunter hold a "ready arrow", prevents beginners from "arrow dropping". Strong, rigid molded plastic. One dozen per blister pack.  
No. 9641-2 Size: 9/32".  
No. 9642-2 Size: 5/16".  
No. 9643-2 Size: 11/32".



## Indx Nocks

Our most popular nock. Raised edge enables location of cock feather to be determined by feel. Molded plastic. Red, white, blue, yellow, black, green or orange. One dozen per blister pack.  
No. 9651-2 Size: 9/32".  
No. 9652-2 Size: 5/16".  
No. 9663-2 Size: 11/32".




## No. 9910-0 Fletching Cement

Strong, waterproof and quick drying. For attaching feathers and nocks to arrow shaft. Bonds to any shaft material.



## No. 9935-9 "Hot Melt" Broadhead Cement

Bonds broadheads to all ferrules. Requires only a small amount of heat to soften. Ideal for any tapered ferrule points and broadheads. Use for installing aluminum inserts. 3 sticks to the package.



## No. 1496-0 Fletcher

Shaft holder has three-feather indexer. Kit includes clamp bar.



## No. 9550-9 Tapering Tool Kit

Cuts broadhead and nock tapers with ease and precision. Bushings to fit 1/4", 9/32", 5/16" and 11/32" shafts. Oversize to fit painted shafts.



## Parabolic Plastic Fletching

Thin, lightweight, glue easily to arrow shaft. Not affected by hot or cold temperatures. Completely waterproof. More economical than other fletchings, extremely durable.  
No. 9540-2 3" Target Vanes. (Dozen Pack)  
No. 9543-2 4" All-purpose Vanes. (Dozen Pack)  
No. 9545-2 5" Hunting Vanes. (Dozen Pack)

**NEW**

## No. 9877-0 Diamond Stick Broadhead Sharpener

Plated with 100% natural diamonds and hardened to 68-70 Rockwell C' to insure wearability. Is also an excellent sharpener for knives and auxiliary blades. Diamond Stick has self-containing handle. Stick slides out for use and locks back into handle for easy carrying. Pocket size.

# points



## Ben Pearson Switchblade®

A precision-engineered 4-blade broadhead honed to scalpel-like sharpness. Primary blade is spring-tempered carbon steel welded to one piece steel ferrule. Easily replaceable auxiliary blade locks positively to ferrule. Color: bronze.  
No. 9885-9 3 pack of Switchblades® only.

No. 9885-2 Dozen pack of Switchblades® only.

No. 9785-9 3 pack of Switchblades® with attached Switch-On™ adapter for threading head to wooden, aluminum or fiberglass shafts.



## No. 9405-2 Ben Pearson Switch-On™ Wooden Shaft Converter

Converts wooden shafts to the Ben Pearson Switch-On™ system. Durable, lightweight, 5° tapered aluminum sleeve with threaded end to receive all Switch-On™ points as well as other convertible points of your choice. Dozen pack.



## No. 9425-2 Ben Pearson Switch-On™ Broadhead Adapter

Adapts Switchblades® or other convertible broadheads for use on wooden, aluminum and fiberglass shafts. Precision tooled, aluminum. 5° taper. Dozen pack.




## Ben Pearson Switch-On™ Inserts

For aluminum and fiberglass arrows. High strength, lightweight aluminum with universal threading to accept Switch-On™ or other convertible points. Dozen pack. Order according to numbers below.  
No. 9411-2. Fits Easton 1918.  
No. 9412-2. Fits Easton 2018.  
No. 9413-2. Fits Easton 2020.  
No. 9409-2. Fits Easton 2117.  
No. 9408-2. Fits Easton 2219.  
No. 9414-2. Fits Fiberglass 9.  
No. 9415-2. Fits Fiberglass 10.  
No. 9416-2. Fits Fiberglass 11.  
No. 9417-2. Fits Woodsman HS65.  
No. 9418-2. Fits Woodsman HS55.




## No. 9815-2 Ben Pearson Switchblade® Auxiliary Blades

Extra steel insert blades for Switchblade® broadheads. Dozen pack.



## Switch-On™ Points


Switch points in seconds. Unscrew one and switch to another. Compatible with other convertible-point arrow systems.  
No. 9820-1 Field point. 125 grains. (Package of 6)  
No. 9840-1 Blunt point. 125 grains. (Package of 6)



**NEW**

## Satellite Broadhead

Already proven in the field, this new screw-in style broadhead is available in both 3 and 4-blade design. Its rigid, honed razor blades are specifically designed for this broadhead, and lock positively both front and back. Sharp, tempered steel point is swaged into place after assembly and cannot come out. Knurled screw socket locks the blades in back, allowing easy insertion of replacement blades without removing head from shaft. 3-blade model, 120 grains. 4-blade model, 125 grains.  
No. 9845-1 3-blade head. Pkg. of 6.  
No. 9865-1 4-blade head. Pkg. of 6.  
No. 9810-9 Satellite Replacement Blades. Vial of 24.



## Hi-Precision 3-Blade Hunting Head

One of the most popular among bowhunters. Excellent penetration, strong and easy to sharpen. Maintains flat trajectory without wind-planing. 3 to the package.  
No. 9890-9 For 11/32" shafts. 125 grains.



## Parallel Target Points

For target shooting. Standard parallel-hole point. Shipped one dozen to the package.  
No. 9802-2 For 5/16" shafts.  
No. 9812-2 Bullet point for 5/16" shafts.



## Five Degree Taper Field & Blunt Points

Standard 5° tapered-hole points for hunting practice and small game. Interchangeable with broadheads. Shipped one dozen to the package.  
No. 9843-2 Field point. For 11/32" shafts. 125 grains.  
No. 9909-2 Blunt point. For 11/32" shafts. 125 grains.



## Parallel Field Points

For hunting practice. Standard parallel-hole point. Shipped one dozen to the package.  
No. 9823-2. For 11/32" shafts.

# camouflage accessories



**No. 1523-0 Camo Head Net**  
Mosquito netting material conceals your face but still permits clear vision. Keeps insects off. Can be worn over cap or parka hood. Fits all head sizes.



**No. 1450-0 Camo Bow Sleeves**  
Durable green camouflaged cloth sleeves with elastic cuffs. Fit over both limbs. Sleeves eliminate limb reflection. May be taped at handle and limb tip. Easily removed.



**No. 1504-9 Camo Face Paint**  
Camouflage colors conceal your face. Not affected by rain or perspiration. Easily removed and harmless to skin. Kit includes one tube brown and one tube green.



**No. 9670-0 Buck Scent**  
Guaranteed to attract deer. A few drops give you that "close shot". Counteracts human odor. Unbreakable plastic bottle.




**No. 8535-0 Compound Camo Limb Covers**  
2-piece cotton cover conforms to bow limbs. Velcro® fasteners for easy on and off. 5 color camo pattern. Fits Ben Pearson compounds and most other makes.



**No. 1500-0 Tree Stand**  
(18" x 15") Black heavy-duty steel platform easily attaches to tree to put you above deer. Provides better visibility. Deer come in without seeing you or picking up your scent. For open areas or extra comfort, use two stands.


# bow fishing accessories



**NEW**  
**No. 1542-0 All Metal Bow Reel Bracket**  
Quickly adapts a closed-face, spin-cast reel such as the Zebco® 808 to any bow equipped with a standard stabilizer hole. Corrosion-resistant, all metal bracket has chrome-plated steel hoods and aluminum locking ring. Screws into standard 5/16" stabilizer hole. Heavy duty to last a lifetime.



**No. 1535-0 Spin Cast Bow Reel & Bracket**  
Famous Zebco® 808 Closed Face Bow Reel and Bracket. A heavy-duty, closed face spin cast reel, loaded with 60 feet of 80 lb. test nylon line. Has precision, self-lubricating, stainless steel gears. Bronze bearings, disc drag system, durable Lexan body. Bracket tapes to any bow. Salt water resistant.



**No. 9990-0 Bow Reel**  
Efficient one piece aluminum reel, equipped with spring wire line clip. Sturdy, yet lightweight. Tapes easily to any bow. Loaded with 50 ft. of 80 lb. test nylon line.



**No. 9995-0 Shoot-Thru Bow Reel**  
7", shoot-thru reel mounts easily to your bow and has line holder to prevent line from paying out too soon when shooting at sharp downward angles. Loaded with feet of 72 lb. test nylon line.



**No. 9870-0 Double-Barbed Fishing Point**  
Fishing line attaches to lower section of point, which unscrews from the harpoon head. For 5/16" shaft.



**No. 9825-0 "Sting-A-Ree" Fishing Point**  
Designed for big fish bow fishing. Ideal for gar, sharks and large rough fish. Long, extra-strength design for deep penetration. Large double-barb holds the big ones, retractable design. 5/16" shaft size.



**No. 1540-0 Reel Bracket**  
Holds reel squarely and tightly. Light-weight, yet sturdy. Black metal. Tapes to any bow.



**No. 2770-0 Bow Fishing Arrow With Point**  
Durable solid glass shaft with rubber vanes. Has the weight to penetrate deeply into water. Two-color brush crest. Double-barbed harpoon point unscrews for easy withdrawal from fish. In easy-to-display package.

**No. 2820-3 Bow Fishing Kit.**  
Complete with 4" reel, line, barbed fishing arrow and "Tips On Successful Bow Fishing" booklet. Everything you need to shoot all types of game fish.

**No. 9980-0 Bow Fishing Line**  
25 yards of braided nylon line, 70 lb. test. Spins easily off reel.



## accessory assortments with free merchandisers

### No. 6535-9

30 of the most needed archery accessories, conveniently blister packed and ready to display on Ben Pearson's attractive, deluxe metal floor merchandiser. (25" x 80") merchandiser FREE with purchase of assortment. Shipping weight: 28 lbs.

Quantity	Product No.	Product Description
6	1418-0	Hoyt Pro Rest
6	1434-9	Nok-Loks (Pair)
6	1440-9	String Silencer
6	1446-0	Bow Stringer
6	1447-0	Bow Tip Protector
6	1450-0	Camo Bow Sleeves (Pair)
6	1466-0	Rifle Arrows Rest
6	1479-0	Tox-Nox (Pair)
6	1545-0	Ben Pearson Arro-Holder
6	1891-0	Mohair Carpet Rest
6	6650-0	Bow String Wax
6	8520-0	Silent Bow Quiver
6	9405-2	Switch-On™ Broadhead Converter For Wooden Shafts (Dozen)
6	9425-2	Switch-On™ Broadhead Adapter
6	9652-2	Indx Nock 5/16" (Dozen)
6	9663-2	Indx Nock 11/32" (Dozen)
6	9670-0	Buck Scent
6	9770-9	Brush Buttons
6	9802-2	Parallel Target Points 5/16" (Dozen)
6	9815-2	Pearson Switchblade® Auxiliary Blades (Dozen)
6	9820-1	Switch-On™ Field Points — 125 Grains (Half Dozen)
6	9823-2	Parallel Field Points 11/32" (Dozen)
6	9825-0	Sting-A-Ree Fish Point
6	9843-2	5° Tapered Field Points 11/32" (Dozen)

6	9870-0	Double-Barbed Fish Point
6	9885-0	Pearson Switchblade® Broadhead (3)
6	9910-0	Fletching & Nock Cement
6	9925-0	Hunter Sight
6	9935-0	Hot-Melt Broadhead Cement
6	9980-0	Bow Fishing Line

### No. 6545-9

A 16 accessory display assortment complete with metal merchandiser and handsome header. Efficient and convenient. (16" x 31") merchandiser FREE with purchase of assortment. Shipping weight: 17 lbs.

Quantity	Product No.	Production Description
6	1434-9	Nok-Loks (Pair)
6	1440-9	String Silencer
6	1446-0	Bow Stringer
6	1450-0	Camo Bow Sleeves (Pair)
6	1891-0	Mohair Carpet Rest
6	6650-0	Bow String Wax
6	8520-0	Silent Bow Quiver
6	9425-2	Switch-On™ Broadhead Adapter (Dozen)
6	9652-2	Indx Nock 5/16" (Dozen)
6	9663-2	Indx Nock 11/32" (Dozen)
6	9770-9	Brush Buttons (Pair)
6	9802-2	Parallel Target Points 5/16" (Dozen)
6	9843-2	5° Tapered Field Points 11/32" (Dozen)
6	9870-0	Double Barbed Fish Point
6	9885-9	Pearson Switchblade® Broadhead (3)
6	9910-0	Fletching & Nock Cement