

PREMIUM PRIMED WOOD TRIM™

PREMIUM PRIMED WOOD TRIM™

TESTED RELIABILITY

PREMIUM PRIMED WOOD TRIM™ Protects Your Greatest Investment - Your Home

ECO-FRIENDLY ASPECTS

96% Fewer Volatile Organic Compounds (VOCs)
Fewer VOCs released during manufacturing process than traditional wood submersion treatment methods.

Water Based Solution safe to handle compared to much harsher, solvent based treatments.

BEAUTIFULLY THE “BEST”


Factory Primed on six sides with one or two quality coats of 100% oil acrylic primer or 100% latex primer as requested, ready for painting.

All Natural Wood is much easier to work with compared to other composite, engineered, fiber cement, or PVC materials.

Carefully Kiln Dried To Provide Maximum Stability for impeccable finished installation results.

Saw Cuts & Nail / Drill Holes

do not require to be resealed with a wood preservative during installation.



INTERIOR TRIM



PREMIUM PRIMED WOOD TRIM™

PREMIUM PRIMED WOOD TRIM™

S1S2E (Reversible - Rough Sawn/Smooth)

The most versatile board for two different applications (reversible), a rough sawn face for the rustic textured appearance and smooth surface for a finished appearance.

1 x (3/4")

NOMINAL		ACTUAL	
THICKNESS	WIDTH	WIDTH	LENGTH
1"	2"	1-1/2"	16', 18', & 20'
1"	3"	2-1/2"	16', 18', & 20'
1"	4"	3-1/2"	16', 18', & 20'
1"	5"	4-1/2"	16', 18', & 20'
1"	6"	5-1/2"	16', 18', & 20'
1"	8"	7-1/4"	16', 18', & 20'
1"	10"	9-1/4"	16', 18', & 20'
1"	12"	11-1/4"	16', 18', & 20'

5/4 x (1")

NOMINAL		ACTUAL	
THICKNESS	WIDTH	WIDTH	LENGTH
5/4"	2"	1-1/2"	16', 18', & 20'
5/4"	3"	2-1/2"	16', 18', & 20'
5/4"	4"	3-1/2"	16', 18', & 20'
5/4"	5"	4-1/2"	16', 18', & 20'
5/4"	6"	5-1/2"	16', 18', & 20'
5/4"	8"	7-1/4"	16', 18', & 20'
5/4"	10"	9-1/4"	16', 18', & 20'
5/4"	12"	11-1/4"	16', 18', & 20'

2 x (1-7/16")

PREMIUM PRIMED WOOD TRIM™

| 1X S1S2E (ROUGH SAWN/SMOOTH)



1X S1S2E (ROUGH SAWN/SMOOTH)

PREMIUM PRIMED WOOD TRIM™

PREMIUM PRIMED WOOD TRIM™

TESTED RELIABILITY

PREMIUM PRIMED WOOD TRIM™ Protects Your Greatest Investment - Your Home

ECO-FRIENDLY ASPECTS

96% Fewer Volatile Organic Compounds (VOCs)
Fewer VOCs released during manufacturing process than traditional wood submersion treatment methods.

Water Based Solution safe to handle compared to much harsher, solvent based treatments.

BEAUTIFULLY THE “BEST”


Factory Primed on six sides with one or two quality coats of 100% oil acrylic primer or 100% latex primer as requested, ready for painting.

All Natural Wood is much easier to work with compared to other composite, engineered, fiber cement, or PVC materials.

Carefully Kiln Dried To Provide Maximum Stability for impeccable finished installation results.

Saw Cuts & Nail / Drill Holes

do not require to be resealed with a wood preservative during installation.



EXTERIOR TRIM



PREMIUM PRIMED WOOD TRIM™

PREMIUM PRIMED WOOD TRIM™

S1S2E (Reversible - Rough Sawn/Smooth)

The most versatile board for two different applications (reversible), a rough sawn face for the rustic textured appearance and smooth surface for a finished appearance.

1 x (3/4")

NOMINAL		ACTUAL	
THICKNESS	WIDTH	WIDTH	LENGTH
1"	2"	1-1/2"	16', 18', & 20'
1"	3"	2-1/2"	16', 18', & 20'
1"	4"	3-1/2"	16', 18', & 20'
1"	5"	4-1/2"	16', 18', & 20'
1"	6"	5-1/2"	16', 18', & 20'
1"	8"	7-1/4"	16', 18', & 20'
1"	10"	9-1/4"	16', 18', & 20'
1"	12"	11-1/4"	16', 18', & 20'

5/4 x (1")

NOMINAL		ACTUAL	
THICKNESS	WIDTH	WIDTH	LENGTH
5/4"	2"	1-1/2"	16', 18', & 20'
5/4"	3"	2-1/2"	16', 18', & 20'
5/4"	4"	3-1/2"	16', 18', & 20'
5/4"	5"	4-1/2"	16', 18', & 20'
5/4"	6"	5-1/2"	16', 18', & 20'
5/4"	8"	7-1/4"	16', 18', & 20'
5/4"	10"	9-1/4"	16', 18', & 20'
5/4"	12"	11-1/4"	16', 18', & 20'

2 x (1-7/16")

PREMIUM PRIMED WOOD TRIM™

| 1X S1S2E (ROUGH SAWN/SMOOTH)



1X S1S2E (ROUGH SAWN/SMOOTH)

