

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Arby's Foxcroft	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone # 304 263-8450	
Facility Address 1010 Foxcroft Ave Martinsburg, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date 10/17/2017	Total Time Spent 2.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
walkin	38/34 inside
cheese unit	148
specialty prep	37
milk refrigerator	37

Food Temperatures	
Description	Temperature (Fahrenheit)
sliced tomatoes	45
chicken	149 scan
milkshake	30

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkbucketfrontline- leftbucketfront-right	chemicalchemical		300300 200	multiquatmu tlitquat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 4 Repeated # 3 3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): new sauce-sitting out at room temp "refrigerate after opening" label and also mustard sitting out not at temp(scan of 73) 3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation REPEAT OBSERVATION (CORRECTED DURING INSPECTION): date marking needed once packaged item is opened(check on icing shelf life and date accordingly) 4-703.11 - HOT WATER AND CHEMICAL This is a critical violation OBSERVATION: knives should not be wiped off with sanitizer water-need to be washed, rinsed and sanitized 6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: flies observed in kitchen and couple fruit flies noticed</p>

ObservedNon-CriticalViolations

Total # 22

Repeated # 3

2-402.11 - HAIR RESTRAINTS

OBSERVATION: hair restraint needed when working with food

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: cheese machine-inside magnet needs repaired

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: traulsen freezer needs to be defrosted

4-501.12 - CUTTING SURFACES

OBSERVATION: cutting boards on prep units need resurfaced/replaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: door gaskets need cleaned on equipment and walkin door

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: beverage station-small area behind ice chutes need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: lower shelving in walkin and dunnage rack needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: bottom of bread rack needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: fry area-heat lamp needs cleaned (check on shatterproof bulbs)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: beverage station-inside cabinet and area around soda machine needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: wall paper needs repaired at soda station

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION caulk needed at coving by mop sink and repair by walkin door and behind drive thru station

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: fry station-walls, floor, tables need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: bag-n-box stand and floor needs cleaned in back room

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walkin fan covers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walls need cleaned in food prep area

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling vents need cleaned in kitchen and including over beverage station in dining area and in restrooms

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling light covers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: floor drains need cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

REPEAT OBSERVATION floor needs cleaned beneath drive thru area

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

REPEAT OBSERVATION walkin floor needs cleaned esp in corners

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION


OBSERVATION: hood needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards