

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name 7-11- Nadenbousch Lane	Facility Type Food Service Establishment	
Licensee Name 7-11 Crystal Engle	Facility Telephone # 304 229-2700	
Facility Address 5677 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 09/14/2017	Total Time Spent 1.42

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Half and half machine	39
Hot cheese machine	137
Hot dog cooler	39
Hot hot dogs	151
Beverage Air cooler	39
Hot food holder	161
Walk in cooler	38
Grab-N-Go	38
Pizza Cold Hold	38

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 3

Observed Non-Critical Violations
Total # 6
Repeated # 3
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION
OBSERVATION: Gaskets on small M3 Turbo Air freezer/Cooler door for ice cream/pizza need replaced (torn)
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION
REPEAT OBSERVATION Doors on Skoal/tobacco cabinet need replaced/repared (magnets missing)
4-602.13 - NONFOOD CONTACT SURFACES
OBSERVATION: Cabinet under soda machine needs cleaned
4-602.13 - NONFOOD CONTACT SURFACES
OBSERVATION: Ledge under soda nozzles need cleaned
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS
REPEAT OBSERVATION Fan in bathroom needs cleaned.
6-501.16 - DRYING MOPS
REPEAT OBSERVATION Mop needs to air dry.

Inspection Outcome

Comments

Person in Charge


Rena Faircloth

Sanitarian


Keith Allison