

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Burger King-Inwood	Facility Type Food Service Establishment	
Licensee Name Western Maryland Fast Foods, LP	Facility Telephone # 304 229-7992	
Facility Address 4859 Gerrardstown Rd Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/05/2018	Total Time Spent 2.27

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	30
Salad cooler	37
Hot hold Fry	155
Sandwich line cooler	37
Beverage cooler-undercounter	37
Sandwich hot hold	165
soft serve refrig	30
4sandwich heat lamp area	178
hot hold front	188
ice cream hopper	27

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Grillsanitizer3bays inkdiningareabuck etandbottlebevera gestationbucket	chemchemicalch emicalchemical		20030030 0300		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 0

2-201.11 - RESPONSIBILITIES OF PERMIT HOLDER, PERSON IN CHARGE, FOOD EMPLOYEES, AND CONDITIONAL EMPLOYEES

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Employee observed washing dishes with bandage on hand and no gloves over bandage

2-401.11 - EATING, DRINKING, OR USING TOBACCO

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Employee observed eating breakfast sandwich on the line

4-101.11 - CHARACTERISTICS - FOOD CONTACT SURFACES EQUIPMENT AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Observed box cutter being used to open a bag of sauce

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Shelf in walk in holding lettuce needs cleaned, mold

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Rack in coffee/salad fridge needs cleaned, food debris

ObservedNon-CriticalViolations

Total # 11

Repeated # 0

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Fans in walkin cooler and freezer need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light bulb needs replaced in back dry storage room

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Mop sink has a hole in the bottom through to concrete, needs repair

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Gaskets on walk in fridge need repaired or replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor between and sides of Ice Cream machine and frozen drink machine needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: tops of soda machine in front of house needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: The grease recycling machine in the back room needs cleaned, splashes of grease on outside of machine and floor

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor of walk in cooler and freezer need cleaned, food spilled and left on floor

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: top of fryer hood next to french fry hot holder needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under front counter needs cleaned

6-501.16 - DRYING MOPS

OBSERVATION: Mops stored on floor next to mop sink

Inspection Outcome

Comments

Person in Charge



judy wolff

Sanitarian



Luke Hartley