



NATURAL WOVEN

SHADES

Effective February 4, 2019

design simplified™

TABLE OF CONTENTS

• Features & Benefits	3
• Color Charts	4-6
Pricing and Options	
• Woven Woods – Groups 1-5	7-11
• Decorative Wovens – Groups 6-9	12-15
• Privacy Linings	16
• Simplicity Rechargeable & RemoteLift™ Motorization	17
Shade Specifications	
• Standard Shade Diagram	18
• Cord Loop Shade Diagram	19
• Cordless Lift Shade Diagram	20
• Configuration Options	21-22
• Faux Silk Binding and Valance Upgrades	23
• Twill Edge-Binding and Valance Upgrades	24
• Binding Features and Fabric Lists	25
• Operable and Fixed Privacy Lining Options	26
• Product Specifications	27
• Size Specifications	28-32
• Finished Dimensions and Mounting Requirements	33-34
TriLight Shades®	35-39
Tandem™ Shades	40-42
• Simplicity Rechargeable Motorization	43
• RemoteLift™ Motorization	44-45
• Product Components	46-47

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Woven Wood shades are offered in a wide selection of natural material styles featuring unique patterns and rich tones.
- Decorative Woven shades feature two collections. Select Weave shades are woven out of natural fibers and exotic yarns. Grass Weave shades provide a natural look, yet are constructed of unique man-made fibers for a consistent appearance.
- Durable Wood Headrail System comes pre-routed for easy installation.
- Standard swivel multi-cord lock and guided pulley system ensures smooth, long-lasting operation.
- Matching valance available in customized lengths, conceals the operating system. Woven Wood shades feature a built-in stabilizer on outside mounts.
- Antique brass finish and brackets complements the shade's natural appearance.
- Available with upgraded operating systems including top-down/bottom-up, continuous loop, cordless lift, and RemoteLift motorization for enhanced control convenience.
- Unique light and privacy controls such as TriLight Shades and Tandem provide versatile operating flexibility.
- Optional operable privacy liners or optional fixed privacy liners provide additional light control features including light filtering, room darkening and a neutral outside appearance.
- Optional twill edge-bindings and faux silk bindings frame the shade and valance using a high-quality process, and add a finishing touch.
- Limited Lifetime Warranty ensures your customers' satisfaction.

WOVEN WOODS COLOR CHART

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
-------------	------------	------------	------------	--------------------	-----------------	-------------

PRICE GROUP 1						
CUL	2108	Bimini	1/2"	Yes	Yes	No
TER	2002	Ensenada Terra	3/4"	Yes	Yes	No
TER	2004	Jolo	1/2"	Yes	Yes	No
TER	2076	Kota	1/2"	Yes	Yes	No
TER	2078	Ensenada Tranquil	3/4"	Yes	Yes	No
TER	2110	Kano Greywood	3/4"	Yes	Yes	No
TER	2111	Kano Mahogany	3/4"	Yes	Yes	No
TER	2208	Hi-Lo Espresso	3/4"	Yes	Yes	No

PRICE GROUP 2						
CUL	2099	Tortuga Coral	3/4"	Yes	Yes	No
CUL	2100	Tortuga Cocoa	3/4"	Yes	Yes	No
ELI	2049	Katmandu	1/2"	Yes	Yes	No
ELI	2059	Veracruz Earth	1/2"	Yes	Yes	No
ELI	2080	Veracruz Mocha	1/2"	Yes	Yes	No
ELI	2083	Honduras Timbre	1/2"	Yes	Yes	No
ELI	2084	Honduras Rust	1/2"	Yes	Yes	No
TER	2003	Kaui	1/2"	Yes	Yes	No
TER	2011	Sonora Desert	3/4"	Yes	Yes	Yes
TER	2057	Ensenada Negro	1/2"	Yes	Yes	No
TER	2210	Hi-Lo White	3/4"	Yes	Yes	No
TER	2211	Hi-Lo Tan	3/4"	Yes	Yes	No
TER	2212	Hi-Lo Gray	3/4"	Yes	Yes	No

PRICE GROUP 3						
CUL	2157	Banjar Artisan	3/4"	Yes	Yes	No
CUL	2204	Kyoto Ebony	3/4"	Yes	Yes	No
ELI	2104	Nagoya Harvest	3/4"	Yes	Yes	Yes
EXO	2151	Mandalay Mystique	3/4"	Yes	Yes	No
EXO	2230	Kyoto Sunset	3/4"	Yes	Yes	No
TER	2234	Zee Gray	3/4"	Yes	Yes	No
TER	2236	Zee Tan	3/4"	Yes	Yes	No
TER	2237	Zee White	3/4"	Yes	Yes	No

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
-------------	------------	------------	------------	--------------------	-----------------	-------------

PRICE GROUP 4						
CUL	2060	Saba Sunset	3/4"	Yes	Yes	No
CUL	2061	Saba Dusk	3/4"	Yes	Yes	No
CUL	2072	Hunan	3/4"	Yes	Yes	Yes
CUL	2155	Katni Intrigue	3/4"	Yes	Yes	No
CUL	2223	Mesa Mocha	3/4"	Yes	Yes	No
EXO	2052	Serengeti Sunrise	3/4"	Yes	Yes	Yes
EXO	2053	Serengeti Cocoa	3/4"	Yes	Yes	Yes
EXO	2150	Sumatra Surprise	3/4"	Yes	Yes	Yes
EXO	2232	Taos	3/4"	Yes	Yes	Yes

PRICE GROUP 5						
CUL	2070	Tobago	3/4"	Yes	Yes	Yes
CUL	2085	Antigua Maze	1/2"	Yes	Yes	Yes
CUL	2086	Antigua Surf	1/2"	Yes	Yes	Yes
ELI	2153	Sakura Etude	3/4"	Yes	Yes	Yes
EXO	2054	Indo Chic	3/4"	Yes	Yes	Yes
EXO	2068	Kiribati Jungle	3/4"	Yes	Yes	Yes
EXO	2069	Kiribati Rainforest	3/4"	Yes	Yes	Yes
EXO	2096	Zulu	3/4"	Yes	Yes	Yes

- No wood dowel under edge-binding and/or cordless lift operation
- Seam option is not available with Woven Wood Shades due to the characteristic of the material.
- A surcharge will be added for shade/valance ordered with edge binding

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each shade is one of a kind. **Slight cracks, imperfections and variations in color are all inherent in natural products and are not considered flaws.**

Shade material may stretch slightly over time and with use depending on the material style. The average stretching amount is approximately 1/2" for every 3 feet of shade length plus or minus 1/4".

Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless lift shade, shade with edge binding, and shade under Select Weave Collection).

The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVENS COLOR CHART

COLOR CODE	COLOR NAME	DOWEL SIZE/ HEM BAR	FAUX SILK/ TWILL** EDGE BINDING	TWILL EDGE BINDING*** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 3							
9474	Celebes* Cornsilk	Hem Bar	Yes	Not Required	No	Yes	Yes
9475	Celebes* Seashell	Hem Bar	Yes	Not Required	No	Yes	Yes
9476	Celebes* Ivory	Hem Bar	Yes	Not Required	No	Yes	Yes
PRICE GROUP 6							
2337	Singapore Bisque	3/4"	Yes	Not Required	Yes	Yes	Yes
2338	Singapore Talc	3/4"	Yes	Not Required	Yes	Yes	Yes
2339	Singapore Cotton	3/4"	Yes	Not Required	Yes	Yes	Yes
9450	Singapore Gray	3/4"	Yes	Not Required	Yes	Yes	Yes
PRICE GROUP 7							
2304	Caracas Tortoise	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
2305	Coban Parchment	3/4"	Yes	CT400 White	Yes	Yes	Yes
2310	Granada Cinnamon	3/4"	Yes	Not Required	Yes	Yes	Yes
2311	Granada Ginger	3/4"	Yes	Not Required	Yes	Yes	Yes
2312	Granada Nutmeg	3/4"	Yes	Not Required	Yes	Yes	Yes
2323	Luzon Whisper	3/4"	Yes	CT400 White	Yes	Yes	Yes
2324	Luzon Cornsilk	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
2325	Luzon Greige	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
2331	Nassau Pewter	3/4"	Yes	CT404 Latte	Yes	Yes	Yes
2340	St. Lucia Sand	3/4"	Yes	Not Required	Yes	Yes	Yes
2343	St. Lucia Storm	3/4"	Yes	Not Required	Yes	Yes	Yes
2345	Zaire Camel	3/4"	Yes	Not Required	NA	Yes	Yes
2346	Zaire Earth	3/4"	Yes	Not Required	NA	Yes	Yes
9410	Coban Gray	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9420	Granada Bark	3/4"	Yes	Not Required	Yes	Yes	Yes
9440	Nassau Cocoa	3/4"	Yes	CT418 Chocolate	Yes	Yes	Yes
PRICE GROUP 8							
9400	St. Kitts Dune	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9401	St. Kitts Greywood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9460	Aruba Summer	3/4"	Yes	CT400 White	Yes	Yes	Yes
9461	Aruba Straw	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9462	Aruba Sand Dune	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
9463	Aruba Driftwood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9464	Aruba Café	3/4"	Yes	CT419 Espresso	Yes	Yes	Yes
9470	Martinique White Wash	3/4"	Yes	CT400 White	Yes	Yes	Yes
9471	Martinique Sea Grass	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9472	Martinique Surf	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9473	Martinique Coral	3/4"	Yes	CT409 Jute	Yes	Yes	Yes

* Not available under motorization.

** No wood dowel with twill edge-binding

*** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVENS COLOR CHART

SELECT WEAVES (SLW) COLOR CHART							
COLOR CODE	COLOR NAME	HEM BAR	FAUX SILK/ TWILL EDGE BINDING	TWILL EDGE BINDING** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 8							
2420	Macau	Yes	Yes	Not Required	NA	Yes	Yes
2423	Mali Tan	Yes	Yes	Not Required	NA	Yes	Yes
2436	Tai White	Yes	Yes	Not Required	Yes	Yes	Yes
2438	Suva	Yes	Yes	Not Required	NA	Yes	Yes
2526	Salvador Driftwood	Yes	Yes	Not Required	Yes	Yes	Yes
2527	Cancun Light Gray	Yes	Yes	CT403 Duck	NA	Yes	Yes
2528	Cancun Off White	Yes	Yes	CT402 Natural	NA	Yes	Yes
2529	Cano Cream	Yes	Yes	Not Required	NA	Yes	Yes
2530	Madeira Green	Yes	Yes	Not Required	NA	Yes	Yes
2531	Rio Gray	Yes	Yes	Not Required	NA	Yes	Yes
PRICE GROUP 9							
2411	Jaipur Natural	Yes	Yes	Not Required	NA	Yes	Yes
2417	Lagos	Yes	Yes	Not Required	NA	Yes	Yes
2419	Lomaloma	Yes	Yes	Not Required	NA	Yes	Yes
2431	Santos Natural	Yes	Yes	Not Required	NA	Yes	Yes
2433	Sintra Dust	Yes	Yes	Not Required	NA	Yes	Yes
2441	Tunisia	Yes	Yes	Not Required	NA	Yes	Yes

** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

CUL
 2108 Bimini

TER
 2002 Ensenada Terra
 2004 Jolo
 2076 Kota
 2078 Ensenada Tranquil
 2110 Kano Greywood
 2111 Kano Mahogany
 2208 Hi-Lo Espresso

GROUP 1

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$115	147	155	181	190	207	222	258	280	308	337	364	395
42"	142	150	159	187	193	217	234	271	295	337	351	383	414
48"	146	155	163	193	197	225	241	280	308	353	370	402	436
54"	150	159	167	198	207	233	251	292	320	367	387	420	454
61"	153	170	186	208	234	241	261	305	331	386	399	437	475
66"	158	173	192	214	242	248	270	316	346	397	415	450	494
72"	161	179	199	221	248	257	279	327	357	417	432	469	508
78"	181	201	222	250	271	291	315	348	383	445	463	502	548
84"	190	214	235	265	287	309	337	385	409	479	494	539	592
90"	200	226	250	278	304	330	358	412	436	508	531	582	614
96"	212	239	265	299	321	353	383	437	465	545	569	608	640
108"	229	257	287	321	353	386	415	483	513	603	613	641	674

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$43	45	49	51	56	62	69	76	80	87	94	101	106
6"	44	48	53	55	63	70	77	84	92	97	104	111	119
8"	47	53	57	62	69	77	84	93	101	110	115	123	134
10"	49	59	67	67	76	84	93	102	111	118	128	133	141
12"	49	65	68	73	83	92	106	111	119	129	131	137	142
16"	77	91	106	121	138	153	168	185	199	215	230	247	261
18"	80	95	111	128	144	160	177	192	211	226	241	257	275
20"	84	99	117	135	150	168	185	201	218	236	251	270	287
22"	87	102	121	139	157	176	192	212	229	246	265	280	299
24"	92	107	124	144	163	181	200	218	237	256	275	295	311

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge.....add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 Operable Lining – add to grid size liner pricing..... add \$85 Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) add \$83 – Shade Only (TSB, TSO) add \$53 – Valance Only (TVSB, TVSO) add \$31

CUL	ELI	TER
2099 Tortuga Coral	2049 Katmandu	2003 Kauai
2100 Tortuga Cocoa	2059 Veracruz Earth	2011 Sonora Desert
	2080 Veracruz Mocha	2057 Ensenada Negro
	2083 Honduras Timbre	2210 Hi-Lo White
	2084 Honduras Rust	2211 Hi-Lo Tan
		2212 Hi-Lo Gray

GROUP 2

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$133	194	212	236	247	272	291	320	352	388	428	464	487
42"	180	200	221	245	256	284	307	339	370	428	446	488	513
48"	188	207	229	255	261	296	315	355	389	454	472	514	539
54"	194	216	236	264	276	311	321	370	407	472	498	546	570
61"	199	222	246	273	295	322	347	388	428	494	518	574	601
66"	207	230	256	283	304	333	365	402	444	513	546	591	619
72"	212	238	260	291	311	346	376	419	463	534	560	620	649
78"	224	251	281	317	341	373	404	453	498	578	612	640	672
84"	238	268	303	338	369	405	433	484	533	627	633	673	703
90"	252	287	320	362	397	432	467	518	574	652	664	695	727
96"	266	304	343	385	421	462	502	555	604	679	679	725	763
108"	291	334	374	428	462	505	555	595	637	727	727	768	818

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$46	51	56	60	62	68	76	83	89	97	103	111	118
6"	49	55	59	64	69	80	87	95	102	111	119	125	134
8"	50	58	67	69	80	88	97	106	115	124	133	142	150
10"	52	63	71	80	88	98	106	118	126	137	147	156	167
12"	53	71	74	84	89	106	115	125	133	145	149	170	196
16"	84	103	122	141	156	174	192	209	227	246	261	281	298
18"	90	108	128	147	166	184	203	222	239	260	278	295	315
20"	95	115	136	155	175	194	212	234	252	273	291	313	332
22"	99	122	142	163	184	203	224	245	265	286	307	327	347
24"	103	125	147	169	192	212	234	256	278	299	318	341	363

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge.....add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 Operable Lining – add to grid size liner pricing..... add \$85 Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) add \$83 – Shade Only (TSB, TSO) add \$53 – Valance Only (TVSB, TVSO) add \$31

CUL	ELI	EXO	GRW	TER
2157 Banjar Artisan	2104 Nagoya Harvest	2151 Mandalay Mystique	9474 Celebes Cornsilk	2234 Zee Gray
2204 Kyoto Ebony		2230 Kyoto Sunset	9475 Celebes Seashell	2236 Zee Tan
			9476 Celebes Ivory	2237 Zee White

GROUP 3

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$185	220	239	269	282	313	340	379	419	461	505	551	577
42"	204	229	250	283	290	337	363	401	444	507	538	589	621
48"	212	238	259	295	299	353	384	421	465	536	572	625	659
54"	220	250	265	307	322	370	392	445	493	574	605	664	692
61"	227	260	286	318	352	388	419	467	521	604	633	701	740
66"	238	268	301	340	374	402	441	491	548	633	664	735	773
72"	243	278	313	353	388	427	462	517	567	656	698	775	815
78"	261	298	337	379	415	458	498	551	614	714	766	802	853
84"	280	317	362	406	450	495	533	595	672	773	793	843	893
90"	298	341	384	441	485	531	578	649	723	800	831	884	924
96"	320	366	415	468	523	575	623	698	755	833	863	914	956
108"	348	404	459	526	582	640	692	761	808	906	925	992	1043

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft. (Woven Woods) or 65 sq.ft. (Grass Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$49	58	61	69	76	81	90	106	109	119	133	150	174
6"	56	60	68	75	80	89	105	108	119	133	146	160	187
8"	58	67	74	79	87	103	106	118	132	144	156	183	200
10"	59	71	77	85	95	106	115	128	140	152	169	190	203
12"	63	72	78	89	102	111	120	134	142	155	178	201	205
16"	102	124	144	166	188	207	229	250	270	291	313	334	357
18"	108	133	153	177	199	221	245	266	288	313	334	357	379
20"	115	141	163	188	212	235	260	283	307	332	355	379	404
22"	123	147	172	198	224	249	275	299	323	351	376	401	428
24"	128	155	180	208	236	260	288	317	341	369	397	421	449

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge.....add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 Operable Lining – add to grid size liner pricingadd \$85 Faux Silk Binding Option – Default - All add \$128 <ul style="list-style-type: none"> (Grass Weaves Only) – Custom Placement.....add \$84 – Valance Onlyadd \$43 Twill Edge-Binding Option – Shade & Valanceadd \$83 <ul style="list-style-type: none"> – Shade Onlyadd \$53 – Valance Onlyadd \$31

CUL	EXO
2060 Saba Sunset	2052 Serengeti Sunrise
2061 Saba Dusk	2053 Serengeti Cocoa
2072 Hunan	2150 Sumatra Surprise
2155 Katni Intrigue	2232 Taos
2223 Mesa Mocha	

GROUP 4

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$203	238	266	296	325	351	384	424	467	521	574	627	661
42"	222	250	280	315	343	378	407	450	499	575	611	672	705
48"	234	261	295	333	360	394	430	480	529	611	648	717	754
54"	242	278	304	348	378	419	454	511	561	650	692	761	792
61"	252	287	331	366	412	439	480	534	595	685	731	808	848
66"	260	303	345	384	431	464	507	561	625	714	768	853	891
72"	270	313	354	401	440	487	529	592	652	758	810	891	943
78"	291	337	381	434	482	525	574	644	713	826	878	933	985
84"	315	365	413	465	522	570	623	698	775	902	925	984	1040
90"	337	388	442	500	555	612	672	752	845	938	969	1026	1084
96"	359	419	478	545	606	669	725	821	885	976	1008	1064	1132
108"	401	468	531	609	674	745	811	889	956	1057	1093	1157	1233

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$50	52	58	67	76	84	93	100	111	119	126	136	144
6"	55	60	71	81	90	102	111	122	133	142	153	163	172
8"	58	71	83	95	106	119	129	142	155	167	169	172	186
10"	65	80	85	100	107	123	136	150	158	168	173	188	193
12"	67	80	88	104	110	125	139	152	162	172	177	193	198
16"	115	141	163	188	212	235	258	282	309	332	355	379	402
18"	124	148	175	200	226	252	278	303	330	355	381	406	431
20"	133	160	186	216	242	269	296	322	352	379	406	433	462
22"	141	169	198	229	258	287	317	344	374	404	432	462	490
24"	147	177	208	242	272	303	333	363	397	428	458	488	518

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge.....add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 Operable Lining – add to grid size liner pricing..... add \$85 Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) add \$83 – Shade Only (TSB, TSO) add \$53 – Valance Only (TVSB, TVSO) add \$31

CUL	ELI	EXO
2070 Tobago	2153 Sakura Etude	2054 Indo Chic
2085 Antigua Maze		2068 Kiribati Jungle
2086 Antigua Surf		2069 Kiribati Rainforest
		2096 Zulu

GROUP 5

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$219	257	288	323	356	385	422	468	519	581	635	697	736
42"	238	273	309	348	381	413	450	502	559	638	683	751	792
48"	253	288	326	369	406	445	485	543	602	683	733	805	850
54"	262	306	345	388	419	472	513	578	638	733	784	867	912
61"	278	319	367	411	459	498	544	610	675	782	837	917	978
66"	288	337	384	432	486	528	578	642	715	819	884	967	1029
72"	300	352	399	455	496	557	605	682	763	872	932	1030	1088
78"	326	377	432	492	545	602	660	745	824	945	1022	1083	1151
84"	348	408	467	531	587	654	719	802	899	1044	1076	1132	1204
90"	375	441	506	576	637	709	780	875	979	1094	1124	1201	1273
96"	406	475	550	617	693	759	840	952	1022	1142	1180	1250	1334
108"	454	528	609	701	781	865	956	1022	1108	1230	1286	1356	1436

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$58	59	64	71	81	92	100	111	119	126	137	146	155
6"	61	63	79	89	102	112	123	136	146	158	169	180	172
8"	64	67	84	97	106	122	135	151	157	173	180	184	188
10"	67	69	87	103	114	130	141	156	164	177	184	192	200
12"	70	84	89	106	115	135	145	159	168	179	187	203	209
16"	130	157	184	210	237	263	292	319	346	372	400	427	454
18"	141	169	198	229	257	286	315	345	374	402	432	462	489
20"	151	183	213	245	276	309	339	370	401	432	465	494	525
22"	162	194	229	260	295	327	362	397	429	462	495	529	561
24"	170	205	238	278	313	348	384	419	454	489	528	561	595

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> • Valance Returns for Inside Mounts • Valance Custom Heights to 12" • Control Positions (R or L) • Extension Brackets • Hold Down Brackets • Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) • Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail.....Price as 2 separate shades and add \$51 • 3 On 1 Headrail.....Price as 3 separate shades and add \$62 • Top-Down add \$44 • Top-Down/Bottom-Up add \$50 • Continuous Cord Loop Surcharge.....add \$66 • Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 • Operable Lining – add to grid size liner pricing..... add \$85 • Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) add \$83 – Shade Only (TSB, TSO) add \$53 – Valance Only (TVSB, TVSO) add \$31

Grass Weave*
 2337 Singapore Bisque
 2338 Singapore Talc
 2339 Singapore Cotton
 9450 Singapore Gray

GROUP 6

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$254	287	315	353	385	412	449	502	560	617	680	745	780	827	876
42"	265	299	332	372	410	442	480	532	595	683	726	800	844	895	948
48"	278	313	349	393	427	467	510	560	624	724	774	852	896	950	1007
54"	287	327	362	408	448	490	531	595	661	776	819	904	940	997	1057
61"	296	339	379	432	472	516	556	626	699	815	858	956	1013	1074	1137
66"	311	352	395	449	498	533	588	658	736	859	899	1005	1059	1122	1189
72"	319	363	410	468	515	564	613	693	765	890	949	1062	1120	1188	1259
78"	344	393	444	504	553	609	665	742	832	975	1048	1097	1172	1242	1317
84"	366	421	481	541	602	664	716	806	914	1064	1089	1155	1225	1299	1378
90"	395	454	514	591	655	715	780	881	990	1099	1141	1214	1268	1343	1424
96"	427	489	558	633	706	778	849	955	1036	1145	1182	1257	1313	1393	1476
108"	469	543	619	714	791	872	946	1042	1110	1249	1272	1369	1438	1524	1616
120"	497	576	657	757	840	924	1000	1105	1175	1324	1348	1450	1524	1616	1712

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$49	54	58	62	67	73	80	87	93	101	109	115	121	128	137
6"	53	55	61	70	78	86	95	102	111	118	128	137	143	151	160
8"	54	60	68	80	89	98	109	118	128	138	147	157	166	176	185
10"	58	67	79	89	101	112	122	133	145	155	167	177	189	200	211
12"	63	75	87	99	111	124	137	148	160	172	185	198	209	221	234
16"	100	118	138	158	177	197	214	234	252	272	292	311	329	349	367
18"	107	127	147	169	188	209	229	250	270	291	312	332	352	373	394
20"	113	134	155	178	200	221	243	265	287	309	331	353	374	395	419
22"	118	141	164	189	211	235	258	280	303	326	351	374	396	420	445
24"	125	149	172	199	221	247	271	295	321	344	369	393	416	441	467

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge..... add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability) add \$90 Operable Lining – add to grid size liner pricing add \$85 Faux Silk Binding Option – Default - All add \$128 <ul style="list-style-type: none"> Custom Placement..... add \$84 Valance Only add \$43 Twill Edge-Binding Option – Shade & Valance add \$83 <ul style="list-style-type: none"> Shade Only add \$53 Valance Only add \$31

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$263	294	340	381	412	452	495	546	610	679	755	830	875	929	981
42"	282	318	353	403	436	485	525	582	651	755	804	890	937	993	1048
48"	297	334	365	419	438	507	555	621	692	804	853	953	1002	1063	1123
54"	309	353	365	433	454	540	586	665	736	860	913	1010	1053	1116	1180
61"	321	367	388	465	497	568	619	697	782	906	968	1078	1132	1202	1269
66"	332	387	439	498	548	601	659	734	823	944	1019	1141	1189	1260	1333
72"	345	401	452	516	571	631	687	775	860	1003	1074	1191	1260	1337	1411
78"	375	432	492	566	623	683	749	846	941	1102	1177	1250	1319	1398	1479
84"	406	472	538	608	682	749	821	923	1031	1211	1238	1321	1397	1482	1565
90"	433	507	578	656	730	805	886	1000	1132	1263	1299	1379	1455	1542	1630
96"	467	547	627	717	800	884	961	1099	1186	1313	1349	1427	1524	1616	1707
108"	524	619	701	808	897	993	1082	1191	1286	1425	1471	1559	1661	1762	1863
120"	555	656	744	857	952	1053	1146	1263	1362	1511	1560	1652	1762	1867	1973

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

1 Use this grid to price your INDIVIDUAL valance. section for d
2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$49	53	56	64	71	80	86	94	102	109	116	125	133	141	147
6"	55	58	67	77	86	95	106	114	124	133	142	151	162	171	179
8"	58	68	80	89	102	112	124	135	145	155	168	177	189	200	212
10"	66	79	90	105	115	128	142	155	167	179	193	204	217	231	245
12"	72	86	101	115	129	145	158	172	187	201	216	230	245	260	274
16"	113	135	155	177	199	224	245	265	288	310	333	353	376	399	422
18"	122	145	168	192	215	238	262	285	311	334	357	380	405	429	454
20"	129	155	178	204	230	256	281	306	332	356	383	407	433	459	485
22"	137	165	191	219	245	273	299	325	353	380	407	433	463	490	517
24"	145	172	200	230	258	288	316	344	374	402	432	460	489	519	548

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

section for details.

OPTIONS: EXTRA CHARGE	
• 2 On 1 Headrail.....	Price as 2 separate shades and add \$51
• 3 On 1 Headrail.....	Price as 3 separate shades and add \$62
• Top-Down	add \$44
• Top-Down/Bottom-Up	add \$50
• Continuous Cord Loop Surcharge.....	add \$66
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).....	add \$90
• Operable Lining – add to grid size liner pricing	add \$85
• Faux Silk Binding Option – Default - All	add \$128
(Grass Weaves Only) – Custom Placement.....	add \$84
– Valance Only	add \$43
• Twill Edge-Binding Option – Shade & Valance	add \$83
– Shade Only	add \$53
– Valance Only	add \$31

Grass Weave*
 9400 St. Kitts Dune
 9401 St. Kitts Greywood
 9460 Aruba Summer
 9461 Aruba Straw
 9462 Aruba Sand Dune
 9463 Aruba Driftwood
Grass Weave*
 9464 Aruba Café
 9470 Martinique White Wash
 9471 Martinique Sea Grass
 9472 Martinique Surf
 9473 Martinique Coral
Select Weave
 2420 Macau
 2423 Mali Tan
 2436 Tai White
 2438 Suva
 2526 Salvador Driftwood
Select Weave
 2527 Cancun Light Gray
 2528 Cancun Off White
 2529 Cano Cream
 2530 Madeira Green
 2531 Rio Gray
GROUP 8

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$295	340	380	423	443	511	564	623	696	784	864	953	1004	1065	1129
42"	313	360	405	463	494	549	601	675	754	867	930	1030	1087	1153	1222
48"	330	381	430	490	502	593	644	727	811	930	1000	1105	1167	1238	1313
54"	345	404	436	516	513	634	632	780	865	1000	1071	1193	1255	1331	1410
61"	366	422	483	548	607	667	727	823	916	1069	1145	1265	1350	1430	1517
66"	381	447	508	577	644	706	778	867	970	1117	1213	1335	1422	1506	1597
72"	397	467	533	610	673	749	811	923	1039	1200	1281	1426	1508	1599	1694
78"	432	502	579	660	736	809	894	1013	1128	1305	1415	1500	1597	1693	1795
84"	466	548	624	717	793	886	978	1095	1241	1455	1491	1569	1672	1773	1880
90"	503	593	683	780	867	967	1066	1204	1357	1524	1562	1670	1771	1876	1989
96"	548	645	747	844	948	1040	1153	1317	1418	1594	1638	1741	1859	1970	2089
108"	617	719	833	964	1078	1195	1328	1418	1542	1715	1793	1887	2005	2125	2252
120"	652	762	883	1022	1142	1267	1405	1502	1635	1818	1902	2000	2124	2251	2387

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft. (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$58	59	64	70	81	92	99	111	119	126	135	146	157	167	177
6"	56	66	77	86	97	108	119	129	144	150	156	163	170	180	191
8"	66	79	81	103	109	124	133	149	155	164	171	177	185	197	208
10"	71	83	85	106	114	133	141	154	165	173	181	192	201	213	226
12"	80	86	89	110	115	140	145	163	168	179	187	199	209	221	234
16"	128	155	178	204	230	256	281	306	332	357	382	407	432	459	486
18"	139	167	194	221	249	276	304	332	357	385	413	441	468	496	526
20"	149	178	207	238	267	296	326	356	384	415	444	474	503	533	565
22"	159	192	224	255	286	318	349	381	412	444	475	507	539	572	606
24"	168	203	234	269	303	338	370	405	438	472	505	540	573	608	643

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> Valance Returns for Inside Mounts Valance Custom Heights to 12" Control Positions (R or L) Extension Brackets Hold Down Brackets Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> 2 On 1 Headrail.....Price as 2 separate shades and add \$51 3 On 1 Headrail.....Price as 3 separate shades and add \$62 Top-Down add \$44 Top-Down/Bottom-Up add \$50 Continuous Cord Loop Surcharge.....add \$66 Cordless Lift Surcharge (see pages 4-6 for pattern availability)add \$90 Operable Lining – add to grid size liner pricingadd \$85 Faux Silk Binding Option – Default - All add \$128 <ul style="list-style-type: none"> – Custom Placement.....add \$84 – Valance Onlyadd \$43 Twill Edge-Binding Option – Shade & Valanceadd \$83 <ul style="list-style-type: none"> – Shade Onlyadd \$53 – Valance Onlyadd \$31

Select Weave
 2411 Jaipur Natural
 2417 Lagos
 2419 Lomaloma
 2431 Santos Natural
 2433 Sintra Dust
 2441 Tunisia
GROUP 9

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$362	415	473	539	609	670	736	818	890	956	1052	1127	1212
42"	388	447	516	589	660	729	813	894	984	1094	1151	1250	1344
48"	416	488	564	641	666	802	886	982	1076	1191	1257	1363	1468
54"	444	525	625	692	846	874	962	1068	1165	1303	1395	1511	1634
61"	475	563	649	746	838	947	1045	1166	1276	1418	1518	1644	1753
66"	505	607	694	800	908	1008	1126	1255	1385	1544	1660	1795	1910
72"	536	646	746	864	982	1096	1218	1345	1490	1681	1782	1947	2095
78"	577	687	802	921	1057	1181	1322	1454	1616	1798	1914	2100	2270
84"	611	727	852	982	1124	1253	1401	1570	1721	1952	2070	2233	2418
90"	649	767	907	1060	1205	1342	1503	1671	1849	2079	2201	2433	2576
96"	686	822	964	1115	1275	1442	1602	1796	1963	2248	2388	2532	2704
108"	749	898	1054	1238	1419	1617	1793	1995	2205	2497	2606	2784	2955
120"	794	951	1119	1313	1505	1713	1899	2115	2337	2647	2762	2951	3133

RemoteLift Shades: Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer RECOMMENDED for shade greater than 28 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$78	84	93	104	112	123	133	147	154	169	179	187	199
6"	83	92	103	112	125	133	141	163	168	181	196	209	225
8"	90	102	112	125	139	153	168	183	197	212	226	241	256
10"	101	123	125	145	162	177	195	212	229	247	263	281	297
12"	120	124	142	162	180	200	220	238	259	278	297	317	337
16"	197	203	221	256	292	326	362	397	432	467	502	539	573
18"	215	221	243	281	318	357	397	434	471	509	550	590	628
20"	234	237	261	304	345	386	428	469	511	554	595	639	679
22"	252	255	284	327	374	418	463	507	552	596	643	690	734
24"	266	268	300	349	399	446	494	542	590	639	687	738	785

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> • Valance Returns for Inside Mounts • Valance Custom Heights to 12" • Control Positions (R or L) • Extension Brackets • Hold Down Brackets • Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) • Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail.....Price as 2 separate shades and add \$51 • 3 On 1 Headrail.....Price as 3 separate shades and add \$62 • Top-Down add \$44 • Top-Down/Bottom-Up add \$50 • Continuous Cord Loop Surcharge.....add \$66 • Cordless Lift Surcharge (see pages 4-6 for pattern availability).....add \$90 • Operable Lining – add to grid size liner pricingadd \$85 • Faux Silk Binding Option – Default - All add \$128 <ul style="list-style-type: none"> (Grass Weaves Only) – Custom Placement.....add \$84 – Valance Onlyadd \$43 • Twill Edge-Binding Option – Shade & Valanceadd \$83 <ul style="list-style-type: none"> – Shade Onlyadd \$53 – Valance Onlyadd \$31

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)
Fixed Privacy Lining – Translucent (LF-# White, Ivory and Khaki)
Operable Privacy Lining – Light Filtering (OLF-# White, Cream, Café and Mink)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$38	45	53	58	62	68	71	84	92	100	103	106	111	120	130
42"	42	50	58	62	68	73	79	92	103	109	112	118	122	133	146
48"	44	53	62	69	76	84	88	101	111	116	122	129	135	148	161
54"	49	58	68	76	84	89	98	109	120	128	134	143	149	161	176
61"	50	61	71	81	88	98	104	118	131	140	146	152	161	176	191
66"	53	67	77	85	93	103	111	127	141	149	155	165	172	188	205
72"	57	69	84	92	101	109	118	134	149	157	168	175	187	204	221
78"	60	73	87	98	105	116	127	143	157	168	176	190	199	216	237
84"	62	77	92	103	112	124	134	151	168	176	190	200	210	229	249
90"	62	81	98	106	118	131	143	159	175	190	200	211	224	243	266
96"	68	84	101	112	127	140	150	168	187	199	210	224	235	256	278
108"	79	100	116	132	148	161	174	198	218	232	248	261	273	298	325

Note: Khaki Fixed Privacy Lining over 54" wide AND 54" high will be spliced together vertically, the maximum height is limited to 106", creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)
Fixed Privacy Lining – Room Darkening (RD-# White, Ivory, Khaki, Brown, Black, Beige-Deluxe, and Taupe-Deluxe)
Operable Privacy Lining – Room Darkening (OBO-# White, Cream, Café and Black)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$48	58	69	76	84	88	95	109	121	128	134	141	148	160	175
42"	53	66	76	84	89	100	105	120	134	143	149	155	163	177	193
48"	58	71	84	92	101	109	116	132	148	154	163	172	178	194	212
54"	62	76	88	100	106	116	127	145	159	168	176	188	198	216	235
61"	68	84	95	105	116	128	136	154	172	181	193	204	213	234	254
66"	69	85	102	111	122	135	148	165	184	198	207	219	230	251	273
72"	73	92	106	120	132	146	157	176	198	208	222	234	247	269	293
78"	77	98	112	128	141	154	168	190	208	224	235	251	262	285	312
84"	84	102	120	134	149	164	176	200	222	235	251	265	279	304	332
90"	84	105	127	143	157	172	188	210	232	251	265	281	296	323	352
96"	89	111	132	150	168	181	199	222	247	262	279	298	313	342	372
108"	104	129	154	174	194	211	231	259	285	305	326	346	364	397	432

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide AND 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

Motorization consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

SIMPLICITY RECHARGEABLE OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER
USE APPROPRIATE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motoradd \$294 per motor
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$45 each
- Plug-in ChargerPart #CS5199.....add \$33 each
- Solar Panel (Part #CS52096 Solar Panel & mounting brackets) (Part #02-70-9021 Mounting bracket screws)add \$159 each

REMOTELIFT™ OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteLift power source when ordering)

- RF RemoteLift Motorization Upgrade add \$340 per shade
- RF Remote Control – 1 Channel Part #RC445069 add \$107 each
- RF Remote Control – 5 Channel Part #RC445079 add \$137 each
- RF Wireless Wall Switch – 1 Channel Part #RC445135 add \$272 each
- RF Wireless Wall Switch – 5 Channel Part #RC445136 add \$272 each
- RF Programmable Timer – 1 Channel Part #1805237A add \$432 each
- RTS-Smoove 1 RTS add \$141 each
- RTS-myLink RTS interface add \$403 each

- RF Reloadable Single Battery Wand Part #KITRWR.....add \$146 each
- RF Reloadable Dual Battery Wand..... Part #KITRDWR..... add \$294 each
- RF Transformer Part #1822192 add \$146 each
- RF Battery Wand Extension Wire – 10" Part #9013282 add \$11 each
- RF Battery Wand Extension Wire – 48" Part #9013279 add \$15 each
- RF Battery Wand Extension Wire – 96" Part #9013277 add \$20 each
- RF 8 AA Lithium Batteries (Reload-Wand) Part #9014834.....add \$49 each

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Wood), 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer RECOMMENDED for shade exceed the limit.

SHADE CONFIGURATION DIAGRAM

Shades and Individual Valances Are Built on 1 of 3 Headrail Depths:

1-1/2" Headrail Depth: Standard Rectangular, Waterfall Style, Top-Down, Top-Down/Bottom-Up & Turned Headrail


2-1/2" Headrail Depth: RemoteLift, Continuous Cord Loop, Operable Liner, 2 or 3 on 1 Headrail & Individual Valances

3/4" Headrail Depth: For narrow mounts

OUTSIDE MOUNT (& CEILING MOUNT) VALANCE WIDTH ADDITIONS FOR:



Standard, Top-Down, Top-Down/Bottom-Up & RemoteLift Shades (see next pages for Cord Loop and Cordless Lift Shades)
A small width addition is made to the valance to create a "cornice style" box for approved appearance & shade operation/stacking.
Valance Width ADDITION = +1/2 "PER SIDE = +1" Total



VALANCE NOTE:

Standard valances are 6" in height. When shades are under 18" in width, the valance is 4" in height for improved proportion.

Custom valances up to 12" in height may be ordered with **NO extra charge**.

Custom valances over 12" in height are charged **EXTRA**.

Refer to the valance price grids by Group.

RETURN NOTES:

Standard outside mount return depths are 1-3/4" for the small headrail and 2-3/4" for the large headrail.

Outside mount returns are attached to the valance using the **VRS SYSTEM on woven wood only**.

The VRS System is NOT featured on Decorative Wovens due to the sheerness and fabric weight. Returns will use the classic velcro for attachment.

The outside mount valance width addition covers the front facing edge of the return and creates a clean corner.

If optional returns are ordered on an IB Mount, they will use the classic velcro "dog ear" attachment method (not VRS).

Returns not available on turned headrail or 3/4" headrail shades.


VALANCE RETURN STABILIZER (VRS) SYSTEM



Outside mount shade valances come with the innovative Valance Return Stabilizers (VRS) System. The VRS System includes clear corner pieces and are attached to the valance and returns, keeping them stable and in perfect alignment. The valance also covers the front edge of the returns. A tiny spring mechanism in each VRS keeps the valance hanging straight down off the headrail, while also allowing you to raise the valance for installing the shade and for periodic dusting/cleaning underneath.

Not Available on Decorative Wovens. Returns with velcro are available under Decorative Wovens.

LIMITED LENGTH ADJUSTER



Woven Wood shade configurations that have a bottom dowel will include a Limited Length Adjuster. Shades that have a edge-binding or tape-binding on the bottom will NOT include the adjuster. The Limited Length Adjuster allows up to a 1" shade height reduction (depending upon the dowel size and woven material). It works by simply **SLIDING UP** the Adjuster on each side of the shade which in turn rolls the dowel up. This is an innovative solution to adjust for some woven shade stretching, which may occur to some extent over time with all woven wood materials.

Not Available on Decorative Wovens


CORD LOOP SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard IB width deductions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total

Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total




OUTSIDE MOUNT (& CEILING MOUNT) WIDTH ADDITIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard OB width additions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total

Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



CONTINUOUS CORD LOOP SYSTEM - MOUNTING AND WIDTH ADJUSTMENTS NOTES

Continuous Cord Loop Systems offer manually operated clutch mechanisms for raising and lowering shades. By simply putting on one side of the cord loop, shades can be quickly and precisely positioned. Left or Right side control positions may be specified.


Cord Loop shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. This cord loop bracket system allows the cord loop mechanism to be shifted to the very edge of the headrail so that the cord loop is shifted toward the edge of the shade, rather than hanging in front of the shade. The width adjustments made on the cord loop control side allow the cord loop to hang straight down to the required, mounted safety tensioner and clear the edge of the woven material.

NOTE: There is a likelihood where cord will rub against the edge of the shade. Hence, edge binding is highly recommended.

CORDLESS LIFT SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: CORDLESS LIFT


Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total
Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total



standard $-1/4"$ IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT AND CEILING MOUNT WIDTH ADDITIONS FOR: CORDLESS LIFT

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total
Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



adjusted $+1/4"$ OB width addition to headrail ON BOTH SIDES

adjusted $+3/4"$ OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail ($+1/4"$ on each side).

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) $+1/2"$ beyond the headrail width on each side.


CORDLESS LIFT SYSTEM – MOUNTING AND WIDTH ADJUSTMENT NOTES

Cordless Lift shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. Cordless Lift shades do not install with the standard woven wood screw-post brackets through routes in the headrail.

LIMITED LENGTH ADJUSTER

Woven Wood cordless lift shade without edge-binding will have a limited length adjuster. Insert a phillips screwdriver into the adjuster. Turn left to shorten and right to lengthen.


This is a solution to allow limited adjustment for some woven shade stretching, which may occur to some extent over time with all woven wood materials.



SHADE CONFIGURATION OPTIONS


STANDARD RECTANGULAR

- Returns standard on outside mount
- Returns for inside mount available upon request
- Valance is 6" long (4" for shades under 18" wide)
- Built on 1-1/2" depth headrail (unless specified)
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)




WATERFALL STYLE (FRONT-SIDE SHADE)

- Returns standard on outside mount
- Backside valance includes liner when ordered on shade
- Backside valance included on inside mount
- Front-side cord grommet (unless specified)
- Built on 1-1/2" depth headrail unless specified
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)




3/4" HEADRAIL (FOR NARROW DEPTH MOUNTS ONLY)

- Available with standard or waterfall style only
- Returns are not available
- No valance width addition for outside mount
- Shade mounts with screws only, not brackets
- Mounting holes pre-drilled in headrail
- Not available as 2 or 3 on 1 headrail



2 OR 3 ON 1 HEADRAIL

- Standard, waterfall & top-down/bottom-up
- Cord loop, cordless, and Simplicity motorization are available under bottom-up in 2 on 1 only.
- Valance split at shade gap if over 96" wide
- Built on 1-1/2" and 2-1/2" depth headrails (see configurations)
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are build on 2-1/2" headrail




Note: We cannot guarantee fabric alignment on side-by-side shades.

SHADE CONFIGURATION OPTIONS


TOP-DOWN

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Built on 1-1/2" depth headrail, unless specified
- Not available with remotelift or cordless
- Not available with waterfall style




TOP-DOWN/BOTTOM-UP

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail
- For 2 in 1 or 3 in 1 shade that is larger than 96" in width are built on 2-1/2" headrail
- Not available with Waterfall style




CONTINUOUS CORD LOOP

- Built on 2-1/2" depth headrail only
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with waterfall shades;
- If waterfall, loop cord is behind shade
- Not available with top-down or top-down/bottom-up
- Note: inside and outside mount width adjustments
- Cord may rub against side of the shade during operation. Edge binding is highly recommended.




SIMPLICITY RECHARGEABLE & REMOTELIFT MOTORIZATION

- Automated control options available
- Built on 2-1/2" depth headrail only
- Available with waterfall style
- Not available with top-down or top-down/bottom-up or 3 on 1 headrail
- When ordering multiple motorized shades/remotes, please provide programming instructions, otherwise, all shades will be programmed to one remote



CORDLESS

- Built on 2-1/2" depth headrail only
- Enclosed aluminum hem bar
- Available in standard rectangular style & waterfall
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with fixed liners
- Available with twill edge and faux silk bindings – valance sides & shade sides only




FAUX SILK BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON DECORATIVE WOVEN PATTERNS


FAUX SILK BINDING OPTION (EFO)

Shade and valance sides and bottom available in all configurations




ESVB

Faux silk sides + bottom + valance sides




ES

Faux silk sides + valance sides




ESB

Faux silk sides + bottom



ESO

Faux silk sides only



NOTE: Valance returns do not include bindings. They are comprised of Decorative Woven Material only.

NOTE: Corners on shades with faux silk bindings on the side and bottom are mitered, providing a high-end drapery workroom look.

INDIVIDUAL VALANCE

Large 2-1/2" depth headrail

Returns standard on outside mount only

Valance without headrail uses velcro



EVSB

Faux silk VALANCE sides + bottom
(binding not on returns)



EVSO

Faux silk valance sides only
(binding not on returns)



FAUX SILK ORDER ABBREVIATION TABLE

EFO	- option (default = all sides & bottom)
ESVB	- sides + bottom + valance sides
ES	- sides + valance sides
ESB	- sides + bottom
ESO	- sides only

EVSB	- valance sides + bottom
EVSO	- valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner.

Due to the valance width addition, trim on the valance sides will also extend out slightly as compared to the trim on the shade sides.


NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

TWILL EDGE-BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON WOVEN WOOD AND DECORATIVE WOVEN PATTERNS


EDGE-TAPE OPTION (ETO)

Shade and valance sides and bottom available in all configurations




TSVB

Tape sides + bottom + valance sides




TS

Tape sides + valance sides




TSB

Tape sides + bottom



TSO

Tape sides only



NOTE: Valance returns do not include bindings. They are comprised of woven material only.

NOTE: Corners on shades with twill edge-bindings are NOT mitered.


INDIVIDUAL VALANCE

Large 2 1/2" depth headrail
Returns standard on outside mount only
Valance without headrail uses velcro



TVSB

Tape valance sides + bottom (binding not on returns)



TVSO

Tape valance sides only (binding not on returns)



TWILL EDGE-BINDING ORDER ABBREVIATION TABLE

ETO	- edge tape option (default + all sides & bottom)
TSVB	- tape sides + bottom + valance sides
TS	- tape sides + valance sides
TSB	- tape sides + bottom
TSO	- tape sides only

TVSB	- tape valance sides + bottom
TVSO	- tape valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner. See Shade Configuration Diagram. OB Valances and returns are attached using the "Valance Return Stabilizer" or VRS System. [Woven Wood patterns only].

Due to the valance width addition, edge-tape on the valance sides will also extend out slightly as compared to the edge-tape on the shade sides

NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

BINDING FEATURES AND FABRIC LISTS

- Bindings come standard on shade and valance sides and bottom, front and back unless one of the custom placement options is specified.
- Bindings are sewn to the woven material for durability, structure, a cleaner appearance, and to protect the shade edges.
- Cordless only available with faux silk binding and twill edge-bindings.
- Not available on all woven materials – see color charts for availability.
- Available on all woven shade configurations.



Faux Silk Bindings



Twill Edge-Bindings

TWILL EDGE-BINDING FABRIC LIST

Available on Woven Woods & Decorative Wovens

Color #	5/8" Folded	1-1/2" Folded
White	CT400	NA
Natural	CT402	CT802
Duck	CT403	NA
Latte	CT404	NA
Dusk	CT405	CT805
Sand	CT406	CT806
Beige	CT408	CT808
Jute	CT409	CT809
Camel	CT410	CT810
Desert	CT412	CT812
Mocha	CT417	CT817
Chocolate	CT418	CT818
Espresso	CT419	CT819
Silver	CT420	NA
Steel	CT421	CT821
Black	CT424	CT824

FAUX SILK BINDING FABRIC LIST (1" WIDTH)

Available on Decorative Wovens ONLY

Color #	Color Name
FT550	Optic
FT551	Cashmere
FT552	Crystal
FT554	Bubbly
FT555	Angora
FT557	Natural
FT562	Sand

Color #	Color Name
FT565	Jute
FT566	Chipmunk
FT568	Tiramisu
FT572	Granite
FT573	Oyster
FT574	Smoke

- Corners are mitered for a custom workroom look

OPERABLE PRIVACY LINING OPTIONS

Features

- Operable privacy liners may be raised and lowered independently of the front woven shade using a separate lift cord & cordlock.
- Operable liners allow for the most versatile woven shade light control.
- Available on all woven materials.
- Available on Standard & Waterfall-Style shade configurations ONLY.
- Operable liners are neutral white to the outside, are NOT reversible, and include spaced horizontal "tabs" on the back-side for the lift cords.
- Operable liner safety cord shrouds are WHITE-ONLY. The lift cords are color-coordinated to the woven material and match the shade lift cords.
- Valances DO NOT include operable liners (or same-color fixed liners).
- Cut-outs not available.

Front View



Back View



FIXED PRIVACY LINING OPTIONS

Features

- Fixed (traditional) privacy liners are physically attached to the back of the woven shade and operate in unison WITH them.
- Available on all woven materials.
- Available on ALL woven shade configurations.
- Fixed liners are neutral white to the outside. Reversed liners (i.e. colored to the outside and white to the inside) must be specified when ordering.
- Front & back valances on Top-Down/Bottom-Up shades DO include liners.
- Back valances on Waterfall-Style shades DO include liners.
- Fixed liners are sewn UNDER faux silk, twill edge-binding when those options are ordered.
- Allows for traditional style woven wood shade light control.

Front & Back View



Back View with Binding



OPERABLE PRIVACY LINING

Family	Color #	Color Name
Light Filtering	OLF-4001	White
Light Filtering	OLF-4004	Cream
Light Filtering	OLF-4005	Café
Light Filtering	OLF-4007	Mink
Room Darkening	OBO-5001	White
Room Darkening	OBO-5004	Cream
Room Darkening	OBO-5005	Café
Room Darkening	OBO-5006	Black

Operable privacy liners are made of 100% Polyester.

FIXED PRIVACY LINING

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe

Translucent fixed privacy liners are made of 100% Cotton.

Room Darkening fixed privacy liners are made of 30% Cotton and 70% Polyester.

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide and 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide and 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

PRODUCT SPECIFICATIONS

WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Shade Features		Footnotes
Number of Styles		92
Headrail Depth	(1)	3/4", 1-1/2" or 2-1/2"
Bracket Style (for each headrail size above)	(2)	L-Shaped
Swivel Multi Cord Lock & Pulley		Yes
Woven Valance	(3)	Yes
Valance Returns (Standard on OB)	(4)	Yes
Color-Coordinated Lift Cords		Yes
Color-Coordinated Decorative Wood Tassel		Yes
Color-Coordinated Cord Connector		Yes
Color-Coordinated Cord Tensioner		Yes
Wood Dowel Bottomrail	(5)	3/4"
Warranty		Lifetime Limited

Continuous Cord Loop Chart	
Shade Height	Cord Loop Length
12" to 18"	12"
18-1/8" to 26"	18"
26-1/8" to 38"	24"
38-1/8" to 50"	36"
50-1/8" to 62"	48"
62-1/8" to 74"	60"
74-1/8" to 86"	72"
86-1/8" to 98"	84"
98-1/8" to 120"	96"
special request, long cord loop	120"
special request, long cord loop	144"

Shade Configuration Options	
Faux Silk Bindings (not available on all patterns)	Yes
Translucent/Light Filtering Privacy Linings (Fixed or Operable)	Yes
Room Darkening Privacy Linings (Fixed or Operable)	Yes
Continuous Cord Loop System	(6) Yes
Cordless Lift Shades (see pages 4-6 for pattern availability)	Yes
Top-Down or Top-Down/Bottom-Up (TDBU)	(7) Yes
Top-Down/Bottom-Up Continuous Cord	No
Waterfall Style	(8) Yes
Simplicity Rechargeable & RemoteLift Motorization	Yes
2 or 3 On 1 Headrail	(9) Yes
3/4" Headrail (for extra shallow mounts)	Yes
Custom Valance Heights & Return Depths	(10) Yes

Stacking Chart	
Shade Height	Stack Height
24"	6" - 7"
36"	6" - 8"
48"	8" - 9"
60"	8" - 10"
72"	8" - 10"
84"	9" - 12"
96"	9" - 12"
108"	10" - 13"
120"	10" - 13"

NOTE: These are stacking averages for standard shades. Actual heights may vary + or - 1". Stacking heights for continuous cord and bindings add approximately 1" more (each).

Other Options	
Individual Valances	(3) Yes
Cut-Outs (max size 3"x8" on L or R shade bottom)	(10) Yes
Specialty Shapes	No
Control Positions	L or R
Ceiling Mount (Flat) Brackets	(2) Yes
Hold Down Brackets	Yes
Spacer Blocks; 3/4"	Yes
Extension Brackets; 2-1/2" and 4-1/2"	Yes
Cord Cleats (Standard with TD & TDBU)	(8) Yes

Please Note: fabric alignment on side-by-side shades cannot be guaranteed.

FEATURE & OPTION NOTES:
<ol style="list-style-type: none"> Continuous Cord Loop shades, Cordless Lift Shades, RemoteLift shades and Individual Valances are made with the larger 2-1/2" depth headrail. Wider shades may also come with ceiling mount bracket(s) used to support the center headrail area. Flat (T-Style) brackets may also be ordered by request. Custom shade valance heights may be specified to 12" at NO extra charge. Over 12" valance is charged EXTRA. Returns standard on OB shades and valance orders ONLY, unless specified. Return widths are 1-3/4" (for small HR) and 2-3/4" (for large HR). Either of 2 size wood dowel bottomrails are wrapped with the selected woven material. Dowel size used depends on material style - see dowel size detail under color chart. Cord may rub against Continuous Cordloop shade, edge binding is highly recommended. Top-Down and TDBU shades require an EXTRA LONG lift cord and come with a CORD CLEAT to wrap excess cord. These shades are built on 1-1/2" depth headrail. For 2 on 1 and 3 on 1 TDBU shades over 96" are built on a 2-1/2" headrail. Waterfall-Style shades may be motorized. They are not available in Top-Down or Top-Down/Bottom-Up. Widths over 96" will always receive a spliced valance split at the shade gap. There is a 1/2" gap between individual shades. Cord Loop, Cordless, RemoteLift, and Simplicity Motorization shades are not available with 3 on 1 headrail. Cut-Out maximum size is 3" x 8" and only available on the Left or Right bottom corner of the shade. Cut-Outs are NOT available when Edge-Binding, Twill Edge-Binding or Faux Silk Binding is ordered, or on operable liners.

SIZE SPECIFICATIONS: WOVEN WOODS

Standard, Waterfall Style, Top-Down & Top-Down/Bottom-Up Shades

MINIMUM WIDTH	10" (per panel)
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- All Standard Rectangular, Top-Down and Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard, unless specified.
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall Style shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The turned headrail and 3/4" headrail options for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades

LARGE Headrail

MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" */108"

- Continuous Cord Loop shades are only built on the large 2-1/2" depth headrail.
- Cord Loop shades may be ordered as Waterfall Style, but only with "rear cord access".
The loop control will be BEHIND the shade, not through a front-side grommet.
- * Kota, Kyoto Sunset, Kyoto Ebony, Zee Gray, Zee Tan, and Zee White can only go up to 96" in height.

Cordless Lift Shades

LARGE Headrail

MINIMUM WIDTH	20" NET
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are only built on the large 2-1/2" depth headrail.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord Loop)

2 on 1 Headrail

3 on 1 Headrail

MINIMUM WIDTH	10" / 22" (per panel)	10" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

2 on 1 Headrail Shades (Cordless Lift)

MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are NOT available as 3 on 1 headrail.

Simplicity Rechargeable Motorization

RF System

MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

RemoteLift Motorization – Radio Frequency (RF)

RF System

MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- All RemoteLift motorized shades are built on LARGE 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- RemoteLift shades may be ordered as Waterfall Style.

** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

Operable Privacy Lining

- Shades ordered with Operable Lining follow the same size specifications as the **configurations** listed above, for Standard and Waterfall Style shades ONLY.
- Operable liners are available on Standard and Waterfall Style shades ONLY.
- Waterfall Style shades ordered with operable privacy lining DO NOT include lining on the back-side valance.
- Cut-outs are not available on operable liner shades.

Fixed Privacy Lining

- Shades ordered with Privacy Lining follow the same size specifications as the **configurations** listed above.
- Top-Down and TDBU shades ordered with privacy lining DO include lining on the front valance.
- Waterfall Style shades ordered with privacy lining DO include lining on the back-side valance.
- Khaki Translucent Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106".
- Khaki, Brown and Black Room Darkening Privacy Lining over 54" width and 54" height will be SPLICED and the maximum height will be reduced to 106".
- Beige/Deluxe & Taupe/Deluxe Room Darkening Privacy Lining over 60" width and 60" height will be SPLICED and the maximum height will be reduced to 118".

SIZE SPECIFICATIONS: DECORATIVE WOSENS – GRASS WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	72" * / 96"	72" * / 96"	48"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	108"	108"	108"

- * Most patterns are available up to 96" with a center seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under section "Color Chart". Allows up to 2 seams per shade.
Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified.
For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.



Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	72" / 96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- * Patterns with Continuous Cord Loop control option are available in widths up to 120" with a seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except:

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under color chart section. Allows up to 2 seams per shade.
Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard / Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 72" wide and 96" with seam on most patterns. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" * / 84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- * The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**
- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" or 84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- * The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**
- Cordless shades are NOT available as 3 on 1 headrail.
 - Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- * These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
 - Simplicity motorized shades can be ordered as Waterfall
 - Due to the material construction, **Celebes** collection can't be motorized.

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- * These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
 - Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
 - Motorized shades may be ordered as Waterfall.
 - Due to the material construction, **Celebes** collection can't be motorized.

SIZE SPECIFICATIONS: SELECT WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	96" / 120" *	96"	72"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	120"	72"	72"

- * Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified.
For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" * / 120"

- * The following pattern available only up to 96" in height: Macau
- * Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall Style, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	120"	120"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies**

- ** 2 on 1 shade requires two motors (see "Simplicity Rechargeable Motorization Options" for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	120"
MAXIMUM AREA (SQUARE FEET)	Varies**

- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 28 sq.ft.
- Motorized shades may be ordered as Waterfall

SIZE SPECIFICATIONS: MAXIMUM MOTORIZATION AREA

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Woven Wood	CUL-2085	Antigua Maze	30 SQF	20 SQF
Woven Wood	CUL-2086	Antigua Surf	30 SQF	20 SQF
Woven Wood	CUL-2157	Banjar Artisan	30 SQF	20 SQF
Woven Wood	CUL-2108	Bimini	20 SQF	15 SQF
Woven Wood	TER-2057	Ensenada Negro	15 SQF	10 SQF
Woven Wood	TER-2002	Ensenada Terra	15 SQF	10 SQF
Woven Wood	TER-2078	Ensenada Tranquil	15 SQF	10 SQF
Woven Wood	TER-2208	Hi-Lo Espresso	35 SQF	20 SQF
Woven Wood	TER-2212	Hi-Lo Gray	35 SQF	20 SQF
Woven Wood	TER-2211	Hi-Lo Tan	35 SQF	20 SQF
Woven Wood	TER-2210	Hi-Lo White	35 SQF	20 SQF
Woven Wood	ELI-2084	Honduras Rust	15 SQF	10 SQF
Woven Wood	ELI-2083	Honduras Timbre	15 SQF	10 SQF
Woven Wood	CUL-2072	Hunan	25 SQF	15 SQF
Woven Wood	EXO-2054	Indo Chic	35 SQF	20 SQF
Woven Wood	TER-2004	Jolo	15 SQF	10 SQF
Woven Wood	TER-2110	Kano Greywood	30 SQF	20 SQF
Woven Wood	TER-2111	Kano Mahogany	30 SQF	20 SQF
Woven Wood	ELI-2049	Katmandu	20 SQF	10 SQF
Woven Wood	CUL-2155	Katni Intrigue	25 SQF	15 SQF
Woven Wood	TER-2003	Kaui	15 SQF	10 SQF
Woven Wood	EXO-2068	Kiribati Jungle	40 SQF	30 SQF
Woven Wood	EXO-2069	Kiribati Rainforest	60 SQF	40 SQF
Woven Wood	TER-2076	Kota	15 SQF	10 SQF
Woven Wood	CUL-2204	Kyoto Ebony	25 SQF	15 SQF
Woven Wood	EXO-2230	Kyoto Sunset	25 SQF	15 SQF
Woven Wood	EXO-2151	Mandalay Mystique	30 SQF	20 SQF
Woven Wood	CUL-2223	Mesa Mocha	20 SQF	10 SQF
Woven Wood	ELI-2104	Nagoya Harvest	50 SQF	35 SQF
Woven Wood	CUL-2061	Saba Dusk	20 SQF	10 SQF
Woven Wood	CUL-2060	Saba Sunset	15 SQF	10 SQF
Woven Wood	ELI-2153	Sakura Etude	40 SQF	25 SQF
Woven Wood	EXO-2053	Serengeti Cocoa	40 SQF	30 SQF
Woven Wood	EXO-2052	Serengeti Sunrise	40 SQF	30 SQF
Woven Wood	TER-2011	Sonora Desert	25 SQF	15 SQF
Woven Wood	EXO-2150	Sumatra Surprise	50 SQF	35 SQF
Woven Wood	EXO-2232	Taos	40 SQF	25 SQF
Woven Wood	CUL-2070	Tobago	25 SQF	15 SQF
Woven Wood	CUL-2100	Tortuga Cocoa	20 SQF	15 SQF
Woven Wood	CUL-2099	Tortuga Coral	20 SQF	15 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2080	Veracruz Mocha	15 SQF	10 SQF
Woven Wood	TER-2234	Zee Gray	20 SQF	10 SQF
Woven Wood	TER-2236	Zee Tan	20 SQF	10 SQF
Woven Wood	TER-2237	Zee White	20 SQF	10 SQF
Woven Wood	EXO-2096	Zulu	35 SQF	25 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Select Weave	SLW-2527	Cancun Light Gray	50 SQF	30 SQF
Select Weave	SLW-2528	Cancun Off White	50 SQF	30 SQF
Select Weave	SLW-2529	Cano Cream	50 SQF	35 SQF
Select Weave	SLW-2411	Jaipur Natural	60 SQF	60 SQF
Select Weave	SLW-2417	Lagos	60 SQF	50 SQF
Select Weave	SLW-2419	Lomaloma	60 SQF	60 SQF
Select Weave	SLW-2420	Macau	40 SQF	30 SQF
Select Weave	SLW-2530	Madeira Green	60 SQF	40 SQF
Select Weave	SLW-2423	Mali Tan	50 SQF	35 SQF
Select Weave	SLW-2531	Rio Gray	60 SQF	40 SQF
Select Weave	SLW-2526	Salvador Driftwood	60 SQF	40 SQF
Select Weave	SLW-2431	Santos Natural	60 SQF	60 SQF
Select Weave	SLW-2433	Sintra Dust	60 SQF	40 SQF
Select Weave	SLW-2438	Suva	40 SQF	30 SQF
Select Weave	SLW-2436	Tai White	40 SQF	25 SQF
Select Weave	SLW-2441	Tunisia	60 SQF	60 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Grass Weave	GRW-9464	Aruba Café	60 SQF	60 SQF
Grass Weave	GRW-9463	Aruba Driftwood	60 SQF	60 SQF
Grass Weave	GRW-9462	Aruba Sand Dune	60 SQF	60 SQF
Grass Weave	GRW-9461	Aruba Straw	60 SQF	60 SQF
Grass Weave	GRW-9460	Aruba Summer	60 SQF	60 SQF
Grass Weave	GRW-2304	Caracas Tortoise	60 SQF	60 SQF
Grass Weave	GRW-9410	Coban Gray	60 SQF	60 SQF
Grass Weave	GRW-2305	Coban Parchment	60 SQF	60 SQF
Grass Weave	GRW-9420	Granada Bark	60 SQF	60 SQF
Grass Weave	GRW-2310	Granada Cinnamon	60 SQF	60 SQF
Grass Weave	GRW-2311	Granada Ginger	60 SQF	60 SQF
Grass Weave	GRW-2312	Granada Nutmeg	60 SQF	60 SQF
Grass Weave	GRW-2324	Luzon Cornsilk	60 SQF	60 SQF
Grass Weave	GRW-2325	Luzon Greige	60 SQF	60 SQF
Grass Weave	GRW-2323	Luzon Whisper	60 SQF	60 SQF
Grass Weave	GRW-9473	Martinique Coral	60 SQF	60 SQF
Grass Weave	GRW-9471	Martinique Sea Grass	60 SQF	60 SQF
Grass Weave	GRW-9472	Martinique Surf	60 SQF	60 SQF
Grass Weave	GRW-9470	Martinique White Wash	60 SQF	60 SQF
Grass Weave	GRW-9440	Nassau Cocoa	60 SQF	60 SQF
Grass Weave	GRW-2331	Nassau Pewter	60 SQF	60 SQF
Grass Weave	GRW-2337	Singapore Bisque	60 SQF	60 SQF
Grass Weave	GRW-2339	Singapore Cotton	60 SQF	60 SQF
Grass Weave	GRW-9450	Singapore Gray	60 SQF	60 SQF
Grass Weave	GRW-2338	Singapore Talc	60 SQF	60 SQF
Grass Weave	GRW-9400	St. Kitts Dune	60 SQF	60 SQF
Grass Weave	GRW-9401	St. Kitts Greywood	60 SQF	60 SQF
Grass Weave	GRW-2340	St. Lucia Sand	60 SQF	60 SQF
Grass Weave	GRW-2343	St. Lucia Storm	60 SQF	60 SQF
Grass Weave	GRW-2345	Zaire Camel	60 SQF	60 SQF
Grass Weave	GRW-2346	Zaire Earth	60 SQF	60 SQF

SIZE SPECIFICATIONS: WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Headrail Sizes	Headrail SIZE	Headrail DEPTH
Standard, Waterfall Style and Top-Down Shades	Small	1-1/2"
2 or 3 on 1 Headrail Shades (for Standard, Waterfall & Top-Down Shades)	Small	1-1/2"
3/4" Headrail Shades (Standard and Waterfall Shades ONLY) (Valance returns not available)	3/4"	3/4"
Top-Down / Bottom-Up Shades*	Small/Large	1-1/2" / 2-1/2"
Continuous Cord Loop Shades (all shade sizes)	Large	2-1/2"
Cordless Lift Shades (all shade sizes)	Large	2-1/2"
Simplicity Rechargeable & RemoteLift Motorized Shades	Large	2 1/2"
2 on 1 Headrail Shades (Continuous Cord, Cordless & Simplicity Motorization)	Large	2 1/2"
2 on 1 or 3 on 1 Headrail Shades (TDBU)*	Small/Large	1-1/2" / 2-1/2"
Individual Valances – Standard	Narrow (IB) / Large	3/4" / 2-1/2"
Individual Valances – Optional	Small	1-1/2"

- All Standard Rectangular shades are built on SMALL 1-1/2" depth headrail unless the LARGE 2-1/2" depth headrail is specified on the order.
- * Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail. For 2 on 1 or 3 on 1 TDBU shades that are larger than 96" in width are built on a 2-1/2" headrail
- ** Continuous Cord Loop, Cordless and Simplicity Motorization shades are only built on the large 2-1/2" depth headrail and not available on 3 on 1.

Twill Edge-Binding and Faux Silk Binding

- Shades ordered with Twill Edge-Binding or Faux Silk Binding follow the same size specifications as listed on the preceeding pages.
- **On Cordless, binding can only go onto shade sides and/or valance sides (ES or ESO and TS or TSO) if ordered.**

SHADE Valances	Shade Height	Valance Height
ALL Shades	Under 18"	4"
ALL Shades	18" and Over	6"
MAXIMUM Custom Valance Height - With NO Extra Charge	any	Up to 12"
MAXIMUM Valance Height - With EXTRA Charge	any	Over 12", up to 24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials.
- Custom valance heights up to 12" are free of charge. For extra charge on custom valance height over 12", refer to valance price grid.
- OB valances will include the Valance Return Stabilizer (VRS) System (Woven Wood patterns only).

SHADE Valance returns depth for standard cordlock				
Headrail Size	Mount Type	Standard	Minimum	Maximum
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4" / 1-1/2" (waterfall)	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

SHADE Valance returns depth for continuous cord loop & cordless lift				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	3-1/8"	1-1/2"	3-1/8"

SHADE Valance returns depth for remotelift & simplicity motorization				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

INDIVIDUAL Valances	Standard
MINIMUM WIDTH	10"
MAXIMUM WIDTH*	72" / 96" (without seam)
MINIMUM HEIGHT	4"
MAXIMUM HEIGHT	24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials. Individual valances are built on the 2-1/2" depth headrail unless specified.
- OB valances will include the Valance Return Stabilizer (VRS) System if ordered on a headrail (Woven Wood patterns only).
- * Maximum width can go up to 120" with seam for Tai White & Salvador Driftwood as well as most grass weave patterns except Zaire Camel & Zaire Earth.

INDIVIDUAL Valance returns depth				
Headrail Size	Mount Type	Standard	Minimum	Maximum
3/4" (Narrow)	Inside Mount - default no returns	N/A	N/A	N/A
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4"	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4"	1-1/2"	3"

To order Woven material only in linear widths, contact customer service.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

TRADITIONAL, TOP-DOWN, TOP-DOWN/BOTTOM-UP

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	ordered width
Valance Width*	+ 1"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

CONTINUOUS CORD LOOP, CORDLESS LIFT

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	+ ½"
Valance Width*	+ 1 ½"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 Headrail	
Gap Between Panels	- ½"

Note: Cord Loop Shades have adjusted IS width deductions and OS width additions to allow operational clearance for the cord loop and safety tensioner.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

1 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SIMPLICITY MOTOR & REMOTELIFT (Bottom Up Only)

2 ½" Headrail (Standard Fold)	
Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	order width
Valance Width*	+1"
Fabric Width	ordered width
Shade Height	ordered height

2 ½" Headrail (Waterfall)	
Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

2 ½" Headrail (Standard Fold) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail (Waterfall) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Waterfall Style (Front Side Shade, No Valance) - VALANCE IN BACK OF SHADE

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

1 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

Note: A backside valance is provided on IB/IS mounts to hide the components under the headrail from outside view.

2 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

¾" HEADRAIL SHADES (For Narrow-Depth Mounts)

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail, Fabric & Valance Width	ordered width
Shade Height	ordered height

¾" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	¾"
Minimum Mounting Depth, Flush Mount **	1 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	½"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

Note: Valance returns are NOT included with narrow headrail shades.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.



SMART FACTS



POSITIONED AS ALL SHEER



POSITIONED HOWEVER YOU DESIRE



POSITIONED AS FULL SHADE

- The beautiful combination of a sheer pleated shade on top and woven shade on the bottom provides maximum versatility in a single window covering.
- Performs like a top-down/bottom-up shade, but the sheer pleated shade offers more benefits: diffuses harsh light entering the room; offers moderate privacy during the day; protects furnishings from harmful UV rays.
- Four sheer pleated styles are available in multiple colors to meet most decorating tastes.
- Shade is built on the large 2-1/2" depth stained wood headrail for durability and easy installation.
- The hardware system uses the same quality components as the top-down/bottom-up woven shade.
- The standard cordlock lifts and lowers the shade with ease. The right cord operates the middle rail and the left cord operates the bottomrail.
- The headrail and operating system is hidden by a 6" valance on the front and back side of the shade for a clean interior and exterior appearance. Included on both inside (IB) and outside (OB) mounts. Custom valance heights to 12" at no extra charge.
- The woven panel is available with a fixed privacy lining. When shade is ordered with the optional fixed liner, the valances will also include a liner.

SELECTING A TRILIGHT SHADE

1. Choose a woven style and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven wood shade price.
 4. Refer to the sheer pleated grids A on page 37 to find your top shade price. Then simply add the prices (by shade size) of the sheer pleated fabric and woven material together to determine your final price.
- > TriLight Shades are available as a standard rectangle only.
 - > Standard control system—right operates the intermediate rail; left operates the bottomrail. (Note: grouped controls not available.)
 - > Fixed liners are available for the bottom woven shade.



COLOR CHART

TriLight Pleated Sheer (TOP Panel)	
SKU #	PATTERN NAME
P05-500	Snow White
P05-501	Ice
P05-502	Heirloom
P05-503	Soft Ivory
P05-504	Crystal
P05-505	Light Taupe
P05-506	Bisque
P05-507	Latte
P05-508	Chocolate
P05-509	Twilight

TriLight NOT AVAILABLE in following Patterns	
SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise
GRW-2305	Coban Parchment
GRW-2323	Luzon Whisper
GRW-2324	Luzon Comsilk
GRW-2325	Luzon Greige
GRW-2331	Nassau Pewter
GRW-9400	St. Kitts Dune
GRW-9401	St. Kitts Greywood
GRW-9410	Coban Gray
GRW-9440	Nassau Cocoa
GRW-9460	Aruba Summer
GRW-9461	Aruba Straw
GRW-9462	Aruba Sand Dune
GRW-9463	Aruba Driftwood
GRW-9464	Aruba Café
GRW-9470	Martinique White Wash
GRW-9471	Martinique Sea Grass
GRW-9472	Martinique Surf
GRW-9473	Martinique Coral
SLW-2528	Cancun Off White
SLW-2527	Cancun Light Gray

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Whisper	83"	60



Determine the top shade price by using the charts below.
 Add the sheer pleated and woven shade prices together to determine your final price.

GROUP A (Sheer Pleated Rectangular)

• WHISPER SHEER (83")


WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$60	68	76	85	95	100	111	117	128	133	145	155	161
42"	66	72	83	95	100	111	120	128	138	149	159	168	178
48"	68	78	90	99	111	120	128	141	150	162	173	184	196
54"	72	83	96	106	117	128	141	150	164	177	189	200	212
61"	77	89	100	113	126	138	150	162	177	190	202	217	228
66"	82	95	106	120	133	148	159	176	190	202	217	231	244
72"	85	98	113	128	145	157	171	188	200	216	230	247	261
78"	90	102	120	133	150	167	182	198	214	230	244	261	278
84"	93	106	124	141	159	173	190	206	221	240	256	275	291
90"	96	113	128	148	167	183	200	221	238	256	273	291	311
96"	99	117	137	155	173	190	211	228	247	265	286	304	323

TRILIGHT OPTIONS & CONFIGURATION SPECIFICATIONS

OPTIONS: NO EXTRA CHARGE

- **Extension Brackets**
- **Spacer Blocks**
- **Special Cord Length** – Standard length is approximately 40% the height of the shade

TRILIGHT – STANDARD



Shade is built on the large 2-1/2" depth wood headrail.
Standard operating controls: Right operates the intermediate rail; left operates the bottomrail. Grouped controls are not available.

TriLight Shades	LARGE Headrail
MINIMUM WIDTH	22"
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96"
MAXIMUM AREA (SQ/FT)	48 to 72 sq/ft*

- TriLight shades are built on the large 2-1/2" depth headrail.
- TriLight shades are NOT available as 2 or 3 on 1 headrail.
- TriLight shades are not available with twill edge-binding, faux silk binding or operable privacy liners. TriLight shades ARE available with fixed liners on the woven panel.
- TriLight shades maximum width is dependent on the maximum width of the ordered Pleated TOP panel fabric which is 84" wide.
- TriLight shades are only available with SPLIT controls (grouped controls are not available).
- Cut-outs are not available on TriLight shades.

* TriLight shades maximum area (sq/ft) is dependent on the ordered woven material. Heavier materials are limited to 48 sq/ft, medium to 60 sq/ft and light to 72 sq/ft.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.
Measurements may vary +/- 1/8".

Inside (IB) Mount	
Headrail & Valance Width *	– 1/2"
Fabric Width	– 1/2"
Shade Height	ordered height
Outside (OB) & Ceiling Mount	
Headrail Width	ordered width
Valance Width *	+ 1"
Fabric Width	ordered width
Shade Height	ordered height
2 on 1 (and 3 on 1) Headrail	
NOT AVAILABLE WITH TRILIGHT	N/A

Note: A backside valance is provided on both IB and OB mounts to hide the additional components under the headrail from outside view.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	Large, 2-1/2" Headrail
Minimum Mounting Depth	1-1/2"
Minimum Mounting Depth, Flush Mount **	3-1/4"
Outside (OB) Mount	Large, 2-1/2" Headrail
Minimum Flat Vertical Surface	1"

TriLight Stacking	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB by default and have the same finished dimensions. IB shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB Valances and returns are attached using the Valance Return Stabilizer (VRS) System for woven wood only. The OB valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.



TRILIGHT STACKING INFORMATION

TriLight Stacking Chart	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

NOTE: These are stacking averages for standard shades.
Actual heights may vary + or - 1".


TRILIGHT – STANDARD RECTANGULAR

TRILIGHT

- Returns standard on outside mount
- Backside valance included on inside and outside mounts
- Front & back valances include liner when ordered on shade
- Built on 2 1/2" depth headrail
- Split controls only (grouped controls not available)


The following options are not available on trilight:

- Waterfall style, continuous cord loop, cordless, remotelift
- Twill edge-binding, faux silk binding, operable liners
- 2 or 3 on 1 headrail, cut-outs




Folds Up
↑
↓
Folds Down

TriLight
(basic) side view



TriLight
intermediate connecting rail
detail view





SMART FACTS



- Innovative design allows choice of woven shade fabric for the front shade to achieve just the right style and color desired.
- The back liner roller shade offers total flexibility when controlling light and privacy.
- The back liner also provides an extra layer of insulation to help reduce energy costs.
- Liners are available in light-filtering, blackout and screen styles to fit varying needs.
- Optional side seals eliminate light leaks from the sides of shades. They fit neatly inside the window frame and are hidden behind the front shade so they don't detract from the beauty of the shade.
- Optional side seals provide additional energy efficiency. Together with the back liner, they form a complete barrier between the window and the room — keeping rooms cooler in summer and warmer in winter.

SELECTING A TANDEM SHADE

1. Choose a woven style and color.
 2. Choose a liner (back roller shade) style and color. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven shade price. Add in the Tandem option pricing found on the next page to determine the final shade price.
- Tandem woven is available as a single rectangular shade with standard controls only
 - Right cordlock operates the front shade; cord loop operates the back liner. Shades operate independently of each other.
 - Reverse controls available; no grouped controls
 - Side seals available as a surcharge option
Note: Available colors 973 Oyster and 661 White



COLOR CHART

OPACITY	MAX. WIDTH	COLOR #	COLOR NAME
Light Filtering	72"	R7201	White
Light Filtering	72"	R7202	Oyster
Blackout	72"	R4001	White
Blackout	72"	R4004	Black
Blackout	72"	R4006	Oyster
Blackout	72"	R4014	Golden Leather
Blackout	72"	R4016	Milk Chocolate
Blackout	72"	R4018	Mocha

Tandem not available in following Patterns			
SKU #	PATTERN NAME	SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise	GRW-9460	Aruba Summer
GRW-2305	Coban Parchment	GRW-9461	Aruba Straw
GRW-2323	Luzon Whisper	GRW-9462	Aruba Sand Dune
GRW-2324	Luzon Cornsilk	GRW-9463	Aruba Driftwood
GRW-2325	Luzon Greige	GRW-9464	Aruba Café
GRW-2331	Nassau Pewter	GRW-9470	Martinique White Wash
GRW-9400	St. Kitts Dune	GRW-9471	Martinique Sea Grass
GRW-9401	St. Kitts Greywood	GRW-9472	Martinique Surf
GRW-9410	Coban Gray	GRW-9473	Martinique Coral
GRW-9440	Nassau Cocoa	SLW-2528	Cancun Off White
		SLW-2527	Cancun Light Gray

TANDEM OPTION PRICING

Find your shade width on the price grids below. Add the surcharge to the price of each shade(s). If ordering optional side seals, include the additional **\$40 surcharge** to the price of each shade(s).

Light Filtering and Blackout (Max. Width 72")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
	\$97	114	133	149	163	177	191	214	238

Optional Side Seals: Add \$40

Available colors 973 Oyster and 661 White.



PRODUCT CONFIGURATION SPECIFICATIONS

SIZE STANDARDS	
Minimum Width	
All liners	12"
Maximum Width	
Light Filtering	72"
Blackout	72"
Minimum Height	
All liners	12"
Maximum Height	
Light Filtering	84"
Blackout	82"
MOUNTING REQUIREMENTS	
Inside Mount, IB	
Minimum Mounting Depth	1-5/8"
Mounting Depth, Flush	3" (includes valance; dependent upon fabric thickness)
Outside Mount, OB	
Minimum Mounting Height	2"

FINISHED DIMENSIONS	
Headrail Unit (including mounting rail)	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width
Finished Height	
Inside Mount	Ordered height
Outside Mount	Ordered height
Front Shade Fabric Width	
Inside Mount	Ordered width less 1"
Outside Mount	Ordered width less 7/8"
Valance Width	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width plus 1"
Back Shade Fabric Width	
Inside Mount	Ordered width less 1 3/8"
Outside Mount	Ordered width less 1 1/4"

Valance included on all shades. 6" drop only.

Outside mount valances come standard with returns and feature the Valance Return Stabilizer (VRS) system (Woven Wood patterns only).

Inside mount valances do not come with returns.

WOVEN WOOD STACKING CHART

Shade Height	Stack Height
21"	5"
42"	7"
63"	9"
84"	11"

Note: These are stacking averages for standard shades. Actual height may vary approximately + or -1". Stack height does not include the headrail size: 2 1/4".

LOOP SPECIFICATIONS


The cord loop operates the back liner.

Shade Height	Cord Loop Drop	Loop Color
Up to 38"	24" loop	Color Coordinated
38 1/8" to 50"	36" loop	Color Coordinated
50 1/8" to 62"	48" loop	Color Coordinated
62 1/8" to 84"	60" loop	Color Coordinated
Special Request	84" loop	Color Coordinated

SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading. Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)



Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

REMOTELIFT™ MOTORIZATION: OVERVIEW

With our RemoteLift™ motorized shades, tasks such as adjusting those hard-to-reach window coverings, controlling glare or protecting valuable furnishings from the sun are now simplified. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



Glare can be annoying while trying to watch your favorite television show, surf the web or read the morning paper. An ideal solution is to manage glare with a RemoteLift™ hand-held remote control. At the simple touch of a button, shades and blinds will open or close to adjust to the changing sunlight in a room.



RemoteLift motorized shades provide ultra-quiet operation. The RF system enables shades to be operated from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is available in both a 1-channel and a 5-channel version to allow for independent control of individual shades and/or group control.

The RemoteLift motorization system provides many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

Many homeowners too often experience the damaging effects of the sun's UV rays on floor coverings, furniture, wall coverings and artwork. Programming shades to raise or lower at certain times of the day helps to manage heat gain in summer months and heat loss during winter - reducing monthly energy bills.



The RemoteLift RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteLift RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Our RemoteLift motorized shades are powered by Somfy, the industry leader in automated window coverings. All motorized products are backed by a 5-year warranty.



REMOTELIFT™ MOTORIZATION: FEATURES & OPTIONS













RADIO FREQUENCY (RF) MOTORIZATION FEATURES:


- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shadings up to 12 LBS.
- Quiet operation
- Installs with standard installation hardware
- RF motor is programmable

Note: The power source must be selected when ordering.
The options are: reloadable single battery wand, reloadable dual wand, and the plug-in transformer.




 <p>Radio Frequency (RF) RemoteLift Motor Motor (Part #1002481) Crown (Part #9018475)</p>	<ul style="list-style-type: none"> • Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 <p>Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> • Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation
 <p>Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wand comes with 8 AA lithium batteries • Comes with mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 <p>Optional, Dual Battery Wand (reloadable) and Installation Clips (Kit: Part #KITRDWR) (Clips: Part #9013263) (Y-Harness: Part #9015580) (Y-Harness Ext. Cable: Part #9016736)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for added lifting capacity and/or extended life • Comes with mounting installation clips
 <p>Transformer (Part #1822445)</p>	<ul style="list-style-type: none"> • Plug-in operation, no batteries required • Works in standard wall outlet (includes 10' long wire)
 <p>Battery Wand Extension Cables Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)</p>	<ul style="list-style-type: none"> • Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 <p>Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> • Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 <p>Programmable Timer 1 Type: programmable 1-channel (Part #1805237A)</p>	<ul style="list-style-type: none"> • Program operation based on pre-set times • Excellent home security feature
 <p>Smooove 1 RTS – single channel surface mount control Color: Pure (Part #1811533)</p>	<ul style="list-style-type: none"> • Battery operated • Tactile buttons for UP/DOWN/MY/STOP control • LED for visual feedback
 <p>myLink Interface Color: White (Part #1811403)</p>	<ul style="list-style-type: none"> • Smartphone and Tablet Interface 120V AC • App Control • Remote Access • Compatible and controls all Radio Technology Somfy RTS products. • Can control up to 5 channels of RTS motorized products using myLink apps for iOS and android devices.


PRODUCT COMPONENTS: WOVEN SHADES



OPTIONAL BRACKETS AND COMPONENTS




WOVEN SHADES CORDLESS LIFT SYSTEM



PRODUCT COMPONENTS: TANDEM™ SHADES



OPTIONAL (Standard when side seals are ordered)



STANDARD

