




Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com


David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016





INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 4 OF 19




Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN
1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL	SEPTEMBER 29, 2016
REVISION	OCTOBER 10, 2016





- ① DOOR LIFT (SEE HARDWARE DETAIL)
- ② MIXER LIFT
- ③ TRASH PULLOUT
- ④ PANTRY PULLOUT
- ⑤ LAZY SUSAN
- ⑥ BRIDGE 2" THICK (SHOWING)

ELEVATION

scale: 1/2"=1'-0"

1

INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 5 OF 19



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com


David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016





ELEVATION

scale: 1/2"=1'-0"

2

INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 6 OF 19



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com


David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016





ELEVATION

scale: 1/2"=1'-0"

3

INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 7 OF 19



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com


David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016






ELEVATION

scale: 1/2"=1'-0"

4



ELEVATION DETAIL

scale: 3/4"=1'-0"

4.1

INITIAL _____



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com


David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016






1 ACTIVE DOOR AND 3 FIXED PANELS
EQUAL IN WIDTH

ELEVATION

scale: 1/2"=1'-0"

5



ELEVATION

scale: 1/2"=1'-0"

6

INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 9 OF 19




Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL	SEPTEMBER 29, 2016
REVISION	OCTOBER 10, 2016





INITIAL _____

SCALE: 1/2"=1'-0"
PAGE 10 OF 19



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN
1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL	SEPTEMBER 29, 2016
REVISION	OCTOBER 10, 2016






8280-W Leviton 15 Amp, 125 Volt, 20A feed through, NEMA 5-15R, 2P, 3W, Decora Plus Duplex Receptacle, Straight Blade, Hospital Grade, Self G



WIRE
MANAGEMENT
TRAY




THIS SECTION
OF COUNTERTOP

9" DEEP PENCIL DRAWER

FRONT

DESK COUNTERTOP (NTS)



DRAWER

OUTLET

SIDE
(NTS)

INITIAL _____

PAGE 11 OF 19



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016





INITIAL _____



Kevin O'Connor Design
 Kevin O'Connor CKD, CBD, CID
 818.400.2124
 kevinconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
 REVISION

SEPTEMBER 29, 2016
 OCTOBER 10, 2016





Mixer/Appliance Lift Soft-Close Mechanism without Shelf Sink & Base Accessories

Already regarded as the best in the industry our heavy duty chrome mixer lift leaps even further ahead of the competition with the addition of soft-close. The dampeners allow it to glide back into the cabinet gently and quietly.

RAS-ML-HDSC - 24"W x 22-1/2"D x 20-5/8"H - Chrome ▾

- Special Features
- Specifications
- Installation Instructions
- Videos
- Product Reviews

Physical Specifications

Width (min to max)	Depth (min to max)	Height (min to max)	Weight	Color : Finish
12 to 24"	22-1/2"	20-5/8"	14.91 lbs.	Chrome : Wire

Minimum Cabinet Opening

Face Frame			Frameless		
Width	Depth	Height	Width	Depth	Height
12"	23"	23-1/2"	12-1/8"	23"	23-1/2"



CUSTOM BREADBOX. USE 1/4" PLEX DADOED INTO DRAWER



Tray Divider U-Shape Sink & Base Accessories

Storing platters and cookie trays just got easier with the U-Shaped Tray Divider. Use one or more to create custom storage space in either wall or base cabinets. The sturdy construction and beautiful chrome finish provide durability and style while the easy four-screw installation gets you organizing your cabinets in seconds.


Product information:

AVENTOS HL works with medium and small cabinets ranging in size from:

- Cabinet heights from 11-13/16" to 22-13/16"
- Cabinet widths from 15" to 72"



Frameless Application



INITIAL _____



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016





Double Bottom Mount Aluminum Waste Containers

It's all about the smooth sliding system with the 5349 Series. This assortment of single and double stainless steel or polymer waste containers features heavy-duty brushed aluminum soft-closing slides that provide exceptional support and stability eliminating that side-to-side movement and a fully adjustable (10" High) door mount frame.

5349-18DM-217 14-13/16" 22-1/8" 19-1/16" 17 lbs. Brushed / Metallic Silver : Aluminum



Kidney Shape LD Natural Wood Tall Tray w/ Aluminum Bearing Corner Lazy Susans

For those that demand the best Rev-A-Shelf is proud to offer its furniture-grade Natural Wood Kidney Susans. These single shelf sets are available in 28" and 32" diameters. Each comes standard with a aluminum bearing and feature furniture grade wood construction and a solid maple steam bent rim that is 3-1/4" tall.

LD-4NW-401-28TBS-1 - 28" Diameter - Natural



Physical Specifications

Part #	Width (min to max)	Depth (min to max)	Height (min to max)	Weight	Color : Finish
448-BCSC-5C	5-7/16"	21-9/16"	25-1/2 to 29-1/2"	23.25 lbs.	Natural : Wood
448-BCSC-6C	6-1/2"	21-9/16"	25-1/2 to 29-1/2"	27.25 lbs.	Natural Maple : Wood
448-BCSC-8C	8"	21-9/16"	25-1/2 to 29-1/2"	31 lbs.	Natural : Wood
448-BCSC-9C	9-1/2"	21-9/16"	25-1/2 to 29-1/2"	34 lbs.	Natural Maple : Wood
● 448-BCSC-11C	11"	21-9/16"	25-1/2 to 29-1/2"	38.5 lbs.	Natural Maple : Wood

Minimum Cabinet Opening

Part #	Face Frame			Frameless		
	Width	Depth	Height	Width	Depth	Height
448-BCSC-5C	5-1/2"	21-3/4"	25-5/8"	5-9/16"	21-13/16"	25-5/8"
448-BCSC-6C	7"	21-3/4"	25-5/8"	7"	21-5/8"	25-5/8"
448-BCSC-8C	8-1/2"	21-3/4"	25-5/8"	8-1/8"	21-13/16"	25-5/8"
448-BCSC-9C	10"	21-3/4"	25-5/8"	10"	21-13/16"	25-5/8"
448-BCSC-11C	11-1/2"	21-3/4"	25-5/8"	● 11-1/8"	21-13/16"	25-5/8"

INITIAL _____



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN


1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL SEPTEMBER 29, 2016
REVISION OCTOBER 10, 2016




HPIN42HS
42-INCH LOW PROFILE ISLAND HOOD
PROFESSIONAL SERIES

HOOD DIMENSIONS




MD24JS
24-INCH MICRODRAWER® MICROWAVE
MASTERPIECE® & PROFESSIONAL SERIES

PRODUCT DIMENSIONS




Frontview cut out



INITIAL _____


PANEL DIMENSIONS




*Excludes thickness of door panel. If standard panel with 3/4" thickness is mounted, total depth is 24 3/4".



CUTOUT DIMENSIONS




TOP VIEW CLEARANCE



** Door handle must be added to this dimension

* Depends on the thickness of the furniture door.
3/4" (19 mm) is relevant for the stainless steel door. (special Accessory).



INITIAL



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinocconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION


	SEPTEMBER 29, 2016
	OCTOBER 10, 2016



PODC302J
30-INCH DOUBLE BUILT-IN OVEN
PROFESSIONAL SERIES




30-INCH DOUBLE OVEN




Door Handle Depth*

Professional
Handle



*Extension of handle from
outer part of door. Does not
include thickness of door




*Junction box may be installed above, below,
or to the right of the unit within range
of the power cable.

DWHD640JFP
TOPAZ® 6-PROGRAM DISHWASHER
PROFESSIONAL SERIES HANDLE



DISHWASHER & CUTOUT DIMENSIONS



* 23 5/8" (600 mm) without
decor strips

Measurements in inches and mm

INITIAL _____



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com

David & Sarah Morrison- KITCHEN

1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL
REVISION

SEPTEMBER 29, 2016
OCTOBER 10, 2016



CIT36XKB
36-INCH FREEDOM® INDUCTION COOKTOP
MASTERPIECE® SERIES, BLACK WITH STAINLESS STEEL FRAME



Also Available:
CIT36XKB8 - Black, Frameless

FEATURES & BENEFITS

- ★ - Largest fully usable cooking surface on the market
- ★ - 48 induction elements deliver more than 63% usable cooking surface than the competition
- ★ - Place up to 4 pots or pans anywhere on the cooktop surface in any configuration. If you need to move your pot to another location, the cooktop will transfer all of your programmed settings to the new position of the pan.
- ★ - Featuring the first full color touchscreen induction user interface on the market, offering better control and faster access to cooking settings
- ★ - One of the most powerful elements in its class with a 4,600 W PowerBoost® lets you boil water faster than with any other cooking technology

ACCESSORIES (OPTIONAL)



CHEFSPAN13
16" Round Skillet




GENERAL PROPERTIES	
Controls	Touch Controls
ELEMENT PERFORMANCE	
Power of Full Surface Heating Element	3,600 W
Power of Full Surface Heating Element (In Boost)	4,600 W
Burners With Booster	All
COOKWARE SIZE (MAXIMUM 4 POTS)	
Minimum Cookware Size*	3"x 3"
Maximum Cookware Size*	13"x 21"
TECHNICAL DETAILS	
Watts (W)	7,200 W
Circuit Breaker (A)	40 A
Volts (V)	208 / 240 V
Frequency (Hz)	50 / 60 Hz
Plug Type	No Plug
Conduit	37" Flexible 3-Wire
Energy Source	Electric
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD) (in)	3 7/8" x 37 7/8" x 37" x 21 1/4"
Required Cutout Size (HxWxD) (in)	3 7/8" x 34 3/4" x 20"
Minimum Distance From Counter Front (in)	2 1/2"
Minimum Distance From Rear Wall (in)	2 3/8"
Net Weight (lbs)	69 lbs
WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year
Limited warranty for glass ceramic surface / electronic elements and switches; parts	3rd to 5th Year

* Cookware less than 3" will not be recognized. Theoretical maximum cookware size is 13" x 27". Cookware must have a flat bottom in order to utilize the full surface.

CIT36XKB
36-INCH FREEDOM® INDUCTION COOKTOP
MASTERPIECE® SERIES, BLACK WITH STAINLESS STEEL FRAME



36-INCH COOKTOP AND CUTOUT DIMENSIONS



INITIAL _____



Kevin O'Connor Design
Kevin O'Connor CKD, CBD, CID
818.400.2124
kevinconnordesign@gmail.com

David & Sarah Morrison- KITCHEN
1750 NORMAN PLACE BRENTWOOD, CA 90069

ORIGINAL SEPTEMBER 29, 2016
REVISION OCTOBER 10, 2016

