

**INTERLAKE REGIONAL WATER BOARD
MINUTES
MAY 19, 2022
Held Via ZOOM**

BOARD PRESENT: Chairperson: David Stillar
Board Members: Terry Seime, Jerry Wintonyk, Gary Heidel
STAFF PRESENT: Administrator: Kristen Tokaryk

CALL TO ORDER: Chairperson **Stillar** called the meeting to order at 3:59 pm.

APPROVAL OF AGENDA:

65-22 **Stillar:** Moved that the agenda be accepted as presented. **CARRIED**

APPROVAL OF MINUTES:

66-22 **Seime:** Moved that the minutes of the Regular Meeting of March 17, 2022 be adopted as presented. **CARRIED**

FINANCIAL REPORTS:

67-22 **Wintonyk:** Moved that Interlake Regional Water Board authorizes payment of cheques numbered 1511 to 1523 as per attached List of Accounts for Approval for total payments of \$39,793.26 **CARRIED**

68-22 **Heidel:** Moved that the April 2022 Statement of Financial Activities be approved as presented. **CARRIED**

69-22 **Stillar:** Moved that the April 2022 bank reconciliations be approved as presented. **CARRIED**

WTP OPERATIONAL REPORTS:

70-22 **Wintonyk:** Moved that the Board acknowledge and file the Water Treatment Plant Laboratory Tests for April 2022. **CARRIED**

71-22 **Heidel:** Moved that the Board acknowledge and file the Saskwater Operational Reports for April 2022 monthly reports. **CARRIED**

UNFINISHED BUSINESS

72-22 **Seime:** Moved to approve Interlake Regional Water Board regular meetings be moved to the 3rd Tuesday of each month. **CARRIED**

NEW BUSINESS

73-22 **Wintonyk:** Moved to accept the quote from Phoenix security for monitoring at WTP for \$49.95/month and at the well site for \$15/month and an upfront cost of \$1100.00+ taxes. **CARRIED**

NEXT MEETING:

74-22 **Wintonyk:** Moved to set the next scheduled meeting of the Interlake Regional Water Board as: Tuesday, June 21st, 2022 at 4 pm at NBP office in Meota. **CARRIED**

INTERLAKE REGIONAL WATER BOARD
MINUTES
MAY 19, 2022
Held Via ZOOM

ADJOURNMENT:
75-22

Stillar: Moved that this meeting adjourn at 4:37 p.m.

CARRIED



Chairperson of the Board



Administrator