

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Roma's	Facility Type Food Service Establishment	
Licensee Name Roma Pizza Inc	Facility Telephone # 304 263-7117	
Facility Address 300 Wilson St Martinsburg , WV	Licensee Address 300 Wilson St Martinsburg , WV 25401	
Inspection Information		
Inspection Type Follow up	Inspection Date 11/28/2017	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
pizza prep unit	
sandwich unit	
Artic Air refrigerator	
Pepsi refrig	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 3 Repeated # 5</p> <p>2-401.11 - EATING, DRINKING, OR USING TOBACCO This is a critical violation REPEAT OBSERVATION (CORRECTED DURING INSPECTION): cup without lid found on prep table</p> <p>3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING This is a critical violation REPEAT OBSERVATION (CORRECTED DURING INSPECTION): few items need datemarked</p> <p>7-102.11 - COMMON NAME This is a critical violation REPEAT OBSERVATION (CORRECTED DURING INSPECTION): chemical spray bottle needs to be labeled</p>

Observed Non-Critical Violations

Total # 5

Repeated # 5

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION top of tea urns need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION shelf beneath deep fryer needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION (**CORRECTED DURING INSPECTION**): area beneath bag-n-box stand needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION ceiling vents need cleaned- womens restroom

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

REPEAT OBSERVATION hood and filters need cleaned

Corrected Hazards

The following hazard(s) have been corrected since the last inspection.

Total # 22

2-301.14 - WHEN TO WASH

This is a critical violation

OBSERVATION: hands need washed after cleaning and before serving food

2-402.11 - HAIR RESTRAINTS

OBSERVATION: long hair should be restrained up and off shoulders while working with food preparation

3-305.11 - FOOD STORAGE

OBSERVATION: food and personal items should not be stored on top of the water heater

3-501.16 (Cold) - POTENTIALLY HAZARDOUS FOOD, COLD HOLDING

This is a critical violation

OBSERVATION: Artic air refrigerator-not working correctly-fan not coming on-Just turned on today. Scan of 46-47 at start of inspection and 3:30. Delivery of cheese placed in unit but temp not dropping-Cheese must be placed in other refrigeration(not at owners home)

No extra room at establishment-Spoke to Rocky's owner and cheese cases beng transported to their refrigeration

3-501.19 - TIME AS A PUBLIC HEALTH CONTROL

This is a critical violation

OBSERVATION: pizza needs time sticker

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: can opener stored not clean

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: soda nozzles need cleaned

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: pizza prep unit needs cleaned inside(and out)

4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE

This is a critical violation

OBSERVATION: floor mixer-splash area needs cleaned and base

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: white shelving needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: bottom of white upright freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: top of scale needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: lower onion shelf needs cleaned(remove cardboard)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: entrance way into kitchen-hole in wall needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: wall needs repaired by handsink

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: handsink plumbing leaking

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: stained ceilnig tiles need repalced

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: dry storage(old walkin)-needs organized, items off floor and cleaned-discard items if not in use

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: restrooms-toilet lid and sinks need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: ceiling bulb covers need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: handsink needs cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor needs cleaned beneath pizza prep, behind pizza oven and kitchen floor perimeters

Inspection Outcome

Comments

*Change of ownership inspection in January 2018-Building needs to be in good repair by that date
Future owner to attend Person in Charge training-please call office for exact date: 304-267-7130

\$75. reinspection fee-pay within 10 days

Disclaimer

Person in Charge



Sanitarian


Amy ARE Edwards