

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name St. Bernadette Church	Facility Type Food Service Establishment	
Licensee Name St. Bernadette Church-Diocese of Wheeling Charleston	Facility Telephone # 304 754-7830	
Facility Address 109 W Main St Hedgesville , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/15/2019	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
refrigerator	37
freezer	-4

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 2
Repeated # 0
 4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS
This is a critical violation
OBSERVATION: (CORRECTED DURING INSPECTION): Top rack of fridge needs cleaned, old foodstuffs hanging from rack
 6-501.111 - CONTROLLING PESTS
This is a critical violation
OBSERVATION: Mouse droppings found on top of freezer and near water heater in closet

Observed Non-Critical Violations

Total # 4

Repeated # 0

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Covered mixer in dining area needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor drain under 3 bay sink needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors under hard to reach areas need cleaned, ex under 3 bay sink, behind grill line

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Area under flat top grill needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Luke Hartley