

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 3
CORE: 24

PRIORITY FOUNDATION: 0
TOTAL: 27

ESTABLISHMENT: Sara's Place PERMIT NO.: _____ DATE: 10/2/2019
 ADDRESS: 3058 Charlestown Rd CITY: Kearneysville STATE: WV ZIP: 25430
 PERSON IN CHARGE/TITLE: Diana Housden TELEPHONE: _____
 RECEIVED BY (SIGNATURE): Diana Housden SANITARIAN (SIGNATURE): Nath Williams
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 9:20am.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.11	Broken Floor Tiles throughout establishment need repaired/replaced.
			4-602.13	Bottom of Cold Beverage Cooler needs cleaned.
			6-501.11	Holes in wall beside 3-Bay sink at bar need repaired/sealed (Possible Pest/Rodent Entry)
			6-501.11	Drain under 3-Bay sink at bar needs repaired (overflowing) Pan underneath.
			6-501.11	Legs under 3-Bay sink need repaired (Duct Tape not approved) Non-Cleanable.
			4-501.11	Kenmore Upright Freezer needs defrosted.
			4-602.13	Gasket on Kenmore Upright Freezer needs cleaned.
			6-501.11	Outlet beside filing cabinet needs repaired (loose)
			4-501.11	Refrigerator under grill/fryer needs repaired (no Product in Refrigerator) Repair called in already.
			4-602.13	Gasket/Inside of Small Coca-Cola refrigerator needs cleaned (mold)
			4-602.13	Inside of microwave needs cleaned.
			6-501.11	Holes in wall under shelving in kitchen need sealed/repaired.
✓	✓		4-602.11	Clean utensils stored not clean.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Cold Beverage	38°						
Small Coca-Cola	37°						
Big Coca-Cola	50°/40°						

Will Re-Inspect in 7-10 Days. Page 1 of 2
 \$75 Re-Inspection Fee will Apply.
 Most Violations must be corrected in that time.

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 3
CORE: 24

PRIORITY FOUNDATION: 0
TOTAL: 27

ESTABLISHMENT: Sara's Place PERMIT NO.: _____ DATE: 10/2/2019
 ADDRESS: 3058 Charlestown Rd CITY: Keyneysville STATE: WV ZIP: 25430
 PERSON IN CHARGE/TITLE: X Diana Hough TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X Diana Hough SANITARIAN (SIGNATURE): Scott Allison
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 9:20 am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.12	Piping under sink in kitchen needs cleaned.
	✓		3-501.18	Items Past 7 Day hold time in big Coca-Cola refrigerator (Country Gray 9/22/19, Cheese 7/10/19)
	✓		3-501.16	Big Coca-Cola refrigerator holding at 50° (Needs to be 41° or lower.)
			4-602.13	Vent in Big Coca-Cola Refrigerator needs cleaned.
			6-501.12	Ceiling vent in kitchen needs cleaned.
			6-501.11	Water stained ceiling tiles in kitchen need replaced.
			6-501.14	Mop needs to Air Dry.
			6-501.12	Fan covers in bathrooms need cleaned (Ceiling)
			6-501.11	Chair in billiard/dart room needs repaired (Broken).
			6-501.11	Hole in wall in billiard room needs repaired. (on right as you enter door.)
			6-501.114	Old Equipment Stored around building needs discarded or put into storage.
			4-501.11	GE Chest Freezer needs defrosted.
			4-501.11	GE Chest Freezer needs repaired (Top)
			6-501.11	Floor in Chest Freezer storage room needs repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM

Watch Best By Dates.
 Hot Dog Buns 9/27/2019
 Hot Dog Buns 9/21/2019
 Hamburger Buns 9/27/2019.