

2017/2018 Hampton City Schools Health Inspections

HAMPTON CITY SCHOOLS ADULT AND ALTERNATIVE LEARNING CENTER

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/2/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Vent filters in the hood system are not being maintained in a clean condition. Observed filters have heavy dust built up.
5/2/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

ABERDEEN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/25/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sliced cheese cold holding at improper temperatures in the walk-in refrigerator. Observed cheese holding at 53F in walk-in. Manager moved all temperature control for safety foods into reach-in refrigerator during inspection.
9/25/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Walk-in refrigerator is not maintaining time/temperature control for safety (TCS) foods at 41 °F or below. Observed walk-in refrigerator ambient-air temperature at 56F. Walk-in refrigerator functions as main cooler in facility and facility does not have sufficient cooling capacity without walk-in refrigerator (only one reach-in refrigerator).
9/25/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed temperature sensor on hot-holding cabinet in disrepair (broken glass on gauge and gauge not registering temperature).
9/25/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed accumulations of encrusted grease deposits or other soil on the following food contact surfaces: floor mixer and mixing bowl (large pooling of grease).
9/25/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed wall-mounted air conditioning unit in kitchen leaking heavily onto reach-in refrigerator and floor below.
10/6/2017	Risk Category 2	Follow-up	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Observed temperature sensor on hot-holding cabinet in disrepair (broken glass on gauge and gauge not registering temperature).
10/6/2017	Risk Category 2	Follow-up	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Observed accumulations of encrusted grease deposits or other soil on the following food contact surfaces: floor mixer and mixing bowl (large pooling of grease).
10/6/2017	Risk Category 2	Follow-up	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Observed wall-mounted air conditioning unit in kitchen leaking heavily onto reach-in refrigerator and floor below.
10/6/2017	Risk Category 2	Follow-up	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Walk-in refrigerator is not maintaining time/temperature control for safety (TCS) foods at 41 °F or below. Observed walk-in refrigerator ambient-air temperature at 56F. Walk-in refrigerator functions as main cooler in facility and facility does not have sufficient cooling capacity without walk-in refrigerator (only one reach-in refrigerator).
4/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Ceiling in the walk-in cooler noted in need of cleaning. Observed mold-like substance/mildew build-up in the walk-in cooler throughout the ceiling tiles.

ANDREWS PREK-8

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/21/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed several paper towel dispensers inoperable due to low battery.

ANDREWS PREK-8

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/21/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed accumulations of encrusted grease deposits or other soil on the following food contact surfaces: large kettle near ovens.
4/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

ARMSTRONG ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/3/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	A condensate drain line was dripping onto packaged food products in the Hobart (1) reach-in freezer.
10/3/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Yogurt cold holding at improper temperatures in the Hobart (3) reach-in refrigerator. Observed yogurt cold holding at 53F in the Hobart (3) unit. Manager instructed employees to move all temperature control for safety food items from unit into cold holding storage in alternate refrigerator during inspection.
10/3/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed cracked tiles at baseboard in mop room. Observed damage to wall at floor/wall juncture in corner of mop room (behind washing machine).
4/11/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

ASBURY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The lids to the dumpster are open.
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Digital food thermometers stored in quaternary ammonia sanitizer between use.
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The toilet room door and the locker room door are propped open.
4/24/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BARRON ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/1/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
5/2/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The walk-in cooler is not maintaining time/temperature control for safety (TCS) foods at 41 °F or below.
5/2/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Milk 45°F, Cheese 48°F, Pizza 48°F, in the walk-in cold holding at improper temperatures

BASSETTE ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/5/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The nonfood contact surface of the storage rack in the walk-in cooler is not corrosion resistant, nonabsorbent, and/or smooth. Observed rack made of unsealed wood.
10/5/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Plumbing connections under the 3-compartment sink are leaking. Observed handsink and mop sink faucets are hard to turn off and water runs continuously.
10/5/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Ceiling tiles near dish machine (dusty), floor in mop room and adjacent hallway (needs to be swept), and floor drain cover near dish machine noted in need of cleaning.
4/10/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BETHEL HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/26/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/30/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BOOKER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/16/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dumpster or outside refuse container was open or uncovered.
4/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BRYAN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/30/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	An irreversible registering temperature indicator is not provided for the high temperature dish machine to ensure the dishes reach a temperature of at least 160*..
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Cased food stored on the floor in the freezer.
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The dumpster doors are open.
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Few dead flies observed on the window sills above the food prep sink and in the dishroom. The sills are also dusty.
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The physical structures are not maintained in good repair: 1) damaged floor tile at prep table next to hand sink 2) base molding in the mop room is no longer sealed to the wall, the lower wall, molding, and door frames have peeling paint 3) floor tile damaged below desh supporting the buns 4) base tiles-floor tiles below the dish machine spray sink are no longer sealed
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The final rinse is not reaching a minimum of 180* as indicated on the specification placard. After running the unit 3 times, the final rinse was observed at 171*.
5/2/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

BURBANK ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The refuse container used to store refuse/recyclables has no drain plug.
4/16/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Toilet room doors are being kept open

CARY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/2/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Hot dogs in the hot holding unit were hot holding at improper temperatures (98°F-122°F).
5/2/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

COOPER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/11/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Both lids to the dumpster are open and one appears to be bent/damaged.

COOPER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/11/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	There are dead beetles/other insects under or beside equipment in storeroom, right of the bake prep counter, in the mop room, below/beside freezer 1 and below/beside the washing machine.
10/11/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The upper door frame of the storeroom (old walk-in cooler) is corroded. Base tiles cracked at bake prep counter.
4/25/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

DARLIING STADIUM

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
8/31/2017	Risk Category 1	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed door on medium concession stand appears to be mis-aligned and not holding seal (leaking all cool air). Noted corrosion on outer surfaces of same unit. Maintenance staff repaired door to remain sealed during inspection (corrosion still present).
8/31/2017	Risk Category 1	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Handwashing signage missing from all handsinks. Signage provided during inspection.
8/31/2017	Risk Category 1	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Temperature control for safety foods cold holding at improper temperatures. Observed BBQ at 67F in medium stand refrigerator. Manager voluntarily discarded BBQ and hot dogs from unit during inspection.

EATON MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/3/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead insects observed on floor below shelving in storeroom.
4/10/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

FORREST ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/16/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/30/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

HAMPTON HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/21/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed rodent droppings below racks in dry storage area and along perimeter wall in service area.
9/21/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Vent filters in the hood system are not being maintained in a clean condition. Observed heavy residue built up on hood vent filters.
9/21/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Dead or trapped insects were found on the premises on the light cover in the walk-in refrigerator.
5/3/2018			<input type="checkbox"/>	<input type="checkbox"/>	No Data

JONES MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/30/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
5/2/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

KECOUGHTAN HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/20/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

KRAFT ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/16/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
5/1/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

LANGLEY ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/5/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The food-contact surfaces of the following equipment were not observed sanitized : Ice maker.
4/10/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

LINDSAY MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The paper towel holder at the handsink near the 3-compartment sink and the door gasket to the milk cooler on line A was observed in a state of disrepair and damaged.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed rack for air-drying wares at 3-compartment sink is soiled with sticky residue.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Vent filters in the hood system are not being maintained in a clean condition. Observed heavy dust built up in both hood systems.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Floor below racks in dry storage room noted in need of cleaning.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Observed several cracked wall tiles on walls in cafeteria lines. Observed area around pipes coming from ceiling in mop room needs to be filled to seal gaps. Observed worn grouting at floor/wall juncture in cafeteria dining area.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Outer opening of the food establishment is not protected against entry of insects and rodents. Observed side door to outside in cafeteria is not tight-fitting (large gap between bottom of door and ground). Observed 3 cracked sun light covers in cafeteria.
9/19/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	A condensate drain line servicing the dairy walk-in cooler was emptying liquid waste directly onto the floor of the mop room.
4/30/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

MACHEN ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/3/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No disposable towels were provided at the hand washing lavatory in the kitchen.
4/11/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

MOTON PREK

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/27/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Several nail sized holes in the walls located near the washer. Several door frames have chipped paint.

MOTON PREK

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
4/30/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

PHENIX PREK - 8

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/13/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/26/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

PHILLIPS ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/4/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The food-contact surfaces of the following equipment were not observed sanitized: Ice maker.
5/2/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The door gasket to the the reach in (3) is in poor repair.
5/2/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Surfaces of the ice maker in contact with non-time/temperature control for safety (TCS) food items were observed soiled.
5/2/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Outside dumpster was open.

PHOEBUS HIGH

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
11/1/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The refuse container used to store refuse/recyclables has a missing drain plug.
11/1/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input checked="" type="checkbox"/>	There is no service sink or curbed cleaning facility designed for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid wastes.

SMITH ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Electrical socket located is not secure to the wall
4/25/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	Paint is peeling on the far wall left side of the three compartment sink.

SPRATLEY GIFTED

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/18/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Rodent bait station is not covered and tamper-resistant in the mop room.--the bag was open.
10/18/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	The physical structures are not maintained in good repair: 1) floor-wall junctures throughout the storeroom are no longer sealed--cracks/crevices/gaps exist 2) floor-wall junctures below mop sink are no longer sealed Correction: Maintain physical facilities in good repair. Poor repair and maintena
4/24/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

SYMS MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/16/2017	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Chicken (50°F) cold holding at improper temperatures.

TARRANT MIDDLE

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/10/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/23/2018	Risk Category 2	Routine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Observed milk holding at 54F in the walk-in refrigerator (closest to the manager's office in the kitchen). Manager moved milk into alternate walk-in refrigerator during inspection.

TARRANT SCHOOL

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/2/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/11/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

TUCKER-CAPPS ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/10/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/25/2018	Risk Category 2	Risk Factor	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found

TYLER ELEMENTARY

Date of Inspection	Risk Rating	Inspection Type	Priority	Repeat	Result
10/5/2017	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found
4/11/2018	Risk Category 2	Routine	<input type="checkbox"/>	<input type="checkbox"/>	No Items Found