

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name <b>Eagle Mart</b>	Facility Type <b>Retail Food Store</b>	
Licensee Name <b>Ashi &amp; Shawn Corporation</b>	Facility Telephone # <b>304 579-8000</b>	
Facility Address <b>3790 A Hedgesville Rd Hedgesville , WV</b>	Licensee Address <b>,</b>	
<b>Inspection Information</b>		
Inspection Type <b>Routine</b>	Inspection Date <b>12/21/2018</b>	Total Time Spent <b>1.00</b>

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b> <b>Repeated # 0</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 2</b> <b>Repeated # 0</b>
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Glass on display case needs repaired (cracked/broken, tape not approved)
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Drain on backflow preventer behind water softner needs repaired

<b>Inspection Outcome</b>

<b>Comments</b>
Soda machines and coffee station must stay closed at this time until food training requirements are met. Retail food store permit given to operate at this time.

Disclaimer

Person in Charge

  
**Ravi Gurung**

Sanitarian

  
**Keith Allison**