

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Philly Steak Subs Plus	Facility Type Food Service Establishment	
Licensee Name C. Spinnelli III, Inc.	Facility Telephone # 304 754-0104	
Facility Address 4150 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 03/02/2020	Total Time Spent 1.02

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pizza cooler top	40
Pizza cooler bottom	39
Old true cooler	40
Glass door cooler	39
Small glass door cooler backroom	40
Sandwich cooler	41
Front sandwich case	37
Soda cooler	39
White Kenmore	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SanitizerbucketGri llsanitizerbucket3 bay	chemchem		50-10050- 100		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Priority Violations
<p>Total # 2 Repeated # 0</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS OBSERVATION: (CORRECTED DURING INSPECTION): Clean pans are visibly soiled.</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS OBSERVATION: (CORRECTED DURING INSPECTION): AL the sharp kitchen knives need cleaned, stored with old food stuffs on the blades</p>

Observed Priority Foundation Items

Total # 1

Repeated # 0

3-501.17 - READY-TO-EAT, TCS FOOD, DATE-MARKING

OBSERVATION: No date marking observed in and of the food in the white refrigerator. Must date mark 7 days

Observed Core Violations

Total # 6

Repeated # 0

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Cracked pans need replaced,(clear plastic)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Sandwich case gaskets needs repaired, torn

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelf under the grill needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Front bread rack needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of the floor mixer needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor under and behind equipment needs cleaned


Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



dora enciso

Glenn GCO Ondick