

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name McDonalds Inwood	Facility Type Food Service Establishment	
Licensee Name McDonald's Accounting Center	Facility Telephone # 304 229-2973	
Facility Address 4739 Gerrardstown Rd Inwood , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 11/27/2018	Total Time Spent 2.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	36
4 door salad cooler	41
Breakfast cooler	41.5
OJ machine	36
#3 bottom	41
creamer-front counter	34
blended ice machine	34
McCafe cooler	38
pie warmer	180
drive thru refrig	40
creamer-drive thru	34
front counter refrigerator	41
fresh chicken unit	41
fresh beef unit	35

Food Temperatures	
Description	Temperature (Fahrenheit)
ice cream	19
hot breakfast items	152-175 scan

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sanitizerbucket- frontsanitizerbuck ets-back3baysink	chemicalchemical quat		50200pp m	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 5

Repeated # 2

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): milk product in blender machine-date mark for 7 days unless paperwork available to verify longer shelf life

3-501.17 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DATE-MARKING

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 2 pans of bacon sauce dated for yesterday(inaccurate sticker)

3-501.19 - TIME AS A PUBLIC HEALTH CONTROL

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): butter packets- time expired at 8:05am and time was 9:30am

4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS

This is a critical violation

OBSERVATION: inside ice machines need cleaned/and 1 bucket

7-201.11 - SEPARATION

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): cleaning tablets for McCafe machine stored on top of machine

Observed Non-Critical Violations

Total # 23

Repeated # 2

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): Thermometer needed in a few units

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: cup holders-several broken and need replaced

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: breakfast refrigerator-back door gasket needs replaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): inside top of microwave needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: splash area behind soda nozzles on soda machines need cleaned(lobby)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): 4 door refrigerator-needs cleaned inside and outside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): door gaskets on chicken freezer, chicken refrigerator, and walkin need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION (*CORRECTED DURING INSPECTION*): area around cup holders needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): ice cream machine-detailed cleaning needed-inside lower area and around top tubing

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): McCafe machine-clean door gasket and frame(vent)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (*CORRECTED DURING INSPECTION*): vents on orange juice machine need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: walkin ceiling vents need dusted

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Multi Plex system leaking and 1 CO2 tank leaking

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: wall corner guards beside washer adhered with duct tape-duct tape not cleanable

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION new caulk needed at 3 bay sink

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: roof leaking-several tiles water damaged/paint peeling around ceiling vents

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: 3 bay sink plumbing leaking

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: womens restroom-right sink sensor needs adjusted-must place hand touching under the faucet.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: storeroom-area by grease interceptor needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: *(CORRECTED DURING INSPECTION)*: floor drain needs cleaned located near ice machine and 3 bay sink

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: monitor wiring needs dusted

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor beneath ice cream machine needs cleaned-melted ice cream.and floor beneath ice machines need cleaned

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor in storeroom needs cleaned beneath shelving

Inspection Outcome

Comments

*Complaint rec'd regarding employee not wearing gloves while making food. Food also made in a "non-prep" area(picture). Spoke to management and they will coach employee

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards