

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

CHILD CARE CENTER INSPECTION REPORT

<i>Establishment Information</i>	
Facility Name RESA 8 Hack Wilson Way	Facility Type Child Care Center
Licensee Name RESA VIII Head Start	Facility Telephone # 304 263-6222
Facility Address 750 Hack Wilson Way Martinsburg , WV	Licensee Address ,

<i>Establishment Details</i>	
Adult to Child Ratio	Rm 1-17/2; Rm 2-16/2; Rm 3-17/2; Rm 4-17/2; Rm 5-17/2(3); Rm 6-14/2=98/12

<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/13/2019	Total Time Spent 1.50

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

ObservedViolations

Total # 6

Repeated # 0

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Rm 3-restroom toilet paper holder broken; inside cabinet beneath sink needs cleaned; ceiling light continually blinking

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Rm 1-right side restroom stall floor buckled-needs to be secured; closet hook pulling out of door

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Rm 2-right side toilet-handle loose

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Rm 5-ceiling vents need cleaned; left restroom toilet not working; right restroom toilet needs cleaned and floor beneath; new caulk needed at classroom sinks

14.1 - All areas and equipment of the child care center shall be kept clean and in good repair and in a neat and orderly condition at all times. Indoor environmental surfaces associated with children's activities, such as table tops, shall be cleaned and disinf

OBSERVATION: Rm 6-restroom ceiling vent needs cleaned; new caulk needed at classroom handsinks; restroom ceiling light bulb needs replaced

5.2.E - Carpeting shall be securely attached or of a non-skid nature.

OBSERVATION: front hall rug-edges frayed(duct tape not approved); Rm 3-plastic mat beneath sandbox in poor repair; Rm 5-area rug edges curled; Rm 6-outside door rug curled(secure to floor)

Inspection Outcome

Comments

Daycon sanitizer bottles-200ppm

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards

