



Wyoming Verified NutriVac

Tier 1:

NutriVac PW:

Calves vaccinated at branding and 2-4 weeks prior to shipping.

Calves fed a complete mineral nutrition program containing level of all minerals and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning.

1. 2 doses 7-way, 8-way or 9-way Clostridial at branding and 2 to 4 weeks prior to shipping.
2. 2 doses viral 5-way (IBR, PI3, BRSV and BVD Type I and II) at branding and 2 to 4 weeks prior to shipping. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 1 dose Pasteurella Haemolytica and/or Pasteurella Multocida 2-4 weeks prior to shipping.
4. Internal and external parasite control recommended.

NutriVac W45:

Calves vaccinated at branding, 2-4 weeks prior to or at weaning, and booster per label instructions post-weaning. Calves must be home raised and weaned a minimum of 45 days prior to delivery.

Calves fed a complete mineral nutrition program containing level of all minerals and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning and 45 days post-weaning.

1. 2 doses 7-way, 8-way or 9-way Clostridial.
2. 2 doses viral 5-way (IBR, PI3, BRSV and BVD Type I and II). Booster per label instructions. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 1 dose Pasteurella Haemolytica and/or Pasteurella Multocida prior to or at weaning and booster per label instructions.
4. Internal and External parasite control recommended.

NutriVac W45P:

Calves vaccinated at branding, prior to or at weaning, and booster per label instructions post-weaning. Calves must be home raised and weaned a minimum of 45 days prior to delivery.

Calves fed a complete mineral nutrition program containing level of all minerals and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning and 45 days post-weaning.

1. 3 doses 7-way, 8-way or 9-way Clostridial at branding, prior to or at weaning and booster to label instructions.
2. 3 doses viral 5-way (IBR, PI3, BRSV and BVD Type I & II) at branding, prior to or at weaning and booster to label instructions. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 2 doses Pasteurella Haemolytica and/or Pasteurella Multocida at branding, prior to or at weaning and booster per label instructions.
4. Internal and external parasite control required.

Documentation Requirements

Producer must provide copies of vaccine and parasite control receipts with weaning and shipping dates. Producer must provide copies of supplement tag and receipts, number of calves, and feeding dates.

Tier 2:

NutriVac PW+:

Calves vaccinated at branding and 2-4 weeks prior to shipping.

Calves fed a complete mineral nutrition program containing level of all minerals which include **organic sources of trace minerals** and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning.

1. 2 doses 7-way, 8-way or 9-way Clostridial at branding and 2 to 4 weeks prior to shipping.
2. 2 doses viral 5-way (IBR, PI3, BRSV and BVD Type I and II) at branding and 2 to 4 weeks prior to shipping. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 1 dose Pasteurella Haemolytica and/or Pasteurella Multocida 2-4 weeks prior to shipping.
4. Internal and external parasite control recommended.

NutriVac W45+:

Calves vaccinated at branding, prior to or at weaning, and booster per label instructions post-weaning. Calves must be home raised and weaned a minimum of 45 days prior to delivery.

Calves fed a complete mineral nutrition program containing level of all minerals which include **organic sources of trace minerals** and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning and for 45 days post-weaning.

1. 2 doses 7-way, 8-way or 9-way Clostridial.
2. 2 doses viral 5-way (IBR, PI3, BRSV and BVD Type I and II). Booster per label instructions. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 1 dose Pasteurella Haemolytica and/or Pasteurella Multocida prior to or at weaning and booster per label instructions.
4. Internal and External parasite control recommended.

NutriVac W45P+:

Calves vaccinated at branding, prior to or at weaning, and booster per label instructions post-weaning. Calves must be home raised and weaned a minimum of 45 days prior to delivery.

Calves fed a complete mineral nutrition program containing level of all minerals which include **organic sources of trace minerals** and vitamins as recommended by feed manufacturer for at least 45 days prior to weaning and 45 days post-weaning.

1. 3 doses 7-way, 8-way or 9-way Clostridial at branding, prior to or at weaning and booster to label instructions.
2. 3 doses viral 5-way (IBR, PI3, BRSV and BVD Type I & II) at branding, prior to or at weaning and booster to label instructions. The IBR and PI3 components must be chemically altered modified live or modified live with veterinarian's approval. The BVD and BRSV can be either modified live or killed.
3. 2 doses Pasteurella Haemolytica and/or Pasteurella Multocida at branding, prior to or at weaning and booster per label instructions.
4. Internal and external parasite control required.

Documentation Requirements

Producer must provide copies of vaccine and parasite control receipts with weaning and shipping dates. Producer must provide copies of supplement feed tag and receipts, number of calves, and feeding dates.